

Action: No vote taken

**MATANUSKA-SUSITNA BOROUGH  
WATER AND WASTEWATER ADVISORY BOARD  
RESOLUTION NO. 26-02**

A RESOLUTION OF THE MATANUSKA-SUSITNA BOROUGH WATER AND WASTEWATER ADVISORY BOARD RECOMMENDING THE MATANUSKA-SUSITNA BOROUGH ASSEMBLY FAIL ORDINANCE 26-030 AND RETAIN MSB 8.25 WATER POLLUTION CONTROL AND MSB 17.55.020 (E) .

---

WHEREAS, Assembly Ordinance 26-030 repeals MSB 8.25 and MSB 17.55.020 (E), in their entirety; and

WHEREAS, while the State of Alaska has always retained primacy over the regulation and enforcement of septic systems and water pollution control, it currently has no employees assigned to the Matanuska-Susitna Borough area; and

WHEREAS, the State of Alaska has historically been unable to enforce its regulation due to staffing levels; and

WHEREAS, retaining these standards provides the tools necessary for the Borough to regulate water pollution should the need arise.

NOW, THEREFORE, BE IT RESOLVED, that the Matanuska-Susitna Water and Wastewater Advisory Board hereby recommends failing Assembly Ordinance 26-030 and retaining MSB 8.25 Water Pollution Control and MSB 17.55.020 (E) .

ADOPTED by the Matanuska-Susitna Borough Water and Wastewater  
Advisory Board this - day of -, 2026.

\_\_\_\_\_  
ROBERT WALDEN, Chair

ATTEST:

\_\_\_\_\_  
CHRISTINA SANDS, Staff Support

(SEAL)

NO VOTE TAKEN

YES:

NO: