

## MATANUSKA-SUSITNA BOROUGH PLANNING COMMISSION AGENDA

Edna DeVries, Mayor

### PLANNING COMMISSION

Doug Glenn, District 1 – Vice-Chair  
Richard Allen, District 2 – Chair  
Brendan Carpenter, District 3  
Michael Collins, District 4  
Linn McCabe, District 5  
Maksim Zagorodniy, District 6  
Curt Scoggin, District 7



Michael Brown, Borough Manager

### PLANNING & LAND USE DEPARTMENT

Alex Strawn, Planning & Land Use Director  
Jason Ortiz, Planning & Land Use Deputy Director  
Wade Long, Development Services Manager  
Fred Wagner, Platting Officer  
Lacie Olivieri, Planning Clerk

*Assembly Chambers of the  
Dorothy Swanda Jones Building  
350 E. Dahlia Avenue, Palmer*

December 15, 2025  
REGULAR MEETING  
6:00 p.m.

### Ways to participate in the meeting:

**IN PERSON:** You will have 3 minutes to state your oral comment.

**IN WRITING:** You can submit written comments to the Planning Commission Clerk at [msb.planning.commission@matsugov.us](mailto:msb.planning.commission@matsugov.us).

**Written comments are due at noon on the Friday prior to the meeting.**

### TELEPHONIC TESTIMONY:

- Dial 1-855-290-3803; you will hear “joining conference” when you are admitted to the meeting.
- You will be automatically muted and able to listen to the meeting.
- When the Chair announces audience participation or a public hearing you would like to speak to, press \*3; you will hear, “Your hand has been raised.”
- When it is your turn to testify, you will hear, “Your line has been unmuted.”
- State your name for the record, spell your last name, and provide your testimony.

**OBSERVE:** observe the meeting via the live stream video at:

- <https://www.facebook.com/MatSuBorough>
- Matanuska-Susitna Borough - YouTube

I. CALL TO ORDER, ROLL CALL, AND DETERMINATION OF QUORUM

II. APPROVAL OF AGENDA

III. PLEDGE OF ALLEGIANCE

#### IV. CONSENT AGENDA

##### A. MINUTES

Regular Meeting Minutes: December 1, 2025

##### B. INTRODUCTION FOR PUBLIC HEARING: QUASI-JUDICIAL MATTERS

##### C. INTRODUCTION FOR PUBLIC HEARING: LEGISLATIVE MATTERS

**Resolution 25-25** A Resolution Of The Matanuska-Susitna Borough Planning Commission Recommending Approval Of An Ordinance Amending MSB 8.55, Special Events, To Repeal The Surety Bond Requirement Standards.

**Public Hearing Date:** January 5, 2026

**Staff:** Alex Strawn, Planning and Land Use Director

**Resolution 25-26** A Resolution Of The Matanuska-Susitna Borough Planning Commission Recommending Approval Of An Ordinance Amending MSB 17.67, Tall Structures Including Telecommunication Facilities, Wind Energy Conversion Systems, And Other Tall Structures; To Reduce The Minimum Setback Requirements For New Telecommunications Towers.

**Public Hearing Date:** January 5, 2026

**Staff:** Alex Strawn, Planning and Land Use Director

**Resolution 25-27** A Resolution Of The Matanuska-Susitna Borough Planning Commission Recommending Approval Of An Ordinance Amending MSB 15.24 Assembly; Zoning Functions To Update The Process Of Initiating And Amending Lake Management Plans And A Resolution Establishing A Fee For Processing Requests For Lake Management Plans Under MSB 15.24 Assembly; Zoning Functions.

**Public Hearing Date:** January 5, 2026

**Staff:** Alex Strawn, Planning and Land Use Director

#### V. COMMITTEE REPORTS

#### VI. AGENCY/STAFF REPORTS

#### VII. LAND USE CLASSIFICATIONS

#### VIII. AUDIENCE PARTICIPATION (*Three minutes per person, for items not scheduled for public hearing*)

#### IX. PUBLIC HEARING: QUASI-JUDICIAL MATTERS

*Commission members may not receive or engage in ex-parte contact with the applicant, other parties interested in the application, or members of the public concerning the application or issues presented in the application.*

X. PUBLIC HEARING: LEGISLATIVE MATTERS

- Resolution 25-23** A Resolution Of The Matanuska-Susitna Borough Planning Commission Recommending Assembly Adoption Of The Matanuska-Susitna Borough Hazard Mitigation Plan 2026 Update.  
**Staff:** Taunnie Boothby, Current Planner

XI. CORRESPONDENCE & INFORMATION

XII. UNFINISHED BUSINESS

XIII. NEW BUSINESS

XIV. COMMISSION BUSINESS

A. Elections

- Chair
- Vice-Chair

B. Upcoming Planning Commission Agenda Items

XV. DIRECTOR AND COMMISSIONER COMMENTS

XVI. ADJOURNMENT (*Mandatory Midnight*)

**Disabled persons needing reasonable accommodation in order to participate at a Planning Commission Meeting should contact the Borough ADA Coordinator at 861-8432 at least one week in advance of the meeting.**

# **MINUTES**

**December 1, 2025**

**(Pages 4-7)**



## MATANUSKA-SUSITNA BOROUGH

Edna DeVries, Mayor

### PLANNING COMMISSION

Doug Glenn, District 1 – Vice Chair  
Richard Allen, District 2  
Brendan Carpenter, District 3  
Michael Collins, District 4  
Linn McCabe, District 5  
Maksim Zagorodniy, District 6  
Curt Scoggin, District 7



Michael Brown, Borough Manager

### PLANNING & LAND USE DEPARTMENT

Alex Strawn, Planning & Land Use Director  
Jason Ortiz, Planning & Land Use Deputy Director  
Wade Long, Development Services Manager  
Fred Wagner, Platting Officer  
Lacie Olivieri, Planning Clerk

*Assembly Chambers of the  
Dorothy Swanda Jones Building  
350 E. Dahlia Avenue, Palmer*

## PLANNING COMMISSION MEETING MINUTES December 1, 2025

### I. CALL TO ORDER, ROLL CALL, AND DETERMINATION OF QUORUM

The Matanuska-Susitna Borough Planning Commission's regular meeting was held on December 1, 2025, at the Assembly Chambers of the Dorothy Swanda Jones Building 350 E. Dahlia Avenue, Palmer, Alaska. Chair Allen called the meeting to order at 6:00 p.m.

**Present:** – Commissioner Linn McCabe  
Commissioner Richard Allen  
Commissioner Doug Glenn  
Commissioner Curt Scoggin  
Commissioner Brendan Carpenter  
Commissioner Michael Collins  
Commissioner Maksim Zagorodniy

#### **Absent/Excused:**

**Staff Present:** 3 – Mr. Alex Strawn, Planning and Land Use Director  
Ms. Lacie Olivieri, Planning Department Admin  
Ms. Denise Michalske, Assistant Borough Attorney

### II. APPROVAL OF AGENDA

Chair Allen inquired if there were any changes to the agenda.

**GENERAL CONSENT:** The agenda was approved without objection.

### III. PLEDGE OF ALLEGIANCE

The Pledge of Allegiance was led by Commissioner Scoggin.

### IV. CONSENT AGENDA

A. MINUTES: Regular Meeting Minutes – November 17, 2025

B. INTRODUCTION FOR PUBLIC HEARING QUASI-JUDICIAL MATTERS

*(There were no introductions for public hearing quasi-judicial matters.)*

C. INTRODUCTION FOR PUBLIC HEARING LEGISLATIVE MATTERS

**Resolution 25-23**

A Resolution Of The Matanuska-Susitna Borough Planning Commission Recommending Assembly Adoption Of The Matanuska-Susitna Borough Hazard Mitigation Plan 2026 Update.

**Public Hearing Date:** December 15, 2025

**Staff:** Taunnie Boothby, Current Planner

Chair Allen read the Consent Agenda into the record.

**GENERAL CONSENT:** The Consent Agenda was approved without objection.

V. **COMMITTEE REPORTS**

*(There were no committee reports.)*

VI. **AGENCY/STAFF REPORTS**

*(There were no Agency/Staff Reports)*

VII. **LAND USE CLASSIFICATIONS**

*(There were no land use classifications.)*

VIII. **AUDIENCE PARTICIPATION** *(Three minutes per person.)*

There being no persons to be heard, Audience Participation was closed without objection.

IX. **PUBLIC HEARING QUASI-JUDICIAL MATTERS**

X. **PUBLIC HEARING LEGISLATIVE MATTERS**

**Resolution 25-24**

A Resolution Of The Matanuska-Susitna Borough Planning Commission Recommending Approval Of An Ordinance Amending MSB 17.59 Lake Management Plan Implementation To Update Definitions Related To Motorized And Personal Watercraft.

**Staff:** Alex Strawn, Planning and Land Use Director

Chair Allen read the resolution title into the record.

Staff, Mr. Alex Strawn, presented his staff report.

Chair Allen inquired if commissioners had any questions for staff.

Chair Allen opened the public hearing.

There being no persons to be heard, Chair Allen closed the public hearing, and the discussion moved to the Planning Commission.

**MOTION:** Commissioner McCabe moved to approve Planning Commission Resolution 25-24. The motion was seconded by Commissioner Glenn.

Discussion ensued.

**AMENDMENT:** Commissioner McCabe moved to modify the resolution to have this topic incorporated and taken up with Ordinance 25-128. Seconded by Commissioner Glenn.

**VOTE:** No objection to the Amendment. Passed unanimously.

**VOTE:** The main motion as amended passed without objection.

**XI. CORRESPONDENCE AND INFORMATION**

*(Correspondence and information were presented, and no comments were noted)*

**XII. UNFINISHED BUSINESS**

*(There was no unfinished business.)*

**XIII. NEW BUSINESS**

**XIV. COMMISSION BUSINESS**

- A. Upcoming Planning Commission Agenda Items (Staff: Alex Strawn)  
(Commission Business was presented, and no comments were noted.)

**XV. DIRECTOR AND COMMISSIONER COMMENTS**

Commissioner McCabe: No comment.

Commissioner Glenn: No comment.

Commissioner Scoggin: No comment.

Commissioner Carpenter: No comments.

Commissioner Zagorodniy: Thanks for today's meeting.

Commissioner Collins: I appreciate everyone going through this and working together as always, it's a pleasure and everyone drive home safe.

Alex Strawn: Hope everyone had a wonderful Thanksgiving surrounded by loved ones, we have one more meeting before Christmas and I will wish you Merry Christmas then.

Commissioner Allen: Hope everyone had a nice Holiday. Please be safe out there I know some of you are driving a great distance tonight so please careful and everyone get home safe tonight.

**XVI. ADJOURNMENT**

The regular meeting adjourned at 6:59 p.m.

---

RICK ALLEN  
Planning Commission Chair

ATTEST:

---

LACIE OLIVIERI  
Planning Commission Clerk

*Minutes approved:* \_\_\_\_\_

# **INTRODUCTION FOR PUBLIC HEARING LEGISLATIVE**

## **Resolution No. 25-25**

**A Resolution Of The Matanuska-Susitna Borough  
Planning Commission Recommending Approval Of  
An Ordinance Amending MSB 8.55, Special Events,  
To Repeal The Surety Bond Requirement Standards.**

(Page 8 - 50)

**MATANUSKA-SUSITNA BOROUGH INFORMATION MEMORANDUM IM No. 25-243**

**SUBJECT:** AN ORDINANCE OF THE MATANUSKA-SUSITNA BOROUGH ASSEMBLY AMENDING MSB 8.55 SPECIAL EVENTS TO REPEAL THE SURETY BOND REQUIREMENT STANDARDS.

**AGENDA OF:** November 18, 2025

**ASSEMBLY ACTION:**

**AGENDA ACTION REQUESTED:** Refer to Planning Commission for 90 days.

Route To	Signatures
Originator	<div>10/15/2025</div> <div>X Alex S t r a w n</div> <div>Signed by: Alex</div>
Department Director	<div>10/15/2025</div> <div>X Alex S t r a w n</div> <div>Signed by: Alex</div>
Finance Director	<div>RECOVERABLE SIGNATURE</div> <div>X Cheyenne H e i n d e l</div> <div>Signed by: Cheyenne Heindel</div>
Borough Attorney	<div>EXPIRED CERTIFICATE</div> <div>X Nicholas S p i r o p o u l o s</div> <div>Signed by: Nicholas Spiropoulos</div>
Borough Manager	<div>RECOVERABLE SIGNATURE</div> <div>X M i c h a e l B r o w n</div> <div>Signed by: Michael Brown</div>
Borough Clerk	<div>10/20/2025</div> <div>X Brenda J. H e n r y f o r</div> <div>Signed by: Brenda Henry</div>

**ATTACHMENT (S) :** Ordinance Serial No. 25-126 (2 pp)  
MSB 8.55 (11 pp)  
Planning Commission Resolution No. 25-\_\_\_ ( pp)

**SUMMARY STATEMENT:** This ordinance is at the request of Assemblymember Fonov.

MSB 8.55 governs the permitting process for special events within the Matanuska-Susitna Borough. As part of the original ordinance adopted in the year 2000, event organizers have been required to provide a financial surety bond as a condition of permit approval. The intent behind the bond requirement was to safeguard the Borough against potential liabilities, damages, or unmet obligations resulting from permitted events.

After a review of historical data and internal procedures, staff

have concluded that the bond requirement has become an unnecessary administrative and financial burden on applicants, particularly for small or community-based events.

Since the ordinance's adoption in 2000, the Borough has never had to invoke or utilize a bond for any special event. This reflects a strong track record of compliance and responsible event management by applicants. However, the continued requirement for a bond may discourage community groups, nonprofits, and small-scale organizers from hosting events due to up-front financial constraints and additional paperwork.

In addition, processing, tracking, and maintaining bond records creates extra work for Borough staff without any demonstrated benefit or reduction of risk. The Borough already employs other regulatory tools, such as site inspections, insurance requirements, and post-event reviews that effectively ensure public safety and accountability without reliance on financial surety bonds.

Repealing the bond requirement is a reasonable and prudent update to the Borough's special event permitting framework. It reflects 25 years of safe and successful event management and supports efforts to make the permitting process more efficient.

#### Matanuska-Susitna Borough Comprehensive Plan

Goal E-3: Create an attractive environment for business investment.

Policy E3-2: Institute appropriate land use guidelines and regulations that reduce land use conflicts and protect residents and businesses.

Goal LU-1: Protect and enhance the public safety, health, and welfare of Borough residents.

Policy LU1-1: Provide for consistent, compatible, effective, and efficient development within the Borough.

**RECOMMENDATION OF ADMINISTRATION:** Refer to Planning Commission and then introduce and set for public hearing.

## CHAPTER 8.55: SPECIAL EVENTS

### Section

#### **8.55.010 Definitions**

#### **8.55.020 Applicability**

#### **8.55.030 Special event permit required**

#### **8.55.040 Standards**

#### **8.55.050 Application for special event permit**

#### **8.55.060 Application information**

#### **8.55.070 Designation of the director**

#### **8.55.080 Duties and responsibilities of the director**

#### **8.55.090 Appeals**

#### **8.55.100 Violations, enforcement, and penalties**

#### **8.55.110 Temporary noise permit**

### **8.55.010 DEFINITIONS.**

(A) For the purpose of this chapter the following definitions shall apply unless the context clearly indicates or requires a different meaning.

- (1) "Attendant" means any person physically present at a mass outdoor gathering, including, but not limited to, the performers, the audience, and the staff or workers at the event.
- (2) "Director" means the director of the planning and land use department.
- (3) "Mass outdoor gathering" means any outdoor event attended by more than 500 people, all or any part of which includes theatrical exhibition, public show, display, entertainment, amusement, or other exhibition including but not limited to musical festivals, rock festivals, or similar gatherings. The term "event" is interchangeable with



the term “mass outdoor gathering” within the definitions of this chapter. “Mass outdoor gathering” does not mean:

- (a) An event which is conducted or sponsored by a governmental unit or agency on publicly owned land, waterbody, or property; or
  - (b) An event held entirely within the confines of a fully enclosed or open air permanent structure; or
  - (c) An activity for which the borough has issued a conditional use permit under the requirements of MSB Title 17.
- (4) “Motorized event” means an event where vehicles powered or propelled by a force other than human or animal muscular power, gravity, or wind, are held for sport, entertainment, display, amusement, or other exhibition.
- (5) “Person” means any natural person, partnership, corporation, association, or organization.
- (6) “Operator” means any person who organizes, promotes, operates, or conducts a mass outdoor gathering. It does not include individuals or corporations who donate or contribute money, goods, or services to the event.
- (7) “Uniformed security personnel” means individuals providing security shall wear clothing which visually designates them as being part of the security force, and which is identical in type and color.

(Ord. 12-061, § 2, 2012; Ord. 00-117(SUB)(AM), § 2 (part), 2000)

### **8.55.020 APPLICABILITY.**

This chapter applies in all areas of the borough outside of the incorporated cities.

(Ord. 00-117(SUB)(AM), § 2 (part), 2000)

### **8.55.030 SPECIAL EVENT PERMIT REQUIRED.**

(A) No person shall operate, sponsor, maintain, conduct, promote, or allow a mass outdoor gathering in the Matanuska-Susitna Borough without first having made application for, and obtained, as hereinafter prescribed, a permit for each mass gathering.

(B) A permit shall not allow the gathering to exceed the number of people stated in the permit. The operator shall not sell, trade, donate, or distribute tickets to, or permit to assemble at the authorized site, more than the maximum permissible number of people.

(C) No operator shall knowingly allow any person to unlawfully consume, sell, or possess intoxicating liquor or to unlawfully use, sell, or possess any narcotics, narcotic drugs, or other controlled substances as defined by state or local laws on the premises during the mass gathering.

(D) This chapter does not apply to lands located east of the range line between Range 8 East and Range 9 East, Seward Meridian, Alaska, to the Matanuska-Susitna Borough boundary, or to the land north of the township line between Township 29 North and Township 30 North, Seward Meridian, Alaska, to the Matanuska-Susitna Borough boundary.

(Ord. 23-042, § 2, 2023; Ord. 00-117(SUB)(AM), § 2 (part), 2000)

## **8.55.040 STANDARDS.**

(A) *Security personnel.* The operator shall employ, at his own expense, such uniformed security personnel as are necessary and sufficient to provide adequate security and protection of attendants, to regulate and limit the number of persons to the level authorized in the permit, and for the preservation of order and protection of property in and around the site of the gathering. Security personnel shall be present during the event at the rate of one security guard for each 150 persons.

(B) *Emergency medical services.* For events located more than 15 road miles from the closest ambulance station, or if the event is anticipated to have more than 1,000 in attendance, the operator shall provide:

(1) at least one state of Alaska certified emergency medical technician (EMT) per 1,000 planned attendees, and

(2) in addition to subsection (B)(1) of this section, the operator shall provide at least two Alaska certified EMTs for the participants in any motorized event.

(C) *Potable water.* The operator shall ensure availability of potable water, meeting all state requirements for purity, sufficient in quantity to provide drinking water for the maximum attendants at the rate of at least one gallon per person per day or prorated fraction thereof.

(D) *Sanitation facilities.* The operator shall provide separate and enclosed toilets meeting all state and local specifications sufficient to provide facilities for the maximum number of people to be assembled at the rate of at least one toilet for every 75 persons per day or

prorated fraction thereof. These toilets shall be properly maintained, cleaned, and serviced during the event.

(E) *Solid waste disposal.* The operator shall provide for solid waste storage on, and removal from, the premises. The collection of all garbage and refuse shall be in metal containers provided in sufficient quantity to prevent accumulation of garbage and other refuse, and disposed of within 48 hours of the close of the event in a sanitary landfill or transfer station, approved or authorized by the Alaska Department of Environmental Conservation.

(F) *Supervision of premises.* The operator shall designate a person or persons who shall supervise and be in charge of the property. A designated supervisor shall be on the premises at all times while the event is underway. During the event, this on-site individual is to be continuously available to law enforcement, fire, and emergency medical personnel through the use of radios, cellular phone, or beepers provided by the operator.

(G) *Access and traffic control.* The operator shall provide for controlled ingress and egress from the site so as to ensure the orderly flow of traffic to, at, and from the event. Access to the site shall be from a public road or authorized private road. Traffic lanes and other space shall be provided, designated, and kept open for access by ambulance, fire equipment, helicopter, and other emergency equipment.

(H) *Parking.* The operator shall provide an off- street parking area sufficient for the maximum number of attendants' motor vehicles. A rate of one parking space, 10' by 20' in size, with appropriate parking space access aisles, for every four attendants is the minimum required to meet this standard.

(I) *Insurance and surety bond.* The operator shall provide insurance and surety bonds as follows:

(1) Before receiving final approval of a permit the operator shall furnish a certificate of general liability insurance specifically referencing the event with limits not less than \$1,000,000 per

occurrence/\$1,000,000 aggregate, which insurance shall insure liability for bodily injury and property damage. The sponsor shall also include on the certificate of insurance evidence of liquor liability coverage with limits not less than \$1,000,000 per occurrence/\$1,000,000 aggregate (if liquor is present at the event). The certificate of insurance shall include 30 days notice of cancellation to the borough. The borough shall be named on the operator's general liability policy as an additional insured and the operator shall waive their rights of subrogation against the borough. This shall also be included on the certificate. The operator agrees to hold harmless from all claims and defend and indemnify the borough, its agents, officers and employees from all claims,

which arise out of, or in any way are connected with the operator's event. Such insurance shall remain in full force and effect in the specified amounts for the duration of the event.

(2) Due to the possibility of damage or expense to the borough arising from the event or the operator's failure to comply with the requirements of the permit, the operator shall furnish a bond, cash, certified check, or equivalent, payable to the borough, conditioned upon the operator's faithful compliance with all of the terms and provisions of this chapter and all applicable provisions of the state or local law, and which shall indemnify the borough, its agents, officers, and employees against any and all loss, injury, or damage whatsoever arising out of, or in any way connected with, the mass gathering; and which shall indemnify the owners of surrounding property for costs attributable to cleaning up or removing debris, trash, or other waste resultant from the mass gathering. The amount of this bond shall be based upon the number of attendants and in accordance with the following table:

Attendees	Bond Amount
501-1000	\$ 25,000
1001-2000	50,000
2001-3000	75,000
3001-4000	100,000
4001-5000+	125,000

(3) *Bonding exemption.* An event operator may request a reduction of bonding requirements, under subsection (l)(2) of this section, up to 75 percent; provided, that:

- (a) the event has been in operation at the same site for at least three consecutive years;
- (b) the same operators have operated the event for at least three consecutive years;
- (c) there have been no claims against any surety bonds over the last three years; and
- (d) the operator has shown evidence of the ability to comply with all other provisions of the ordinance including security and trash removal requirements.
- (e) The planning director will make the determination whether an operator will be exempted when a complete application is submitted by the operator. A decision of

the director can be appealed by the applicant to the manager. The decision of the manager shall be final.

(J) *Fire protection.* The operator shall provide for fire protection, including fire extinguishing devices, fire lanes, and escape routes, to protect the life and health of the people attending the mass gathering.

(K) *Quiet hours.* Between the hours of midnight and 8 a.m. amplified sound shall not carry across property lines beyond the authorized site.

(L) *Authorization to enter.* Representatives of state and local government agencies shall be permitted to inspect the site of the mass gathering at any time for the purpose of ensuring compliance with the provisions of this chapter.

(Ord. 04-095(AM), § 2, 2004; Ord. 00-117(SUB)(AM), § 2 (part), 2000)

#### **8.55.050 APPLICATION FOR SPECIAL EVENT PERMIT.**

Application for a special events permit shall be made on forms furnished by the director at least 90 days prior to the first day of advertising for the event and must be accompanied by a fee established by the assembly.

(Ord. 00-117(SUB)(AM), § 2 (part), 2000)

#### **8.55.060 APPLICATION INFORMATION.**

(A) In addition to any other information the director may reasonably require from an applicant, each application made shall include at least the following:

(1) the name, residence, and mailing address of the person making the application. Where the person making the application is a partnership, corporation, or other association, this information shall be provided for all partners, officers, or directors;

(2) a description of the proposed mass outdoor gathering;

(3) the address and legal description of the site at which the mass outdoor gathering is proposed to be conducted. If ownership of the proposed site is not vested in the applicant, there shall be submitted an affidavit from the property owner or authorized agent indicating his consent and acceptance of responsibility for the use of the site for the proposed outdoor mass gathering;

- (4) the date or dates and hours during which the proposed mass outdoor gathering is to be conducted;
- (5) an estimate of the maximum number of attendants expected at the proposed mass outdoor gathering, and the maximum number of tickets to be sold, if any;
- (6) each application shall be accompanied by a site plan and other drawings, diagrams, or narrative describing the methods to be provided for:
  - (a) security and crowd control, including the operator's plans to limit the maximum number of people attending the event; plans for limiting attendance, including methods of entering the area, number, and location of ticket booths and entrances, and provisions for keeping non-ticket holders out of the area;
  - (b) diagram of the signs to be used to direct traffic to and from the site;
  - (c) method of providing potable water, including the source, amount available, and location of water outlets/distribution points if applicable;
  - (d) sanitation facilities, including the number of toilets to be provided, location, and type;
  - (e) vehicle access and off-street parking, including size and location of parking spaces and parking space access aisles;
  - (f) noise control, including types of sound controls and sound amplification, if any, listing the number, location, and size of power amplifiers and speakers to be used during the event, and a description of all necessary precautions to ensure that between the hours of midnight and 8 a.m. amplified sound will not carry across property lines beyond the authorized site;
  - (g) public safety plan, including location of emergency ingress and egress for patrons and others including emergency personnel and vehicles, and a description of the operator's arrangements for communications between internal and external security personnel and patrons; a fire protection plan, approved by a representative of the borough public safety department showing the number, type, and location of all extinguishing devices, and the type and location of signs delineating the fire lanes and emergency exit routes;
  - (h) solid waste disposal, including method of collecting and disposing of solid waste, in compliance with state and local laws, at a daily rate of at least one 55 gallon container for each 50 persons in attendance or prorated fraction thereof;

- (i) statement acknowledging that state and local government officials are guaranteed free and open access to all areas of the site before, during, and after the event for the purpose of inspection to ensure compliance with the requirements of this ordinance;
- (j) no less than 14 working days prior to the event the operator shall provide documentation of:
  - (i) executed copy of the operator's Alaska Department of Environmental Concerns (ADEC), Food Safety Program, and Temporary Food Service Permit application;
  - (ii) executed copy of the operator's Alaska Alcohol and Beverage Control Permit application if alcohol is to be served at the event;
  - (iii) notification of the Alaska State Trooper District Office, Matanuska-Susitna Borough Department of Public Safety, the borough public works department, and other emergency response agencies that may be affected, of the date, time and place of the event by certified mail. Such notice shall contain written authorization for representatives of these agencies to enter the site of the event at any time for the purpose of investigating the conditions specified in the application or ensuring compliance with the provisions of the application or of this chapter and the regulations issued hereunder;
  - (iv) proof of insurance and surety or indemnity bond as required;
  - (v) the number of security guards, the names, addresses and phone numbers of the individuals providing security for the event, and their hours of availability.

(Ord. 00-117(SUB)(AM), § 2 (part), 2000)

#### **8.55.070 DESIGNATION OF THE DIRECTOR.**

The director shall administer and implement this chapter by granting or denying a special events permit in accordance with its provisions.

(Ord. 00-117(SUB)(AM), § 2 (part), 2000)

#### **8.55.080 DUTIES AND RESPONSIBILITIES OF THE DIRECTOR.**

(A) The director shall:

- (1) review all special events permit applications to determine that the requirements of this chapter have been satisfied and issue a decision within 30 calendar days of the receipt of an application;
- (2) review the information submitted to determine that all necessary permits have been obtained from those federal, state, or local government agencies from which prior approval is required;
- (3) maintain for public inspection all records pertaining to the provisions of this chapter;
- (4) maintain the records of all appeal actions.

(Ord. 00-117(SUB)(AM), § 2 (part), 2000)

#### **8.55.090 APPEALS.**

(A) Upon written request an operator aggrieved by a decision of the director made under this chapter or any regulation enforced pursuant to this chapter, including a decision to deny a permit, may appeal to the borough manager to review the director's decision. Such appeal must be in writing and be filed with the manager's office no more than seven days after the director's decision.

(B) An appeal from the decision of the borough manager may be taken within the time prescribed in the Alaska Rules of Appellate Procedure, Part 6; Rules 601-612, by an operator when it is alleged there is an error in any requirement, decision, or determination made by the manager in the implementation, or enforcement, of this chapter.

(Ord. 00-117(SUB)(AM), § 2 (part), 2000)

#### **8.55.100 VIOLATIONS, ENFORCEMENT, AND PENALTIES.**

(A) Every act or condition prohibited by this chapter is unlawful and is a violation of borough code.

(B) Failure to obtain the required special events permit is a violation of MSB 8.55.030, and is a minor infraction.

(C) *[Repealed by Ord. 17-103, § 8, 2017]*

(D) The remedies provided in this section are not exclusive, but are cumulative of all other remedies available at law or in equity.



(Ord. 17-103, § 8, 2017; Ord. 00-117(SUB)(AM), § 2 (part), 2000)

### **8.55.110 TEMPORARY NOISE PERMIT.**

- (A) A temporary noise permit may be approved by the director.
- (B) A temporary noise permit may be granted once per calendar year per location for a maximum of four days, up to eight hours a day.
- (C) Applications for a temporary noise permit shall be made on forms provided by the borough. The applicant for a temporary noise permit shall submit the application to the department 60 days prior to the commencement of the activity for which the permit is requested.
- (D) The director may reject any application which is incomplete. The rejection shall be in writing and shall state the deficient items. Once the deficiencies have been corrected, the complete application will be processed.
- (E) Upon receipt of a complete application, the director will notify the public as follows:
  - (1) Publication shall be in a newspaper of general circulation in the borough 15 days prior to the decision date of the temporary noise permit application.
  - (2) Notice shall be mailed, at least 15 days prior to the decision date of the temporary noise permit application, to all owners of property within a distance of one-half mile of the exterior boundary of the property that is the subject of the application.
  - (3) When the property that is the subject of the application lies within the boundaries of a community council recognized by the assembly, notice shall be mailed to the community council at least 15 days prior to the decision date of the temporary noise permit application.
  - (4) Public notice shall state the following information:
    - (a) date, time and location of the event requiring the temporary noise permit;
    - (b) brief description of the application;
    - (c) description of the property that is the subject of the application and a vicinity map of that land; and
    - (d) identification of the planning department's telephone number.

(5) Prior to the granting of the temporary noise permit, the applicant shall pay the cost of all mailings or advertisements required by ordinance specific to that action.

(F) Factors to be considered by the director for granting a temporary noise permit shall include, but not be limited to, the following:

- (1) conformance with the intent of this chapter;
- (2) uses of property and existence of sensitive receptors within the area affected by sound;
- (3) the effect to the applicant and to the community;
- (4) the time of the day the activity for which the permit is requested will occur; and
- (5) the general public interest, welfare and safety.

(G) Within 30 days of receipt of the application, the director shall either approve or conditionally approve the application in whole or in part, or deny the application.

(H) In the event the permit is approved, reasonable conditions may be imposed to address concerns raised by neighboring property owners, and as deemed appropriate by the director, to protect the public health, safety, and general welfare, and may include restrictions on sound level, sound duration and operating hours, an approved method of achieving compliance, and a time schedule for its implementation.

(I) Where the director has approved a temporary noise permit and complaints are received related to the activity for which the permit was granted, the director has the authority to take action necessary to reduce the sound impacts including modification or revocation of the permit.

(Ord. 08-070, § 3, 2008)

CODE ORDINANCE

Sponsored by:  
Introduced:  
Public Hearing:  
Action:

**MATANUSKA-SUSITNA BOROUGH  
ORDINANCE SERIAL NO. 25-126**

AN ORDINANCE OF THE MATANUSKA-SUSITNA BOROUGH ASSEMBLY AMENDING  
MSB 8.55 SPECIAL EVENTS TO REPEAL THE SURETY BOND REQUIREMENT  
STANDARDS.

---

BE IT ENACTED:

Section 1. Classification. This ordinance is of a general and  
permanent nature and shall become a part of the Borough Code.

Section 2. Amendment of subsection. MSB 8.55.040(I) is hereby  
amended as follows:

(I) Insurance [AND SURETY BOND]. The operator shall  
provide insurance [AND SURETY BONDS] as follows:

(1) Before receiving final approval of a permit the  
operator shall furnish a certificate of general  
liability insurance specifically referencing the event  
with limits not less than \$1,000,000 per  
occurrence/\$1,000,000 aggregate, which insurance shall  
insure liability for bodily injury and property damage.  
The sponsor shall also include on the certificate of  
insurance evidence of liquor liability coverage with  
limits not less than \$1,000,000 per  
occurrence/\$1,000,000 aggregate (if liquor is present at  
the event). The certificate of insurance shall include

30 days notice of cancellation to the borough. The borough shall be named on the operator's general liability policy as an additional insured and the operator shall waive their rights of subrogation against the borough. This shall also be included on the certificate. The operator agrees to hold harmless from all claims and defend and indemnify the borough, its agents, officers and employees from all claims, which arise out of, or in any way are connected with the operator's event. Such insurance shall remain in full force and effect in the specified amounts for the duration of the event.

[(2) DUE TO THE POSSIBILITY OF DAMAGE OR EXPENSE TO THE BOROUGH ARISING FROM THE EVENT OR THE OPERATOR'S FAILURE TO COMPLY WITH THE REQUIREMENTS OF THE PERMIT, THE OPERATOR SHALL FURNISH A BOND, CASH, CERTIFIED CHECK, OR EQUIVALENT, PAYABLE TO THE BOROUGH, CONDITIONED UPON THE OPERATOR'S FAITHFUL COMPLIANCE WITH ALL OF THE TERMS AND PROVISIONS OF THIS CHAPTER AND ALL APPLICABLE PROVISIONS OF THE STATE OR LOCAL LAW, AND WHICH SHALL INDEMNIFY THE BOROUGH, ITS AGENTS, OFFICERS, AND EMPLOYEES AGAINST ANY AND ALL LOSS, INJURY, OR DAMAGE WHATSOEVER ARISING OUT OF, OR IN ANY WAY CONNECTED WITH, THE MASS GATHERING; AND WHICH SHALL INDEMNIFY THE OWNERS

OF SURROUNDING PROPERTY FOR COSTS ATTRIBUTABLE TO  
CLEANING UP OR REMOVING DEBRIS, TRASH, OR OTHER WASTE  
RESULTANT FROM THE MASS GATHERING. THE AMOUNT OF THIS  
BOND SHALL BE BASED UPON THE NUMBER OF ATTENDANTS AND IN  
ACCORDANCE WITH THE FOLLOWING TABLE:

ATTENDEES	BOND AMOUNT
501-1000	\$ 25,000
1001-2000	50,000
2001-3000	75,000
3001-4000	100,000
4001-5000+	125,000

(3) BONDING EXEMPTION. AN EVENT OPERATOR MAY  
REQUEST A REDUCTION OF BONDING REQUIREMENTS, UNDER  
SUBSECTION (I) (2) OF THIS SECTION, UP TO 75 PERCENT;  
PROVIDED, THAT:

(A) THE EVENT HAS BEEN IN OPERATION AT THE  
SAME SITE FOR AT LEAST THREE CONSECUTIVE YEARS;

(B) THE SAME OPERATORS HAVE OPERATED THE EVENT  
FOR AT LEAST THREE CONSECUTIVE YEARS;

(C) THERE HAVE BEEN NO CLAIMS AGAINST ANY  
SURETY BONDS OVER THE LAST THREE YEARS; AND

(D) THE OPERATOR HAS SHOWN EVIDENCE OF THE  
ABILITY TO COMPLY WITH ALL OTHER PROVISIONS OF THE  
ORDINANCE INCLUDING SECURITY AND TRASH REMOVAL  
REQUIREMENTS.

(E) THE PLANNING DIRECTOR WILL MAKE THE DETERMINATION WHETHER AN OPERATOR WILL BE EXEMPTED WHEN A COMPLETE APPLICATION IS SUBMITTED BY THE OPERATOR. A DECISION OF THE DIRECTOR CAN BE APPEALED BY THE APPLICANT TO THE MANAGER. THE DECISION OF THE MANAGER SHALL BE FINAL.]

Section 3. Amendment of subdivision. MSB  
8.55.060(A)(6)(j)(iv) is hereby amended as follows:

(iv) proof of insurance [AND SURETY OR INDEMNITY BOND] as required;

Section 4. Effective date. This ordinance shall take effect upon adoption.

ADOPTED by the Matanuska-Susitna Borough Assembly this - day of -, 2025.

\_\_\_\_\_  
EDNA DeVRIES, Borough Mayor

ATTEST:

\_\_\_\_\_  
LONNIE R. McKECHNIE, CMC, Borough Clerk  
(SEAL)

By: A. Strawn  
Introduced:  
Public Hearing:  
Action:

**MATANUSKA-SUSITNA BOROUGH**  
**PLANNING COMMISSION RESOLUTION NO. 25-25**

A RESOLUTION OF THE MATANUSKA-SUSITNA BOROUGH PLANNING COMMISSION  
RECOMMENDING APPROVAL OF AN ORDINANCE AMENDING MSB 8.55 SPECIAL  
EVENTS TO REPEAL THE SURETY BOND REQUIREMENT STANDARDS.

---

WHEREAS, Assembly Ordinance 25-126 repeals the surety bond requirement when obtaining a Special Events Permit in accordance with MSB 8.55 Special Events; and

WHEREAS, the intent behind the bond requirement was to safeguard the Borough against potential liabilities, damages, or unmet obligations resulting from permitted events; and

WHEREAS, since the ordinance's adoption in 2000, the Borough has never had to invoke or utilize a bond for any special event; and

WHEREAS, the bond requirement creates extra work for Borough staff without any demonstrated benefit or reduction of risk; and

WHEREAS, the Borough employs other regulatory tools, such as site inspections, insurance requirements, and post-event reviews that effectively ensure public safety and accountability without reliance on financial surety bonds; and

WHEREAS, repealing the bond requirement is a reasonable and prudent update to the Borough's special event permitting framework and supports efforts to make the permitting process more efficient

WHEREAS, the Assembly Ordinance 25-126 supports the goals and objectives of the Matanuska-Susitna Borough Comprehensive Plan.

NOW, THEREFORE, BE IT RESOLVED, that the Matanuska-Susitna Borough Planning Commission hereby recommends approval of Assembly Ordinance 25-126.

/

/

/

/

/

/

/

/

/

/

/

/

/



ADOPTED by the Matanuska-Susitna Borough Planning Commission  
on this \_\_ day of \_\_\_\_\_, 2025.

---

RICHARD ALLEN, Chair

ATTEST

---

LACIE OLIVIERI, Planning Clerk

(SEAL)

YES:

NO:

# **PUBLIC HEARING**

## **LEGISLATIVE**

### **Resolution No. 25-26**

**A Resolution Of The Matanuska-Susitna Borough Planning Commission Recommending Approval Of An Ordinance Amending MSB 17.67, Tall Structures Including Telecommunication Facilities, Wind Energy Conversion Systems, And Other Tall Structures; To Reduce The Minimum Setback Requirements For New Telecommunications Towers.**

(Pages 28-50)

**MATANUSKA-SUSITNA BOROUGH INFORMATION MEMORANDUM IM No. 25-244**

**SUBJECT:** AN ORDINANCE OF THE MATANUSKA-SUSITNA BOROUGH ASSEMBLY AMENDING MSB 17.67 TO REDUCE THE MINIMUM SETBACK REQUIREMENTS FOR NEW TELECOMMUNICATIONS TOWERS.

**AGENDA OF:** November 18, 2025

**ASSEMBLY ACTION:**

**AGENDA ACTION REQUESTED:** Refer to Planning Commission for 90 days.

Route To	Signatures
Originator	<div>10/15/2025</div> <div>X Alex S t r a w n</div> <div>Signed by: Alex</div>
Department Director	<div>10/15/2025</div> <div>X Alex S t r a w n</div> <div>Signed by: Alex</div>
Finance Director	<div>Expired Certificate</div> <div>X Cheyenne H e i n d e l</div> <div>Signed by: Cheyenne Heindel</div>
Borough Attorney	<div>Expired Certificate</div> <div>X Nicholas S p i r o p o u l o s</div> <div>Signed by: Nicholas Spiropoulos</div>
Borough Manager	<div>10/20/2025</div> <div>X Michael B r o w n</div> <div>Signed by: Mike Brown</div>
Borough Clerk	<div>10/20/2025</div> <div>X Brenda J. H e n r y f o r</div> <div>Signed by: Brenda Henry</div>

**ATTACHMENT (S) :** Ordinance Serial No. 25-127 (4 pp)  
MSB 17.67 (15 pp)  
Planning Commission Resolution 25-\_\_\_\_ ( pp)

**SUMMARY STATEMENT:** This ordinance is at the request of Assemblymember Fonov.

The proposed ordinance would amend the Matanuska-Susitna Borough Code to allow for reduced setback requirements for new telecommunications towers under specific conditions. Currently, towers must be set back from property lines a distance equal to the height of the tower. The proposed change will permit the setback to be reduced if the tower incorporates an engineered collapse system, such as, a frangible design or breakpoint technology that limits the fall zone. In such cases, the applicant would need to submit a certified statement from a registered

engineer or architect identifying the projected fall zone and the height at which the structure is designed to break. The applicant must show there are no habitable structures within that fall zone on neighboring properties, and the minimum setback cannot be less than 25 feet.

Additionally, the ordinance would add two new definitions to the Borough Code: "frangible design," which refers to a structure designed to fail in a controlled manner, and "fall zone," which is the area where tower components could land in the event of a collapse. These changes aim to modernize tower siting regulations while maintaining safety standards.

The proposed ordinance is consistent with the MSB comprehensive plan.

Matanuska-Susitna Borough Comprehensive Plan

Goal E-3: Create an attractive environment for business investment.

Policy E3-2: Institute appropriate land use guidelines and regulations that reduce land use conflicts and protect residents and businesses.

Goal LU-1: Protect and enhance the public safety, health, and welfare of Borough residents.

Policy LU1-1: Provide for consistent, compatible, effective, and efficient development within the Borough.

**RECOMMENDATION OF ADMINISTRATION:** Refer to Planning Commission and then introduce and set for public hearing.

## **CHAPTER 17.67: TALL STRUCTURES INCLUDING TELECOMMUNICATION FACILITIES, WIND ENERGY CONVERSION SYSTEMS, AND OTHER TALL STRUCTURES**

### Section

- 17.67.010 Purpose and intent**
- 17.67.020 Applicability**
- 17.67.030 Exemptions**
- 17.67.040 Types of permits available**
- 17.67.050 Pre-application requirements for new tall structures that require a conditional use permit**
- 17.67.060 General permit process for administrative and conditional use permits**
- 17.67.070 General application requirements for administrative and conditional use permits**
- 17.67.080 Standards for approval of new tall structures**
- 17.67.090 Operation standards for new tall structures**
- 17.67.100 Additional operation standards for wind energy conversion systems**
- 17.67.110 Network improvement permit**
- 17.67.120 Reconstruction and replacement**
- 17.67.130 Abandonment**
- 17.67.140 Transfer of a conditional use permit**
- 17.67.200 Nonconforming uses**
- 17.67.300 Violations, enforcement, and penalties**
- 17.67.400 Appeal procedure**

### **17.67.010 PURPOSE AND INTENT.**

(A) The purpose of this chapter is to establish regulations for the siting of telecommunication facilities, wind energy conversion systems (WECS), and other tall structures.

(B) It is the intent of the borough to enable the orderly build-out of wireless telecommunication infrastructure, WECS, and other tall structures while promoting the health, safety, and general welfare of the public by:

- (1) facilitating the organized deployment of wireless telecommunication networks;
- (2) minimizing the overall number of future towers within the borough by encouraging the collocation of telecommunication equipment on existing and future structures;
- (3) encouraging potential applicants for new tall structures to involve citizens early in the process so that concerns can be mitigated prior to application for permits;
- (4) requiring consideration of and compatibility with the goals and objectives of the borough-wide comprehensive plan and other applicable regulations;
- (5) minimizing potential hazards associated with tall structures; and
- (6) encouraging the placement of tall structures in a manner that minimizes the negative effects on the visual and scenic resources of all surrounding properties.

(Ord. 15-016, § 2 (part), 2015)

### **17.67.020 APPLICABILITY.**

(A) This chapter applies to all private and public lands in the borough except within the incorporated city limits of Houston, Palmer, and Wasilla.

(B) The requirements of this chapter shall supersede requirements of special land use districts within the borough as they pertain to telecommunications towers, except that special land use districts may provide additional regulations for:

- (1) a reduced height at which a permit is required under this chapter;
- (2) vegetative screening and other camouflage techniques;
- (3) the color of tall structures;

- (4) tower type (monopole, lattice, guyed);
  - (5) lighting requirements that are not in conflict with requirements of the Federal Aviation Administration; and
  - (6) increased setbacks.
- (C) This chapter shall apply to all tall structures taller than 85 feet including but not limited to:
- (1) broadcast facilities;
  - (2) telecommunication towers;
  - (3) wind energy conversion systems; and
  - (4) tall structures as defined by MSB 17.125.
- (D) Permits are required prior to construction of all new tall structures except as allowed by MSB 17.67.120, Reconstruction and replacement.
- (E) Permits under this chapter shall not be approved unless the applicant has provided evidence demonstrating that the proposal conforms to the applicable provisions of this chapter.

(Ord. 15-016, § 2 (part), 2015)

### **17.67.030 EXEMPTIONS.**

- (A) The following items are exempt from the provisions of this chapter:
- (1) church spires, religious icons, and flagpoles displaying official government or religious flags;
  - (2) temporary tall structures, including but not limited to construction cranes which are utilized on active construction projects or other temporary tall structures that are on site less than 30 calendar days total within a consecutive 12-month period and are not intended to routinely reoccur on the same site;
  - (3) temporary telecommunication facilities, upon the declaration of a state of emergency by federal, state, or local government. Such facilities must comply with all federal and state requirements. Temporary telecommunication facilities may be exempt from the provisions of this chapter up to 12 months after the duration of the state of

emergency. An additional extension, no longer than 12 months, may be granted by the director upon written request and determination that the telecommunication facilities continue to be necessary for post-emergency operations;

(4) temporary telecommunication facilities constructed for the purposes of providing coverage of a special event such as news coverage or sporting event, except that such facilities must comply with all federal and state requirements. Said telecommunication facilities are exempt from the provisions of this chapter up to 15 calendar days prior to the event and an additional 15 calendar days after the duration of the special event;

(5) essential service utilities as defined by MSB 17.05;

(6) tall structures within the boundaries of industrial districts designated by borough code;

(7) lighting support structures less than 185 feet in height that are constructed for the Alaska Department of Transportation, are located within a right-of-way, and are used exclusively for illuminating major arterials and highways;

(8) licensed amateur (ham) radio towers, except that modification or use of such towers for commercial use shall require a conditional use permit in accordance with this chapter;

(9) addition, removal or reorientation of transmission equipment; and

(10) routine maintenance and repair of tall structures and their components.

(Ord. 21-085, § 2, 2021; Ord. 15-016, § 2 (part), 2015)

## **17.67.040 TYPES OF PERMITS AVAILABLE.**

(A) There are three types of permits available for tall structures:

(1) Administrative permit: new tall structures that are greater than 85 feet but less than or equal to 125 feet. The applicant may request that the decision on an administrative permit be made by the planning commission. The request shall be in writing at the time of application and all requirements for a conditional use permit shall be followed.

(2) Conditional use permit: new tall structures greater than 125 feet; or tall structures that exceed the height threshold at which a conditional use permit within a special land use district is required.



- (3) Network improvement permit: allows legally constructed telecommunication towers to be increased in height in accordance with MSB 17.67.110.

(Ord. 15-016, § 2 (part), 2015)

### **17.67.050 PRE-APPLICATION REQUIREMENTS FOR NEW TALL STRUCTURES THAT REQUIRE A CONDITIONAL USE PERMIT.**

(A) Prior to applying for a conditional use permit for a new tall structure, the potential applicant shall hold at least one community meeting:

- (1) The meeting shall be held at the nearest facility where community council meetings are regularly scheduled. If the facility is not available, the nearest available public facility that is capable of seating a minimum of 20 people shall be utilized;
- (2) The meeting shall be held at least 15 calendar days after mailing of the notification;
- (3) The meeting shall not start prior to 5 p.m. and no later than 7 p.m.;
- (4) Notification of the meeting shall, at a minimum, include the following:
  - (a) legal description and map of the general parcel, or parcels, within the coverage area under consideration for the telecommunication facility;
  - (b) description of the proposed development including height, design, lighting, potential access to the site, and proposed service;
  - (c) date, time, and location of informational meeting;
  - (d) contact name, telephone number, and address of applicant; and
  - (e) comment form created by the borough that has a comment submittal deadline and provides options for submitting comments.
- (5) At a minimum, the notification area for the meeting shall include the following:
  - (a) property owners within one-half mile of the parcels under consideration for the proposed tall structure; and
  - (b) the nearest community council and any community council whose boundary is within 1,200 feet of the parcels under consideration for the tall structure.

(B) A written report summarizing the results of the community meeting shall be prepared that includes the following information:

- (1) dates and locations of all meetings where citizens were invited to discuss the potential applicant's proposal;
- (2) content, dates mailed, and numbers of mailings, including letters, meeting notices, newsletters, and other publications;
- (3) sign-in sheet(s) used at the meeting, that includes places for names, addresses, phone numbers, and other contact information such as email addresses;
- (4) a list of residents, property owners, and interested parties who have requested in writing that they be kept informed of the proposed development through notices, newsletters, or other written materials;
- (5) the number of people who attended meetings;
- (6) copies of written comments received at the meeting;
- (7) a certificate of mailing identifying all who were notified of the meeting; and
- (8) a written summary that addresses the following:
  - (a) the substance of the public's written concerns, issues, and problems;
  - (b) how the applicant has addressed, or intends to address, concerns, issues, and problems expressed during the process; and
  - (c) concerns, issues, and problems the applicant has not addressed or does not intend to address and why.

(Ord. 15-016, § 2 (part), 2015)

### **17.67.060 GENERAL PERMIT PROCESS FOR ADMINISTRATIVE AND CONDITIONAL USE PERMITS.**

(A) Incomplete Applications. For all permits under this chapter, the director may reject any application that fails to meet the requirements of this chapter. The rejection shall be issued, in writing, within 15 calendar days of receipt of an application under this chapter and shall state the deficient items.

(1) Notification. Upon determination of a complete application, the director shall notify surrounding property owners in accordance with MSB 17.03, except that:

- (a) The notification area will be one-half mile;
- (b) If applicable, the notification shall include all individuals who were notified of or submitted comments at the community meeting required by MSB 17.67.050.

(B) Determination. In granting or denying a permit for a new tall structure, written findings of fact and determinations of law shall be issued and shall include conditions as deemed appropriate to protect the public health, safety or general welfare.

(C) Conditions of Approval. Conditions set by the commission for a conditional use permit or by the director for administrative permits may include but are not limited to the following:

- (1) height limitations;
- (2) increased height or structural capacity of a proposed tower to accommodate future collocation;
- (3) mitigation of drainage concerns;
- (4) tower type (monopole, lattice, guyed);
- (5) color;
- (6) landscaping;
- (7) parking;
- (8) screening;
- (9) signage;
- (10) lighting to be installed and maintained in accordance with Federal Aviation Administration AC 70/7460-1; or
- (11) setbacks greater than that required by MSB 17.55.

(D) Process Time Frame. For conditional use permits reviewed by the commission:

- (1) A public hearing shall be held by the commission within 60 calendar days of receipt of a complete application;

(2) The commission shall render a decision within 30 calendar days from the close of public hearing.

(E) For an administrative permit reviewed by the director, a decision granting or denying the permit shall be made within 60 calendar days of receipt of a complete application.

(Ord. 15-016, § 2 (part), 2015)

### **17.67.070 GENERAL APPLICATION REQUIREMENTS FOR ADMINISTRATIVE AND CONDITIONAL USE PERMITS.**

(A) An application for a conditional use or administrative permit to construct a new tall structure may be initiated by a property owner or the owner's authorized agent and shall include:

- (1) completed application form provided by the department and signed by the property owner or authorized agent;
- (2) design drawings for the proposed tall structure, drawn to scale, and certified by a registered engineer or architect;
- (3) fee in the amount designated in MSB 17.99;
- (4) citizen participation report in accordance with MSB 17.67.050(B);
- (5) a certified site plan;
- (6) copy of a determination of no hazard to air navigation from the Federal Aviation Administration; and
- (7) if breakpoint technology is intended to be utilized, a written statement specifying the height at which the engineered structural weakness will be located.

(Ord. 15-016, § 2 (part), 2015)

### **17.67.080 STANDARDS FOR APPROVAL OF NEW TALL STRUCTURES.**

(A) A permit for a new tall structure may only be approved if it meets the requirements of this section in addition to any other applicable standards required by this chapter.

(B) In granting or denying a permit, the commission or director shall make findings on whether the applicant has demonstrated that:

- (1) To the extent that is technically feasible and potentially available, the location of the tall structure is such that its negative effects on the visual and scenic resources of all surrounding properties have been minimized;
- (2) Visibility of the tall structure from public parks, trails recognized within adopted borough plans, and water bodies has been minimized to the extent that is technically feasible and potentially available;
- (3) The tall structure will not interfere with the approaches to any existing airport or airfield that are identified in the borough's regional aviation system plan or by the Alaska State Aviation System Plan; and
- (4) Granting the permit will not be harmful to the public health, safety, convenience, and welfare.

(Ord. 15-016, § 2 (part), 2015)

#### **17.67.090 OPERATION STANDARDS FOR NEW TALL STRUCTURES.**

(A) The following setback requirements shall apply to all new telecommunications towers regulated under this chapter:

- (1) The equipment compound shall meet minimum setback distances from all property lines in accordance with MSB 17.55.
- (2) Minimum setback for the tower base shall be a distance equal to the height of the tower.
  - (a) The commission, or director if it is an administrative permit, may reduce the setback to a distance less than the height of the tower, if the applicant demonstrates there is no risk to public health, safety, or welfare of adjacent property owners.
- (3) Setbacks shall be determined from the dimensions of the entire lot, even though the tower may be located on lease areas within the lot.

(B) For all tall structures regulated under this chapter, adequate vehicle parking shall be provided on the subject property, outside of public use easements and rights-of-way, to enable emergency vehicle access.

- (1) No more than two spaces per provider shall be required.

(C) The following requirements apply to all new and existing telecommunication towers and wind energy conversion systems regulated under this chapter:

- (1) The following signage shall be visibly posted at the equipment compound:
  - (a) informational signs for the purpose of identifying the tower such as the antenna structure registration number required by the Federal Communications Commission, as well as the party responsible for the operation and maintenance of the facility;
  - (b) If more than 220 volts are necessary for the operation of the facility, warning signs shall be located at the base of the facility and shall display in large, bold, high contrast letters the following: "HIGH VOLTAGE – DANGER"; and
  - (c) a 24-hour emergency contact number.
- (2) A fence or wall not less than six feet in height with a secured gate shall be maintained around the base of the tower.

(Ord. 15-016, § 2 (part), 2015)

#### **17.67.100 ADDITIONAL OPERATION STANDARDS FOR WIND ENERGY CONVERSION SYSTEMS.**

(A) In addition to the operation standards for new tall structures required by MSB 17.67.090, the following standards shall apply to wind energy conversion systems (WECS):

- (1) WECS shall be equipped with an automatic overspeed control device designed to protect the system from sustaining structural failure such as splintered or thrown blades and the overturning or breaking of towers due to an uncontrolled condition brought on by high winds; and
- (2) WECS shall have a manually operable method that assures the WECS can be brought to a safe condition in high winds. Acceptable methods include mechanical or hydraulic brakes or tailvane deflection systems which turn the rotor out of the wind.

(Ord. 15-016, § 2 (part), 2015)

#### **17.67.110 NETWORK IMPROVEMENT PERMIT.**

(A) A network improvement permit allows legally constructed telecommunication towers to be replaced or modified in a manner that increases the overall height of the existing tower in

accordance with this section.

(B) A network improvement permit does not require notification to surrounding property owners.

(C) The base of a replacement tower may be located no farther than 50 feet from the base of the original tower. The original tower shall be removed within 90 calendar days upon completion of construction of the replacement tower.

(D) More than one network improvement permit may be obtained. However, the cumulative increase in overall height may not exceed the following:

(1) up to 20 feet for telecommunications towers that are located outside of special land use districts. If the existing tower exceeds 200 feet, it can be increased by up to 10 percent of the height of the existing tower;

(2) Within a special land use district, height increase under this section is limited to a cumulative increase of 10 percent of the existing facility unless the applicant demonstrates that the additional height, not to exceed 20 feet, is necessary for installation of one additional antenna array.

(E) Application for a network improvement permit shall include the following:

(1) application form signed by the property owner or authorized agent;

(2) a description of the proposed modifications to the telecommunication tower, including a description of the height, type, and lighting of the new or modified structure and the existing structure;

(3) a certified site plan for purposes of setback verification; and

(4) design drawings for the proposed modified or new structure, drawn to scale, and certified by a registered engineer or architect.

(F) In granting a network improvement permit, the director shall make the following findings:

(1) that the proposed development conforms to setback requirements of MSB 17.55;

(2) that the telecommunication tower being extended was lawfully constructed at the time of application for a network improvement permit; and

(3) that the proposed modification does not violate permit conditions of any valid permits that have been issued to the existing facility; provided, that the condition being

violated does not limit height of the structure.

(G) A network improvement permit shall be approved within 60 calendar days from the time of application if it meets the requirements of this section.

(H) Telecommunication towers granted a permit under this section shall conform with the operation standards described by MSB 17.67.090(C).

(I) Replacement or modification of a telecommunication tower that is in accordance with this section is not subject to application or pre-application requirements required for a new tower under this chapter.

(Ord. 15-016, § 2 (part), 2015)

### **17.67.120 RECONSTRUCTION AND REPLACEMENT.**

(A) This section only applies to structures that are legally permitted or have obtained pre-existing legal nonconforming status.

(B) The property owner shall be responsible for all aspects of the operation, improvements, development, and maintenance of the site in compliance with the terms and conditions of the permit and all applicable local, state, and federal requirements.

(C) Tall structures may be replaced or reconstructed in order to improve the structural integrity of the tall structure or in the case of accidental damage or collapse.

(1) Reconstruction or replacement shall not:

- (a) increase lighting;
- (b) change the type of lighting;
- (c) change the tower type;
- (d) change the location of the tall structure; or
- (e) increase the height of a tall structure.

(2) In the case of accidental damage or collapse, if reconstruction or replacement has not commenced within one year of the date of the damage, the structure is considered to be abandoned and is subject to MSB 17.67.130, Abandonment.



- (3) Reconstruction or replacement shall conform with requirements or conditions of a previously granted permit or pre-existing legal nonconforming determination.

(Ord. 15-016, § 2 (part), 2015)

### **17.67.130 ABANDONMENT.**

- (A) Any tower that is not operated for a continuous 12-month period shall be considered abandoned. In such circumstances, the following shall apply:

- (1) Tall structures shall be removed within 90 calendar days of abandonment at the owner's expense.
- (2) An applicant wishing to extend the time for removal or to initiate reactivation shall submit a letter to the department stating the reason for such extension. The director may extend the time for removal or reactivation up to 90 additional calendar days upon a showing of good cause.

(Ord. 15-016, § 2 (part), 2015)

### **17.67.140 TRANSFER OF A CONDITIONAL USE PERMIT.**

Except as otherwise specified by code, or conditions placed by the commission or director, the privileges and requirements of a permit issued under this chapter shall run with the land.

(Ord. 15-016, § 2 (part), 2015)

### **17.67.200 NONCONFORMING USES.**

- (A) Within the borough there may be tall structures which have commenced construction or are in existence as of the effective date of this chapter. Such structures which were lawful before the effective date of this chapter, but which would otherwise be prohibited, regulated or restricted under this chapter, are allowed to continue but shall not be increased in height except as provided in this chapter.

- (1) Structures which have commenced construction as of the date of adoption of this chapter are allowed to be constructed. The height of the structures one year after the date of adoption of this chapter shall be considered the final height of the structure. Such structures may only be expanded in accordance with a permit under this chapter.

(2) Existing or proposed structures which have been granted a conditional use permit under MSB 17.60 are considered to have pre-existing legal nonconforming status and are allowed to continue in accordance with the requirements of the permit but shall not be increased in height except as provided in this chapter.

(3) Structures which are existing as of the date of adoption of this chapter are eligible for pre-existing legal nonconforming status under this chapter.

(4) All telecommunications towers greater than 85 feet shall comply with operations standards required by MSB 17.67.090(C).

(B) Nonconforming tall structures which have commenced construction or are in existence as of the date of this chapter are eligible for pre-existing legal nonconforming status upon submittal of the following:

- (1) name, title, and contact numbers of the landowner, applicant, and persons in charge of the operation;
- (2) height of structure;
- (3) legal description and borough tax account number of the subject parcel;
- (4) a certified site plan;
- (5) documentation of all signage within the equipment compound;
- (6) documentation demonstrating that the structure was in existence or had commenced construction prior to the date of adoption of this chapter; and
- (7) a nonrefundable fee as prescribed under MSB 17.99.

(C) Within 15 calendar days of submittal, the director shall issue a determination of incompleteness if the application fails to meet the requirements of this chapter. Rejection of the application for pre-existing legal nonconforming status shall be in writing and shall state the deficient items. Once the deficiencies are corrected, the application shall be accepted as complete.

(D) Pre-existing legal nonconforming status will be determined based on the following:

- (1) whether the applicant has demonstrated that the development was constructed legally under the applicable code provisions at the time, if any;
- (2) whether the development meets standards in MSB 17.67.090(C).

(Ord. 15-016, § 2 (part), 2015)

### **17.67.300 VIOLATIONS, ENFORCEMENT, AND PENALTIES.**

- (A) Remedies, enforcement actions, and penalties shall be consistent with the terms and provisions of MSB 1.45.
- (B) In addition to other applicable penalties, failure to correct the violation of code, after reasonable notice, may result in revocation of the permit.
- (C) Complaints received by the borough of violations of state or federal law will be forwarded to the appropriate agency for enforcement.
- (D) Authorized representatives of the borough shall be allowed to inspect the site and related records at reasonable times for the purpose of monitoring compliance with all permit conditions.
- (E) The permittee shall assist and cooperate with authorized inspections upon reasonable notice from the borough.

(Ord. 15-016, § 2 (part), 2015)

### **17.67.400 APPEAL PROCEDURE.**

The provisions of MSB 15.39 govern appeals from a decision of the commission or the director, except for appeals from decisions on a network improvement permit. Decisions on a network improvement permit shall be appealed to a court of competent jurisdiction.

(Ord. 15-016, § 2 (part), 2015)

CODE ORDINANCE

Sponsored by:  
Introduced:  
Public Hearing:  
Action:

**MATANUSKA-SUSITNA BOROUGH  
ORDINANCE SERIAL NO. 25-127**

AN ORDINANCE OF THE MATANUSKA-SUSITNA BOROUGH ASSEMBLY AMENDING  
MSB 17.67 TO REDUCE THE MINIMUM SETBACK REQUIREMENTS FOR NEW  
TELECOMMUNICATIONS TOWERS.

---

BE IT ENACTED:

Section 1. Classification. This ordinance is of a general and  
permanent nature and shall become a part of the Borough Code.

Section 2. Amendment of subsection. MSB 17.67.070 (A) is  
hereby amended to read as follows:

(A) An application for a conditional use or  
administrative permit to construct a new tall structure  
may be initiated by a property owner or the owner's  
authorized agent and shall include:

(1) completed application form provided by the  
department and signed by the property owner or  
authorized agent;

(2) design drawings for the proposed tall  
structure, drawn to scale, and certified by a registered  
engineer or architect;

(3) fee in the amount designated in MSB 17.99;

(4) citizen participation report in accordance with

MSB 17.67.050 (B);

(5) a certified site plan;

(6) copy of a determination of no hazard to air navigation from the Federal Aviation Administration; and

(7) if breakpoint technology is **proposed** (INTENDED TO BE UTILIZED], a written statement, **certified by a registered professional engineer or architect,** specifying **the projected fall zone and** the height at which the engineered structural weakness will be located.

Section 3. Amendment of subsection. MSB 17.67.090(A) is hereby amended to read as follows:

(A) The following setback requirements shall apply to all new telecommunications towers regulated under this chapter:

(1) The equipment compound shall meet minimum setback distances from all property lines in accordance with MSB 17.55.

(2) Minimum setback for the tower base shall be a distance equal to the height of the tower **or to the extent of the projected fall zone, if the structure incorporates a frangible design or equivalent engineered collapse mitigation system.**

(a) The commission, or director if it is an administrative permit, may reduce the setback to a

distance less than the height of the tower, if the applicant demonstrates there is no risk to public health, safety, or welfare of adjacent property owners.

(i) At a minimum, the applicant must show there are no habitable structures on adjacent properties within the projected fall zone.

(b) The setback distance shall not be reduced to less than 25 feet.

(3) Setbacks shall be determined from the dimensions of the entire lot, even though the tower may be located on lease areas within the lot.

Section 4. Amendment of section. MSB 17.125.010 is hereby amended by adding two definitions:

17.125.010 DEFINITIONS.

- "Frangible design" means structural design incorporating elements that are intended to break, detach, or yield in a predictable manner under excessive load or impact, thereby limiting damage to the primary structure and reducing the collapse footprint. "Frangible design" shall be considered synonymous with "breakpoint technology."
- "Fall zone" means the area around a telecommunications tower or other tall structure within which the structure or its components are expected to fall in the event of

**structural failure.**

Section 5. Effective date. This ordinance shall take effect upon adoption.

ADOPTED by the Matanuska-Susitna Borough Assembly this - day of -, 2025.

\_\_\_\_\_  
EDNA DeVRIES, Borough Mayor

ATTEST:

\_\_\_\_\_  
LONNIE R. McKECHNIE, CMC, Borough Clerk

(SEAL)

By: A. Strawn  
Introduced:  
Public Hearing:  
Action:

**MATANUSKA-SUSITNA BOROUGH  
PLANNING COMMISSION RESOLUTION NO. 25-26**

A RESOLUTION OF THE MATANUSKA-SUSITNA BOROUGH PLANNING COMMISSION RECOMMENDING APPROVAL OF AN ORDINANCE AMENDING MSB 17.67 TO REDUCE THE MINIMUM SETBACK REQUIREMENTS FOR NEW TELECOMMUNICATIONS TOWERS.

---

WHEREAS, Assembly Ordinance 25-127 amends MSB 17.67 to allow for reduced setback requirements for new telecommunications towers; and

WHEREAS, the proposed change will permit the setback to be reduced if the tower incorporates an engineered collapse system, such as, a frangible design or breakpoint technology that limits the fall zone; and

WHEREAS, the applicant must show there are no habitable structures within that fall zone on neighboring properties, and the minimum setback cannot be less than 25 feet; and

WHEREAS, the proposed ordinance aims to modernize tower siting regulations while maintaining safety standards; and

WHEREAS, the proposed standards support the goals and objectives of the Matanuska-Susitna Borough Comprehensive Plan.



NOW, THEREFORE, BE IT RESOLVED, that the Matanuska-Susitna Borough Planning Commission hereby recommends approval of Assembly Ordinance 25-127.

ADOPTED by the Matanuska-Susitna Borough Planning Commission on this \_\_ day of \_\_\_\_\_, 2025.

\_\_\_\_\_  
RICHARD ALLEN, Chair

ATTEST

\_\_\_\_\_  
LACIE OLIVIERI, Planning Clerk

(SEAL)

YES:

NO:

# **INTRODUCTION FOR PUBLIC HEARING LEGISLATIVE**

## **Resolution No. 25-27**

**A Resolution Of The Matanuska-Susitna Borough Planning Commission Recommending Approval Of An Ordinance Amending MSB 15.24 Assembly; Zoning Functions To Update The Process Of Initiating And Amending Lake Management Plans And A Resolution Establishing A Fee For Processing Requests For Lake Management Plans Under MSB 15.24 Assembly; Zoning Functions.**

(Page 51-64)

**MATANUSKA-SUSITNA BOROUGH INFORMATION MEMORANDUM IM No. 25-247**

**SUBJECT:** AN ORDINANCE OF THE MATANUSKA-SUSITNA BOROUGH ASSEMBLY AMENDING MSB 15.24 ASSEMBLY; ZONING FUNCTIONS TO UPDATE THE PROCESS OF INITIATING AND AMENDING LAKE MANAGEMENT PLANS.

**AGENDA OF:** November 18, 2025

**ASSEMBLY ACTION:**

**AGENDA ACTION REQUESTED:** Refer to Planning Commission for 90 days.

Route To	Signatures
Originator	<div>10/29/2025</div> <div>X Alex S t r a w n</div> <div>Signed by: Alex</div>
Department Director	<div>10/29/2025</div> <div>X Alex S t r a w n</div> <div>Signed by: Alex</div>
Finance Director	<div>10/29/2025</div> <div>X Cheyenne H e i n d e l</div> <div>Signed by: Cheyenne Heindel</div>
Borough Attorney	<div>10/31/2025</div> <div>X Nicholas S p i r o p o u l o s</div> <div>Signed by: Nicholas Spiropoulos</div>
Borough Manager	<div>10/31/2025</div> <div>X Michael B r o w n</div> <div>Signed by: Mike Brown</div>
Borough Clerk	<div>10/31/2025</div> <div>X Brenda J. H e n r y f o r</div> <div>Signed by: Brenda Henry</div>

**ATTACHMENT (S):** Ordinance Serial No. 25-128 (7 pp)  
MSB 15.24.031 (2 pp)  
Planning Commission Resolution No. 25-\_\_\_\_ ( pp)  
Resolution No. 25-113 (1 p)

**SUMMARY STATEMENT:** This ordinance is at the request of Assemblymember Sumner.

The proposed ordinance amends the process for initiating and amending Lake Management Plans within the Borough. Key changes include increasing the approval threshold from 50% of responding shoreline property owners to 51% of all shoreline property owners to ensure stronger community consensus before a plan advances. The ordinance revises terminology, replacing "certify" with "accept" to reflect the Planning Department's actual administrative

function. It also introduces a \$1,500 filing fee and requires the petitioner to pay for mailing and advertising costs associated with the development of the plan.

For lakes without legal public access, the ordinance retains a ballot process among shoreline property owners. However, it changes the required approval threshold from 60% of responding shoreline property owners to at least 51% of all shoreline property owners in order to forward a plan to the Planning Commission and Assembly.

For lakes with legal public access, an ordinance proposing an advisory vote at the next Borough election will be presented to the Assembly. Following certification of the election, staff will seek referral of the draft plan to the Planning Commission from the Assembly.

The proposed ordinance supports the goals and objectives of the Borough Comprehensive Plan.

#### Matanuska-Susitna Borough Comprehensive Plan

Goal E-3: Create an attractive environment for business investment.

Policy E3-2: Institute appropriate land use guidelines and regulations that reduce land use conflicts and protect residents and businesses.

Goal I-1: Encourage flexibility in the implementation of the Borough's comprehensive plans.

Policy I1-1: Provide a variety of methods, including land-use regulations, subdivision standards and capital improvement plans, to implement the comprehensive plan.

**RECOMMENDATION OF ADMINISTRATION:** Refer to Planning Commission and then introduce and set for public hearing.

### **15.24.031 INITIATING AND AMENDING LAKE MANAGEMENT PLANS.**

- (A) The following process shall be followed to initiate a lake management plan:
- (1) A petition shall be submitted to the planning department requesting a lake management plan for a specific lake or lakes. Borough, state, and federally owned parcels, not held in trust, will not be counted toward the petition threshold.
  - (2) The planning department shall certify a petition to initiate a lake management plan only if the petition contains the following:
    - (a) signatures of at least 50 percent of all shoreline property owners (as listed by borough tax assessment records) dated within 90 calendar days preceding submission of the petition to the planning department;
    - (b) the mailing address and legal description of each property, or the property's borough tax identification number, for each petitioner; and
    - (c) the printed name and phone number or email address of each petitioner.
  - (3) Within 60 calendar days of receipt of a certified petition, the planning department shall mail numbered notices to all shoreline property owners (as listed by borough tax assessment records) requesting the property owner to indicate whether or not they are in favor of initiating a lake management plan. One notice per parcel will be mailed using certified mail. A return envelope addressed to the planning department, and a deadline of not less than 60 calendar days for responding in writing shall be specified in the notice. The notice shall state that a lake management plan will be initiated if more than 50 percent of all shoreline property owners responding to the planning department prior to the deadline are in favor of developing a lake management plan.
  - (4) The written responses returned to the planning department prior to the deadline will be tabulated. A lake management plan will be initiated if more than 50 percent of all shoreline property owners responding are in favor of developing a lake management plan. Borough, state, and federally owned parcels not held in trust will not be counted toward the tabulation.
  - (5) The planning department shall notify all shoreline property owners (as listed by borough tax assessment records) whether or not a lake management plan will be initiated.

- (6) When a lake management plan is initiated, the planning department shall provide a notice to the appropriate community council and assembly member, post a notice at the public access points to the respective lake as identified through current use, post a notice in a newspaper of general circulation distributed within the borough, and develop a public-facing project website to be updated regularly throughout the planning process.
  - (7) The planning department shall facilitate at least three lake management plan meetings that shall be open to the public and advertised in a newspaper of general circulation distributed within the borough.
  - (8) Planning staff shall draft a lake management plan based on community input from public meetings, written comments, and the assembly adopted guidelines for lake usage based on lake size and depth.
  - (9) Residents shall have 30 days to review the draft plan and its proposed regulations.
  - (10) The planning department will have 30 days after the community review period to make the final edits to the plan.
  - (11) The planning department shall mail numbered ballots to all shoreline property owners (as listed by borough tax assessment records) to indicate whether or not they are in favor of moving the lake management plan forward to the planning commission and assembly. One ballot per parcel will be mailed using certified mail. The ballot shall include one postage paid, return envelope addressed to the planning department. The ballot shall specify a deadline of not less than 60 calendar days for responding in writing to the planning department. The notice shall state that a lake management plan will be brought to the planning commission and assembly if more than 60 percent of all responding shoreline property owners are in favor of the lake management plan.
  - (12) If more than 60 percent of all ballots received by the planning department by the ballot deadline are in favor of the lake management plan, the planning department will present the plan and its corresponding ordinance to the planning commission and assembly for public hearing.
- (B) The following process shall be followed to amend an adopted lake management plan:
- (1) Lake management plan amendments shall be in compliance with MSB 15.24.030.
  - (2) A lake management plan amendment process shall follow the steps of initiating a lake management plan in accordance with subsection (A) of this section.

Action:

**MATANUSKA-SUSITNA BOROUGH  
RESOLUTION SERIAL NO. 25-113**

A RESOLUTION OF THE MATANUSKA-SUSITNA BOROUGH ASSEMBLY  
ESTABLISHING A FEE FOR PROCESSING REQUESTS FOR LAKE MANAGEMENT  
PLANS UNDER MSB 15.24 ASSEMBLY; ZONING FUNCTIONS.

---

WHEREAS, Ordinance Serial No. 25-128 updates the process for  
requests for a lake management plan; and

WHEREAS, MSB 15.24.031(C) requires the petitioner to pay a  
filing fee when requesting a lake management plan; and

WHEREAS, the Borough fee schedule must be revised to establish  
a fee for this process.

NOW, THEREFORE, BE IT RESOLVED, the Assembly adopts a flat  
fee of \$1,500 for lake management plan requests under MSB  
15.24.031.

ADOPTED by the Matanuska-Susitna Borough Assembly this - day  
of -, 2025.

---

EDNA DeVRIES, Borough Mayor

ATTEST:

---

LONNIE R. McKECHNIE, CMC, Borough Clerk

(SEAL)

CODE ORDINANCE

Sponsored by: Sumner  
Introduced:  
Public Hearing:  
Action:

**MATANUSKA-SUSITNA BOROUGH  
ORDINANCE SERIAL NO. 25-128**

AN ORDINANCE OF THE MATANUSKA-SUSITNA BOROUGH ASSEMBLY AMENDING  
MSB 15.24 ASSEMBLY; ZONING FUNCTIONS TO UPDATE THE PROCESS OF  
INITIATING AND AMENDING LAKE MANAGEMENT PLANS.

---

BE IT ENACTED:

Section 1. Classification. This ordinance is of a general and  
permanent nature and shall become a part of the Borough Code.

Section 2. Amendment of section. MSB 15.24.031 is hereby  
amended as follows:

(A) The following process shall be followed to initiate  
a lake management plan:

(1) A petition shall be submitted to the planning  
department requesting a lake management plan for a  
specific lake or lakes. Borough, state, and federally  
owned parcels, not held in trust, will not be counted  
toward the petition threshold.

(2) The planning department shall [CERTIFY] accept  
a petition to initiate a lake management plan only if  
the petition contains the following:

(a) signatures of at least [50] 51 percent of  
all shoreline property owners (as listed by borough tax



assessment records) dated within 90 calendar days preceding submission of the petition to the planning department;

(b) the mailing address and legal description of each property, or the property's borough tax identification number, for each petitioner; and

(c) the printed name and phone number or email address of each petitioner.

(3) Within 60 calendar days of [RECEIPT] acceptance of a [CERTIFIED] petition, the planning department shall mail numbered notices to all shoreline property owners (as listed by borough tax assessment records) requesting the property owner to indicate whether or not they are in favor of initiating a lake management plan. One notice per parcel will be mailed using certified mail. A return envelope addressed to the planning department, and a deadline of not less than 60 calendar days for responding in writing shall be specified in the notice. The notice shall state that a lake management plan will be initiated if [MORE THAN 50] at least 51 percent of all shoreline property owners [RESPONDING TO THE PLANNING DEPARTMENT PRIOR TO THE DEADLINE] are in favor of developing a lake management plan.

**(a) There shall be only one vote per property, regardless of the number of owners.**

(4) The written responses returned to the planning department prior to the deadline will be tabulated. A lake management plan will be initiated if [MORE THAN 50] **at least 51** percent of all shoreline property owners [RESPONDING] are in favor of developing a lake management plan. Borough, state, and federally owned parcels not held in trust will not be counted toward the tabulation.

(5) The planning department shall notify all shoreline property owners (as listed by borough tax assessment records) whether or not a lake management plan will be initiated.

(6) When a lake management plan is initiated, the planning department shall provide a notice to the appropriate community council and assembly member, post a notice at the public access points to the respective lake as identified through current use, post a notice in a newspaper of general circulation distributed within the borough, and develop a public-facing project website to be updated regularly throughout the planning process.

(7) The planning department shall facilitate at

least three lake management plan meetings that shall be open to the public and advertised in a newspaper of general circulation distributed within the borough.

(8) Planning staff shall draft a lake management plan based on community input from public meetings, written comments, and the assembly adopted guidelines for lake usage based on lake size and depth.

(9) Residents shall have 30 days to review the draft plan and its proposed regulations.

(10) The planning department will have 30 days after the community review period to make the final edits to the plan.

(11) For lakes with no legal public access, t[T]he planning department shall mail numbered ballots to all shoreline property owners (as listed by borough tax assessment records) to indicate whether or not they are in favor of moving the lake management plan forward to the planning commission and assembly. One ballot per parcel will be mailed using certified mail. The ballot shall include one postage paid, return envelope addressed to the planning department. The ballot shall specify a deadline of not less than 60 calendar days for responding in writing to the planning department. The

notice shall state that a lake management plan will be brought to the planning commission and assembly if [MORE THAN 60] at least 51 percent of all [RESPONDING] shoreline property owners are in favor of the lake management plan.

(a) If at least 51 percent of all ballots sent by the planning department are in favor of the lake management plan, the Planning Department will present the plan and its corresponding ordinance to the planning commission and assembly for public hearing.

[(12) IF MORE THAN 60 PERCENT OF ALL BALLOTS RECEIVED BY THE PLANNING DEPARTMENT BY THE BALLOT DEADLINE ARE IN FAVOR OF THE LAKE MANAGEMENT PLAN, THE PLANNING DEPARTMENT WILL PRESENT THE PLAN AND ITS CORRESPONDING ORDINANCE TO THE PLANNING COMMISSION AND ASSEMBLY FOR PUBLIC HEARING.]

(13) For lakes with legal public access, the Manager shall present the matter to the Assembly with an ordinance proposing to place the question before the public at large for an advisory vote at the next Borough election.

(a) Within 60 days of certification of the election and the advisory vote on the draft plan, the

Planning Department shall seek referral of the draft plan to the Planning Commission from the Assembly.

(B) The following process shall be followed to amend an adopted lake management plan:

(1) Lake management plan amendments shall be in compliance with MSB 15.24.030.

(2) A lake management plan amendment process shall follow the steps of initiating a lake management plan in accordance with subsection (A) of this section.

(C) The appropriate filing fee as established by the assembly, shall be submitted at the time of filing the petition.

(1) Prior to the date of the public hearing held by the Assembly, the petitioner shall pay the cost of all mailings and advertisements associated with the development of the plan.

(D) Nothing in the procedures outlined in MSB 15.24.031 impairs, or is intended to impair, the right of individual Assemblymembers, Mayor, or Manager to introduce an ordinance under AS 29.25.020(b)(1), or amend an ordinance under AS 29.25.020(b)(6), or veto an ordinance under AS 29.20.270, including an ordinance pertaining to a lake management plan.

Section 3. Effective date. This ordinance shall take effect upon adoption.

ADOPTED by the Matanuska-Susitna Borough Assembly this - day of -, 2025.

\_\_\_\_\_  
EDNA DeVRIES, Borough Mayor

ATTEST:

\_\_\_\_\_  
LONNIE R. McKECHNIE, CMC, Borough Clerk

(SEAL)

By: A. Strawn  
Introduced:  
Public Hearing:  
Action:

**MATANUSKA-SUSITNA BOROUGH  
PLANNING COMMISSION RESOLUTION NO. 25-27**

A RESOLUTION OF THE MATANUSKA-SUSITNA BOROUGH PLANNING COMMISSION  
RECOMMENDING APPROVAL OF AN ORDINANCE AMENDING MSB 15.24 ASSEMBLY;  
ZONING FUNCTIONS TO UPDATE THE PROCESS OF INITIATING AND AMENDING  
LAKE MANAGEMENT PLANS.

---

WHEREAS, Assembly Ordinance 25-128 amends the process for  
initiating and amending Lake Management Plans within the Borough;  
and

WHEREAS, the proposed ordinance increases the approval  
threshold from 50 percent of responding shoreline property owners  
to at least 51 percent of all shoreline property owners to ensure  
stronger community consensus before a plan advances; and

WHEREAS, the proposed ordinance retains a ballot process  
among shoreline property owners for lakes without legal public  
access; and

WHEREAS, for lakes with legal public access, the proposed  
ordinance gives the Assembly the opportunity to consider placing  
the question before the public for an advisory vote at the next  
Borough election; and

WHEREAS, the proposed ordinance introduces a filing fee and requires the petitioner to pay for mailing and advertising costs associated with the development of the plan; and

WHEREAS, the proposed ordinance supports the goals and objectives of the Borough Comprehensive Plan.

NOW, THEREFORE, BE IT RESOLVED, that the Matanuska-Susitna Borough Planning Commission hereby recommends approval of Assembly Ordinance 25-128.

ADOPTED by the Matanuska-Susitna Borough Planning Commission on this \_\_ day of \_\_\_\_\_, 2025.

\_\_\_\_\_  
RICHARD ALLEN, Chair

ATTEST

\_\_\_\_\_  
LACIE OLIVIERI, Planning Clerk

(SEAL)

YES:

NO:



# **PUBLIC HEARING LEGISLATIVE**

## **Resolution No. 25-23**

**A Resolution Of The Matanuska-Susitna Borough  
Planning Commission Recommending Assembly  
Adoption Of The Matanuska-Susitna Borough  
Hazard Mitigation Plan 2026 Update.**

(Pages 65-298)

**MATANUSKA-SUSITNA BOROUGH INFORMATION MEMORANDUM      IM No. 26-002**

**SUBJECT:** Recommend the Assembly adopt the Matanuska-Susitna Borough 2026 Hazard Mitigation Plan update.

**AGENDA OF: January 6, 2026**

**ASSEMBLY ACTION:**

**MANAGER RECOMMENDATION:** Introduce and set for public hearing on January 20, 2026.

**APPROVED BY MIKE BROWN, BOROUGH MANAGER:** \_\_\_\_\_

Route To:	Department/Individual	Initials	Remarks
	Originator- T Boothby		
	Planning and Land Use Director	For:	
	Finance Director		
	Borough Attorney		
	Borough Clerk		

**ATTACHMENT (S) :** Fiscal Note: YES \_\_\_\_ NO X  
Matanuska-Susitna Borough 2026 Hazard Mitigation Plan Update: 225 pages  
Planning Commission Resolution 25-23: 3 pages  
Ordinance 26-001: 2 pages

**BACKGROUND :**

The Matanuska-Susitna Borough Hazard Mitigation Plan was adopted by the Assembly in 2004. There were subsequent updates done in 2008, 2013, and 2021. The regular cycle for updating the Matanuska-Susitna Borough Hazard Mitigation Plan is every five years in accordance with Federal Emergency Management Agency (FEMA) regulations. Adopting this plan will keep the Matanuska-Susitna Borough eligible to apply for mitigation grants from FEMA and the State of Alaska.

Although the current and future status of FEMA and the Mitigation grant programs are tenuous at best, it is still in our best interest to have an updated Hazard Mitigation Plan to take advantage of any programs that may become available. It is also beneficial for our population to understand their risk portfolio, enabling them to implement best management practices and inform their decision-making to protect their families and visitors, should they choose to do so.

In the past, the Matanuska-Susitna Borough received nearly \$4.5 million of funding to mitigate flood risk.

### **Plan Update Specifications**

The local mitigation planning policy guide was approved on April 11, 2025 (FP-206-21-0002, OMB Collection # 1660-0062) includes guiding principles for planning and investing for the future, collaborating and engaging early and integrating community planning. It also focuses on rightsizing plan development and updates to reduce the community's risk from natural hazards, serving as a guide for decision-makers as they commit resources to mitigating the effects of natural hazards. Local plans will also serve as the basis for the State to provide technical assistance and to prioritize project funding.

The Matanuska-Susitna Borough 2026 Hazard Mitigation Plan update process began in the Spring through November 2025. The planning team involved with this update includes stakeholders inside and outside of the Matanuska-Susitna Borough government. A complete list of stakeholders is on pages 21-23 of the Matanuska-Susitna Borough 2026 Hazard Mitigation Plan Update.

In section 4.0 Planning Process of the Matanuska-Susitna Borough Hazard Mitigation Plan 2020 Update, is a full description of the planning activities related to this update.

An excerpt from the plan on page 24 states:

The MSB anticipates receiving a grant through HUD for an expansive update of the Hazard Mitigation Plan. However, due to various issues, including the State of Alaska DCRA staff's training requirements for this new grant type, the COVID-19 pandemic (which has lasted multiple years), and the change in the Federal administration with shifting priorities, the grant agreement has been significantly delayed.

Due to several of these factors, the MSB requested an extension of the plan, but it was denied by the State of Alaska's Hazard Mitigation Officer. Considering this development, the MSB planning

staff decided to complete an abbreviated update, as the funding is still scheduled to arrive. At that point, we hope to conduct a soil analysis for earthquake susceptibility and inventory flood and erosion areas, with a robust development of properties interested in mitigation options. However, there is a potential uncertainty regarding how FEMA will emerge from the Federal Government restructuring, and whether the grants for mitigating hazards will remain in the state, affecting future applications and projects.

In the Spring of 2025, the Borough began to develop an abbreviated update to the Hazard Mitigation Plan, which will now include the two new hazards in the MSB, potentially impacting the resident population and visitors: Tsunamis and Permafrost-thaw landslide instabilities. From September to October 15, 2025, the Borough posted a story map with a public survey regarding the hazards and a draft copy of the plan on its website - <https://des.matsugov.us/pages/hazard-mitigation-plan>.

Additionally, public notice was printed in the Frontiersman on September 5, 2025.

The survey was also shared multiple times on the Borough's Facebook page and was available at the 17th Annual Mat-Su Emergency Preparedness Expo at the Menard Center on Saturday, September 20, 2025, where approximately 2,000 people were in attendance.

Thirteen community and city councils across the MSB received a presentation that included the updated hazards added to the Hazard Mitigation Plan, and the story map with a public comment opportunity was open from September to October 15, 2025. A summary of the feedback from those meetings is located on pages 24 - 26 of the plan.

The MSB Local Emergency Planning Committee (LEPC) reviewed the draft plan on October 15, 2025. The primary action items for the two new hazards are outreach and education. In addition, collaboration with AK DOT/PF on potential monitoring of the Landslide hazards. For the Tsunami hazard, MSB is in coordination with the Alaska Division of Homeland Security and Emergency Management (DHS&EM) and FEMA, which has provided a grant to determine potential locations for warning equipment, develop evacuation routes, signage, and gathering locations during displacement.

The Matanuska-Susitna Borough 2026 Hazard Mitigation Plan Update will be reviewed and approved by the State of Alaska, Division of Homeland Security and Emergency Management, and the Federal Emergency Management Agency to meet the required elements of 44 Code of Federal Regulations Part 201.6.

The accessibility and status of the Federal Government, specifically FEMA, may require revisions to meet the plan approval requirements, changes occurring after adoption will not require Matanuska-Susitna Borough to re-adopt any further iterations of the plan. Subsequent plan updates following the approval period for the plan will require separate adoption resolutions.

We expect to present this plan to the Borough Assembly in January 2026. If the plan is adopted by the assembly, staff expects final approval from the State and FEMA in 2026.

Website Location <https://des.matsugov.us/pages/hazard-mitigation-plan>

This website location includes the following documents:

- Matanuska-Susitna Borough 2026 Hazard Mitigation Plan Update.
- Approved 2021 Matanuska-Susitna Borough Hazard Mitigation Plan.
- Hazard Mitigation Plan Update Presentation.
- Mat-Su Tsunami Brochure
- Permafrost Thaw Landslide Instability Poster
- 180530 Wasilla HMP Update
- 171208 Final Houston\_LHMP
- 2024.12.16 Chickaloon HMP 2025.FINAL
- Horseshoe Lake CWPP Revised 2024 (1)completed

**RECOMMENDATION OF PLANNING COMMISSION:**

The Planning Commission approved Resolution 25-23 recommending Assembly approval of Ordinance 26-001; An ordinance AN ORDINANCE OF THE MATANUSKA-SUSITNA BOROUGH ASSEMBLY ADOPTING MSB 15.24.030(H) THE MATANUSKA-SUSITNA BOROUGH 2026 HAZARD MITIGATION PLAN UPDATE.

**RECOMMENDATION OF ADMINISTRATION:** Approval of Ordinance 26-001

---

CODE ORDINANCE

Sponsored By: Borough Manager

Introduced: 01/06/26

Public Hearing: 01/20/26

Action:

**MATANUSKA-SUSITNA BOROUGH  
ORDINANCE SERIAL NO. 26-001**

AN ORDINANCE OF THE MATANUSKA-SUSITNA BOROUGH ASSEMBLY ADOPTING  
MSB 15.24.030(H) THE MATANUSKA-SUSITNA BOROUGH 2026 HAZARD  
MITIGATION PLAN UPDATE.

---

BE IT ENACTED:

Section 1. Classification. This Ordinance is of a general  
and permanent nature and shall become a part of the Borough Code.

Section 2. Adoption of Subsection. MSB 15.24.030(H) is  
hereby adopted to read as follows:

**15.24.030(H) The Matanuska-Susitna Borough 2026  
Hazard Mitigation Plan Update has been adopted by the  
commission and assembly as part of the overall  
Matanuska-Susitna Borough Comprehensive Plan.**

Section 3. Effective Date. This ordinance shall take effect  
upon adoption.

ADOPTED by the Matanuska-Susitna Borough Assembly this  
\_\_ day of January, 2026.

\_\_\_\_\_  
EDNA DeVRIES, Borough Mayor

ATTEST:

\_\_\_\_\_  
LONNIE R. McKECHNIE, CMC, Borough Clerk

(SEAL)

---

## Matanuska-Susitna Borough Hazard Mitigation Plan 2026 Update



Mt. Denali, The Great One, Mt. McKinley, as seen from Willow. Photo by Taunnie Boothby.

*Prepared for:*  
*Mat-Su Borough*  
*Assembly*

*Prepared by:*  
*Taunnie L. Boothby, CFM*  
*Current Planner and Floodplain Administrator*

Draft:  
**August 2025**

Final (Est completion date):  
**January 2026 – February 2026**



---

This page was intentionally left blank.

---

## TABLE OF CONTENTS

---

	<b>Executive Summary .....</b>	<b>1</b>
<b>1.0</b>	<b>Introduction .....</b>	<b>3</b>
1.1	Hazard Mitigation Planning .....	3
1.2	Planning Requirements.....	3
1.2.1	Local Mitigation Plans .....	3
1.3	Grant Programs with Mitigation Plan Requirements.....	6
1.3.1	Hazard Mitigation Assistance Unified Programs.....	6
1.4	HMP Description .....	7
<b>2.0</b>	<b>Prerequisites.....</b>	<b>9</b>
2.1	Adoption by Borough Assembly and Supporting Documentation.....	9
2.2	Cities and Federally Recognized Entities within the Borough.....	9
<b>3.0</b>	<b>Community Description .....</b>	<b>11</b>
3.1	Location .....	11
3.2	Government .....	11
3.3	Geography .....	12
3.4	History .....	13
3.5	Demographics.....	14
3.6	Economy.....	18
3.7	Transportation Options.....	18
<b>4.0</b>	<b>Planning Process.....</b>	<b>20</b>
4.1	Overview of Planning Process .....	20
4.2	Hazard Mitigation Project Team .....	21
4.3	Public Involvement & Opportunity for Interested Parties to Participate .....	23
4.4	Incorporation of Existing Plans and Other Relevant Information .....	27
<b>5.0</b>	<b>Hazard Profiles.....</b>	<b>28</b>
5.1	Overview of a Hazard Analysis .....	28
5.2	Hazard Identification and Screening .....	28
5.3	Hazard Profile.....	31
5.3.1	Cryosphere .....	31
5.3.2	Earthquake .....	43
5.3.3	Flood and Erosion.....	62
5.3.4	Volcanoes and Ashfalls.....	84

---

	5.3.5	Severe Weather.....	87
	5.3.6	Wildfire and Conflagration Fire.....	100
	5.3.7	Ground Failure – Permafrost Thaw Landslides.....	117
	5.3.8	Tsunami & Seiche .....	124
<b>6.0</b>		<b>Vulnerability Analysis.....</b>	<b>129</b>
	6.1	Overview of a Vulnerability Analysis.....	129
	6.2	Current Asset Exposure Analysis.....	130
	6.2.1	Critical Asset Infrastructure.....	130
<b>7.0</b>		<b>Mitigation Strategy.....</b>	<b>142</b>
	7.1	Developing Mitigation Goals.....	143
	7.2	Identifying Mitigation Actions.....	144
	7.2.1	Evaluating and Prioritizing Mitigation Actions.....	153
	7.3	Implementing a Mitigation Action Plan .....	153
<b>8.0</b>		<b>Plan Maintenance.....</b>	<b>161</b>
	8.1	Monitoring, Evaluating, and Updating the HMP.....	162
	8.2	Implementation Through Existing Planning Mechanisms.....	163
	8.3	Continued Public Involvement .....	166
<b>9.0</b>		<b>References .....</b>	<b>172</b>

## Table of Tables

Table 1. Hazard Mitigation Planning Team.....	21
Table 2. Public Involvement Mechanisms .....	23
Table 3. Identification and Screening of Hazards .....	29
Table 4. Borough Avalanche Events .....	40
Table 5. Perceived Shaking, Potential Damage, and Peak Ground Acceleration .....	45
Table 6. Historical Earthquakes within a 150-Mile Radius of the Approximate Center of the Borough .....	46
Table 7. Public Assistance for the Borough (170-006F3-00) .....	53
Table 8. Earthquake Data .....	53
Table 9. FEMA Individual Assistance Grants to Communities Within the Borough .....	54
Table 10. Historical Flood Events that were not Identified by DHS&EM's Disaster Cost Index .....	68
Table 11. FIRM Zone Definitions.....	82
Table 12. Current NFIP Statistics for Borough .....	83
Table 13. State and Local Floodplain Coordinators .....	83
Table 14. Borough Structures within the Flood Zones .....	83
Table 15. Borough Flood Zones by Land Use.....	84
Table 16. Severe Weather Events.....	92
Table 17. Alaska's Critical Infrastructure .....	131
Table 18. Critical Facilities .....	131
Table 19. Critical Facilities in Flood Zones.....	131
Table 20. Hazard Vulnerability Analysis.....	134
Table 21. Borough Land Ownership.....	136
Table 22. Property Value by Borough Community Area in 2019 .....	137
Table 23. Property Value by General Ownership within the Borough in 2019 .....	138
Table 24. Number of Structures within the Borough by Type, 2013-2019 .....	138
Table 25. Mitigation Goals.....	144
Table 26. Evaluation Criteria for Mitigation Actions.....	145
Table 27. Mitigation Goals and Potential Actions.....	146
Table 28. Borough Mitigation Action Plan.....	155
Table 29. Regulatory Tools .....	164
Table 30. Technical Specialists for Hazard Mitigation .....	165
Table 31. Financial Resources.....	165

## Table of Figures

Figure 1. Borough Borders.....	10
Figure 2. Borough's Historic Population .....	12
Figure 3. Borough-Recognized Community Councils .....	13
Figure 4. Cryosphere Components Diagram.....	32
Figure 5. Permafrost Characteristics of Alaska .....	35
Figure 6. Permafrost Hazard Areas Map.....	36
Figure 7. Map Depicting Alaska's Potential Snow-Avalanche Areas .....	37
Figure 8. Potential Snow-Avalanche Release Areas.....	38
Figure 9. U.S. Drought Monitor of Conditions in Alaska .....	39
Figure 10. November 30, 2018 Earthquake Epicenter at Point MacKenzie .....	48

---

Figure 11. Vine Road, Houston Middle School, and Alaska Railroad .....	50
Figure 12. Active and Potentially Active Faults in Alaska.....	51
Figure 13. Tectonic Plates.....	52
Figure 14. Location of Major Faults in the Houston-Wasilla-Palmer Area .....	52
Figure 15. Fault Lines in the Borough .....	56
Figure 16. 2019 Shakemap, M9.2 Alaska Mainshock Scenario .....	57
Figure 17. 2019 Shakemap, M7.1 November 30, 2018 Anchorage Earthquake .....	58
Figure 18. 2019 Shakemap, M7.5 Castle Mountain Fault Scenario .....	59
Figure 19. 2019 Shakemap, M6.8 Wasilla Aftershock Scenario.....	60
Figure 20. 2019 Shakemap, M6.8 Houston Aftershock Scenario.....	61
Figure 21. State of Alaska Earthquake Probability.....	62
Figure 22. 2018 Hazard Mitigation Grant Program - Butte & Sutton Acquisition Areas.....	71
Figure 23. 2018 Hazard Mitigation Grant Program - Sutton Acquisitions.....	72
Figure 24. 2018 Hazard Mitigation Grant Program - Butte Acquisitions.....	73
Figure 25. The Cedars Subdivision - Hunter Creek approximately Mile 9.5 Knik River Road.....	74
Figure 26. The Cedars Subdivision - Hunter Creek approximately Mile 9.5 Knik River Road.....	75
Figure 27. 10-Year or 10% Flood Depth Grid, Willow Creek .....	78
Figure 28. 25-Year or 4% Flood Depth Grid, Willow Creek .....	79
Figure 29. 50-Year or 2% Flood Depth Grid, Willow Creek .....	80
Figure 30. 100-Year or 1% Flood Depth Grid, Willow Creek .....	81
Figure 31. Areas Affected by Ash Falls.....	87
Figure 32. Spruce-Bark Beetle Areas .....	102
Figure 33. Alaska Fire Management Options.....	104
Figure 34. Borough Historical Wildfires .....	107
Figure 35. 1996 Millers Reach Fire.....	108
Figure 36. 2015 Sockeye Fire .....	109
Figure 37. 2019 McKinley & Deshka Landing Fires .....	110
Figure 38. Public Information Map for Montana Creek and Malaspina Fires .....	111
Figure 39. Summary for Montana Creek and Malaspina Fires .....	112
Figure 40. Building Map for McKinley Fire.....	113
Figure 41. Public Information Map for Deshka Landing Fire.....	114
Figure 42. Borough's Wildland Fire Risk .....	116
Figure 43. Ground Failure Matanuska Narrows Instability Glenn Highway Milepost 109 to 110 Hillshade.....	118
Figure 44. Ground Failure Matanuska Narrows Instability Glenn Highway Milepost 109 to 110 Imagery.....	119
Figure 45. Matanuska Narrows Instability Poster.....	120
Figure 46. DGGs Landslides in Alaska.....	121
Figure 47. DGGs Recent Alaska Landslides.....	122
Figures 48: Landslide at Lowell Point, Seward, AK.....	123
Figures 49: Landslide at Big Sur, CA, Pacific Coast Highway May 24, 2017.....	123
Figures 50: Tsunami Inundation modeled 2023 Upper Cook Inlet.....	125
Figures 51: Tsunami Brochure Page 1.....	126
Figures 52: Tsunami Brochure Page 2 - Map.....	127
Figure 53. Critical Facilities Map.....	133
Figure 54. Borough SpUDs.....	139
Figure 55. Inset for Figure 54.....	140
Figure 56. Conditional Use Permit Locations.....	141

---

---

## Appendices

A	Glossary
B	Public Involvement
C	Adoption Resolution and FEMA Approval Letter
D	FEMA Review Tool
E	Benefit-Cost Analysis Fact Sheet
F	Plan Maintenance Documents
G	Horseshoe Lake Road Community Assessment and Wildfire Protection Plan 2024
H	City of Houston Hazard Mitigation Plan 2017
I	City of Wasilla Hazard Mitigation Plan 2018
J	Chickaloon HMP 2024

---

## Acronyms/Abbreviations

°F	Degrees Fahrenheit
% g	Percent of the Acceleration of Gravity
ACS	American Community Survey
AFS	Alaska Fire Service
AICC	Alaska Interagency Coordination Center
APA	American Planning Association
ARC	American Red Cross
AVO	Alaska Volcano Observatory
BLM	Bureau of Land Management
Borough	Matanuska-Susitna Borough
CC	Changes in the Cryosphere
CDBG	Community Development Block Grant
CHEMS	Community Health and Emergency Medical Services
CFR	Code of Federal Regulations
CIP	Capital Improvement Projects
CWPP	Community Wildfire Protection Plan
DCCED	Department of Commerce, Community, and Economic Development
DCRA	Division of Community and Regional Affairs
DF&G	Department of Fish and Game
DGGS	Division of Geological and Geophysical Survey
DEC	Department of Environmental Conservation
DES	Department of Emergency Services
DHSS	Department of Health and Social Services
DHS&EM	Division of Homeland Security and Emergency Management
DMA 2000	Disaster Mitigation Act of 2000
DMVA	Department of Military and Veterans Affairs
DNR	Department of Natural Resources
DOE	Department of Energy
DOF	Division of Forestry
DOI	Division of Insurance
DOL	Department of Labor
DOT&PF	Department of Transportation and Public Facilities
EMS	Emergency Medical Services
EQ	Earthquake
ER	Erosion

---

F	Fire
FEMA	Federal Emergency Management Agency
FIRMS	Flood Insurance Rate Maps
FL	Flood
FMA	Flood Mitigation Assistance
FY	Fiscal Year
<i>g</i>	gravity as a measure of peak ground acceleration
GI	Geophysical Institute
GIS	Geospatial Information System
HAZUS	Multi-Hazard Software
HMA	Hazard Mitigation Assistance
HMGP	Hazard Mitigation Grant Program
HMP	Hazard Mitigation Plan
HUD	Housing and Urban Development
HVAC	Heating, Ventilation, and Air Conditioning
IRS	Internal Revenue Service
LEPC	Local Emergency Planning Committee
LiDAR	Light Detection and Ranging Software
M	Magnitude
Mb	Millibars
MAP	Mitigation Action Plan
MH	Multi-Hazard
MMI	Modified Mercalli Intensity
mph	miles per hour
NOAA	National Oceanic and Atmospheric Administration
NFIP	National Flood Insurance Program
NRCS	National Resources Conservation Sources
NTHMP	National Tsunami Hazard Mitigation Program
NWS	National Weather Service
PDM	Pre-Disaster Mitigation
PGA	peak ground acceleration
PIO	Public Information Officer
PSHAs	Probabilistic Seismic Hazard Analyses
PWs	Project Worksheets
RAWS	Remote Automated Warning Systems
REAA	Rural Education Attendance Area
SBA	U.S. Small Business Administration

---



---

SpUDs	Special Use Districts
Sq.	Square
Stafford Act	Robert T. Stafford Disaster Relief and Emergency Assistance Act
STAPLEE	Social, Technical, Administrative, Political, Legal, Economic, and Environmental
SW	Severe Weather
TF	Technical Feasibility
UAF	University of Alaska Fairbanks
UHMA	United Hazard Mitigation Assistance
UKN	Unknown
USDA	U.S. Department of Agriculture
USFS	U.S. Forest Service
U.S.	United States
USC	United States Code
USGS	United States Geological Survey
V	Volcanic Ash
VA	Veterans Assistance
WUI	Wildland Urban Interface



## MATANUSKA-SUSITNA BOROUGH

### Planning and Land Use Department

#### Development Services Division

350 East Dahlia Avenue • Palmer, AK 99645

Phone (907) 861-7822

[www.matsugov.us](http://www.matsugov.us)

### DEVELOPMENT SERVICES DIVISION EXECUTIVE SUMMARY

<b>Date:</b>	July 7, 2025
<b>File Number:</b>	<b>Hazard Mitigation Plan</b>
<b>Location:</b>	Matanuska-Susitna Borough
<b>Reviewed By:</b>	Wade Long, Development Services Manager
<b>Staff:</b>	Taunnie Boothby, Current Planner
<b>Staff Recommendation:</b>	Approval of the 2026 Hazard Mitigation Plan Update

This Executive Summary meets the State of Alaska, Division of Homeland Security and Emergency Management's Element H: Additional State Requirements in the Local Mitigation Plan Review Tool.

### HAZARD MITIGATION PLANNING OVERVIEW

Hazard mitigation planning aims to reduce or eliminate long-term risks to people and property from natural hazards. The Matanuska-Susitna Borough (MSB) has completed an abbreviated update to its 2021 Hazard Mitigation Plan (HMP). The update was focused on including the two new hazards identified within the past 5 years:

- 1) Tsunami risk
- 2) Permafrost-thaw landslide instabilities, added to the ground failure section.

This plan was prepared following the requirements of the Disaster Mitigation Act of 2000 and the Local Mitigation Planning Policy Guide dated April 11, 2025, so that the MSB would remain eligible for the Federal Emergency Management Agency's (FEMA) Hazard Mitigation Assistance (HMA) grant programs and other federal programs.

The MSB maintained the planning process prescribed by FEMA and kept the Hazard Mitigation Strategic Planning Team, comprised of key MSB staff and the Local Emergency Planning Committee. The Strategic Planning Team reviewed the 2021 HMP to identify areas of the plan that required updates. The primary focus for the update was on the new hazards, identified the risk assessment, and profiled hazards that pose a risk to MSB. The assessment of the

vulnerabilities to each of those hazards was examined, along with the capabilities currently in place to mitigate them.

## **HAZARD MITIGATION PLAN GOALS**

Each new hazard identified raises concerns for the Strategic Planning Team and the Public, with specific identifiers. Tsunami risk is primarily focused on the long coastline, which includes areas visited by tourists for fishing, sightseeing, outdoor recreation, and subsistence, such as Fish Creek.

The permafrost-thaw instability and slide area are primarily along the transportation and economic routes of concern on the Glenn Highway. Based upon the risk assessment review and goal-setting process, the Strategic Planning Team updated the goals from the 2021 HMP with the following overarching goals for the 2026 Hazard Mitigation Plan:

- 1) Enhance outreach and education
- 2) Build additional collaboration partners for monitoring and warning systems.
- 3) Protect lives and property of MSB residents and visitors.
- 4) Safeguard critical facilities and infrastructure.
- 5) Preserve natural, historical, economic, and agricultural resources.

## **HAZARD MITIGATION PLAN CONCLUSION**

The 2026 HMP Update establishes a series of specific mitigation strategies developed collaboratively to meet the identified mitigation goals set by the Planning Team. These strategies provide a foundation for continued planning and the development of specific action plans. These will be implemented over time and can provide a means to measure progress towards hazard reduction. The Plan also describes future update and maintenance procedures.

---

## 1.0 Introduction

This section provides a brief introduction to hazard mitigation planning, associated grants, and a description of this 2026 Hazard Mitigation Plan (HMP) Update (version four) for the Matanuska-Susitna Borough (Borough).

### 1.1 Hazard Mitigation Planning

Hazard mitigation, as defined in Title 44 of the Code of Federal Regulations (CFR), Section §201, is “any sustained action taken to reduce or eliminate the long-term risk to people and property from natural hazards and their effects. Hazard mitigation is the only phase of emergency management specifically dedicated to breaking the cycle of damage reconstruction and repeated damage. As such, States and Local governments are encouraged to take advantage of funding provided by Hazard Mitigation Assistance (HMA) grant programs” (FEMA, 2015c). Hazard mitigation is any work done to minimize the impacts of any type of hazard event before it occurs and aims to reduce losses from future disasters. Hazard mitigation is a process in which hazards are identified and profiled, people and facilities at risk are analyzed, and mitigation actions are developed. Implementation of mitigation actions, which include long-term strategies such as planning, policy changes, programs, projects, and other activities, is the end result of this process.

### 1.2 Planning Requirements

**Citation:** 44 CFR Part 201 – Mitigation Planning

**Authority:** Robert T. Stafford Disaster Relief and Emergency Assistance Act, [42 U.S.C. 5121](#) through [5207](#); Homeland Security Act of 2002, [6 U.S.C. 101](#); National Flood Insurance Act of 1968, [42 U.S.C. 4104c](#).

**Source:** [67 FR 8848](#), Feb. 26, 2002, as amended at [86 FR 50673](#), Sept. 10, 2021 unless otherwise noted.

#### 201.1 Purpose.

(a) The purpose of this part is to provide information on the policies and procedures for mitigation planning as required by the provisions of section 322 of the Stafford Act, [42 U.S.C. 5165](#), and section 1366 of the National Flood Insurance Act of 1968, [42 U.S.C. 4104c](#).

(b) The purpose of mitigation planning is for State, local, and Indian tribal governments to identify the natural hazards that impact them, to identify actions and activities to reduce any losses from those hazards, and to establish a coordinated process to implement the plan, taking advantage of a wide range of resources.

#### 1.2.1 201.3 Responsibilities

(a) **General.** This section identifies the key responsibilities of FEMA, States, and local/Tribal governments in carrying out section 322 of the Stafford Act, [42 U.S.C. 5165](#).

(b) **FEMA.** The key responsibilities of the Regional Administrator are to:

- 
- (1) Oversee all FEMA related pre- and post-disaster hazard mitigation programs and activities;
  - (2) Provide technical assistance and training to State, local, and Indian Tribal governments regarding the mitigation planning process;
  - (3) Review and approve all Standard and Enhanced State Mitigation Plans;
  - (4) Review and approve all local mitigation plans, unless that authority has been delegated to the State in accordance with [§ 201.6\(d\)](#);
  - (5) Conduct reviews, at least once every 5 years, of State mitigation activities, plans, and programs to ensure that mitigation commitments are fulfilled, and when necessary, take action, including recovery of funds or denial of future funds, if mitigation commitments are not fulfilled.

(c) **State.** The key responsibilities of the State are to coordinate all State and local activities relating to hazard evaluation and mitigation and to:

- (1) Prepare and submit to FEMA a Standard State Mitigation Plan following the criteria established in [§ 201.4](#) as a condition of receiving non-emergency Stafford Act assistance and FEMA mitigation grants. In accordance with [§ 77.6\(b\) of this chapter](#), applicants and subapplicants for FMA project grants must have a FEMA-approved mitigation plan that addresses identified flood hazards and provides for reduction of flood losses to structures for which NFIP coverage is available.
- (2) In order to be considered for the 20 percent HMGP funding, prepare and submit an Enhanced State Mitigation Plan in accordance with [§ 201.5](#), which must be reviewed and updated, if necessary, every 5 years from the date of the approval of the previous plan.
- (3) At a minimum, review and update the Standard State Mitigation Plan every 5 years from the date of the approval of the previous plan in order to continue program eligibility.
- (4) Make available the use of up to the 7 percent of HMGP funding for planning in accordance with [§ 206.434](#).
- (5) Provide technical assistance and training to local governments to assist them in applying for HMGP planning grants, and in developing local mitigation plans.
- (6) For Managing States that have been approved under the criteria established by FEMA pursuant to [42 U.S.C. 5170c\(c\)](#), review and approve local mitigation plans in accordance with [§ 201.6\(d\)](#).

(d) **Local governments.** The key responsibilities of local governments are to:

- (1) Prepare and adopt a jurisdiction-wide natural hazard mitigation plan as a condition of receiving project grant funds under the HMGP, in accordance with [§ 201.6](#).
- (2) At a minimum, review and update the local mitigation plan every 5 years from date of plan approval of the previous plan in order to continue program eligibility.

(e) **Indian tribal governments.** The key responsibilities of the Indian tribal government are to coordinate all tribal activities relating to hazard evaluation and mitigation and to:

- (1) Prepare and submit to FEMA a Tribal Mitigation Plan following the criteria established in [§ 201.7](#) as a condition of receiving non-emergency Stafford Act assistance and FEMA mitigation grants as a recipient. This plan will also allow Indian Tribal governments to apply through the State, as a subrecipient, for any FEMA mitigation project grant. In accordance with [§ 77.6\(b\) of this chapter](#), applicants and subapplicants for FMA project grants must have a FEMA-approved

---

mitigation plan that addresses identified flood hazards and provides for reduction of flood losses to structures for which NFIP coverage is available.

(2) Review and update the Tribal Mitigation Plan at least every 5 years from the date of approval of the previous plan in order to continue program eligibility.

(3) In order to be considered for the increased HMGP funding, the Tribal Mitigation Plan must meet the Enhanced State Mitigation Plan criteria identified in [§ 201.5](#). The plan must be reviewed and updated at least every 5 years from the date of approval of the previous plan.

[[67 FR 8848](#), Feb. 26, 2002, as amended at [67 FR 61515](#), Oct. 1, 2002; [69 FR 55096](#), Sept. 13, 2004; [72 FR 61748](#), Oct. 31, 2007; [74 FR 47482](#), Sept. 16, 2009; [79 FR 22882](#), Apr. 25, 2014; [86 FR 50673](#), Sept. 10, 2021]

#### 1.2.2 Local Mitigation Plans

The local mitigation planning policy guide approved on April 11, 2025 (FP-206-21-0002, OMB Collection # 1660-0062) includes guiding principles for planning and investing for the future, collaborating and engaging early, and integrating community planning. It also focuses on right-sizing plan development and updates to reduce the communities' risk from natural hazards, serving as a guide for decision makers as they commit resources to reducing the effects of natural hazards.

Local plans will also serve as the basis for the State to provide technical assistance and to prioritize project funding.

##### (a) ***Plan requirements.***

(1) A local government must have a mitigation plan approved pursuant to 44 CFR 201.3 (d) in order to receive HMGP project grants. A local government must have a mitigation plan approved pursuant to this section in order to apply for and receive mitigation project grants under all other mitigation grant programs.

(2) Plans prepared for the FMA program, described in 44 CFR part 77, need only address these requirements as they relate to flood hazards in order to be eligible for FMA project grants. However, these plans must be clearly identified as being flood mitigation plans, and they will not meet the eligibility criteria for other mitigation grant programs unless flooding is the only natural hazard the jurisdiction faces.

(3) Regional Administrators may grant an exception to the plan requirement in extraordinary circumstances, such as in a small and impoverished community, when justification is provided. In these cases, a plan will be completed within 12 months of the award of the project grant. If a plan is not provided within this timeframe, the project grant will be terminated, and any costs incurred after notice of grant's termination will not be reimbursed by FEMA.

(4) Multi-jurisdictional plans (*e.g.*, watershed plans) may be accepted, as appropriate, as long as each jurisdiction has participated in the process and has officially adopted the plan. State-wide plans will not be accepted as multi-jurisdictional plans.

---

### 1.3 Grant Programs with Mitigation Plan Requirements

FEMA HMA grant programs provide funding to Local entities that have a FEMA-approved HMP. Two of the grants are authorized under the Stafford Act and DMA 2000, while the remaining three are authorized under the National Flood Insurance Act and the Bunning-Bereuter-Blumenauer Flood Insurance Reform Act. As of June 19, 2008, the grant programs were segregated. The Hazard Mitigation Grant Program (HMGP) is a competitive, disaster-funded grant program whereas the other Unified Mitigation Assistance Programs (Pre-Disaster Mitigation [PDM] and FMA, although competitive) rely on specific pre-disaster grant funding sources, sharing several common elements.

*“The DHS&EM FEMA HMA grant programs present a critical opportunity to protect individuals and property from natural hazards while simultaneously **reducing reliance on Federal disaster funds**. The HMA programs provide PDM grants annually to States, Local, and Tribal communities. The statutory origins of the programs differ, but all share the common goal of reducing the loss of life and property due to natural hazards.*

*The PDM program is authorized by the Stafford Act and focuses on mitigation project and planning activities that address multiple natural hazards, although these activities may also address hazards caused by manmade events. The FMA program is authorized by the National Flood Insurance Act and focuses on reducing claims against the NFIP” (FEMA, 2019h).*

#### 1.3.1 Hazard Mitigation Assistance Unified Programs

The HMGP provides grants to Local entities to implement long-term hazard mitigation measures after a major disaster declaration. The purpose of the HMGP is to reduce the loss of life and property due to natural disasters and to enable mitigation measures to be implemented during the immediate recovery from a disaster. Projects must provide a long-term solution to a problem; for example, elevation of a home to reduce the risk of flood damage as opposed to buying sandbags and pumps to fight the flood. In addition, a project’s potential savings must be more than the cost of implementing the project. Funds may be used to protect either public or private property or to purchase property that has been subjected to, or is in danger of, repetitive damage. The amount of funding available for the HMGP under a particular disaster declaration is limited. FEMA may provide a State or Local entity with up to 20% of the total aggregate disaster damage costs to fund HMGP project or planning grants. The cost-share for this grant is 75% Federal/25% non-Federal.

The PDM grant program provides funds to Local entities for hazard mitigation planning and mitigation project implementation prior to a disaster event. PDM grants are awarded on a nationally-competitive basis. Like HMGP funding, a PDM project’s potential savings must be more than the cost of implementing the project. In addition, funds may be used to protect either public or private property or to purchase property that has been subjected to, or is in danger of, repetitive damage. The total amount of PDM funding available is appropriated by Congress on an annual basis. In Fiscal Years (FY) 2018 and 2019, PDM program funding totaled approximately \$235 and \$250 million each year. The cost-share for this grant is 75% Federal/25% non-Federal.

---

The goal of the FMA grant program is to reduce or eliminate flood insurance claims under the NFIP.

The Borough participates in the NFIP.

Particular emphasis for this program is placed on mitigating repetitive loss properties. The primary source of funding for this program is the National Flood Insurance Fund. Grant funding is available for three types of grants, including Planning, Project, and Technical Assistance. Project grants, which use the majority of the program's total funding, are awarded to States and Local entities to apply mitigation measures to reduce flood losses to properties insured under the NFIP. In FY 2018, FMA funding totaled \$160 million. In FY 2019, FMA funding totaled \$210 million. The cost-share for this grant is 75% Federal/25% non-Federal.

#### 1.4 HMP Description

The remainder of this HMP Update consists of the following sections and appendices:

##### **Prerequisites**

Section 2 addresses the prerequisites of plan adoption, which includes adoption by the Borough Assembly. The adoption resolution is included in Appendix C.

##### **Community Description**

Section 3 provides a general history and background of the Borough, including historical trends for population and the demographic and economic conditions that have shaped the area. A location figure of the area with its 26 Community Councils is included.

##### **Planning Process**

Section 4 describes the planning process and identifies the Project Team members, the meetings held as part of the planning process, and the key stakeholders within the Borough. In addition, this section documents public outreach activities (Appendix B) and the review and incorporation of relevant plans, reports, and other appropriate information.

##### **Hazard Analysis**

Section 5 describes the process through which the Project Team identified, screened, and selected the hazards to be profiled in this 2020 HMP Update. The hazard analysis includes the characteristics, history, location, extent, impact, and recurrence probability statements of future events for each hazard. In addition, historical and hazard location figures are included.

##### **Vulnerability Analysis**

Section 6 identifies potentially vulnerable assets—people, residential and nonresidential buildings, critical facilities, and critical infrastructure—in the Borough. The resulting information identifies the full range of hazards that the Borough could face and potential social impacts, damages, and economic losses. Trends in land use and development are also discussed.

##### **Mitigation Strategy**

Section 7 defines the mitigation action plan (MAP) strategy which provides a blueprint for reducing the potential losses identified in the vulnerability analysis. The Project Team developed an updated list of mitigation goals and potential actions to address the hazard risks facing the Borough. Mitigation actions include preventive actions, property protection techniques, natural resource protection strategies, structural projects, emergency services, and



---

public information and awareness activities. Updates of mitigation actions implemented from the 2013 HMP are also provided. Mitigation actions were then re-prioritized according to the Borough's 2020 priorities of fires, earthquakes, floods/erosion, and severe weather comprising the top four hazards.

#### **Plan Maintenance**

Section 8 describes the Project Team's formal plan maintenance process to ensure that the HMP Update remains an active and applicable document. The process includes monitoring, evaluating (Appendix F), and updating the HMP; implementation through existing planning mechanisms; and continued public involvement.

#### **References**

Section 9 lists the reference materials used to prepare this HMP Update.

#### **Appendix A**

Appendix A contains a glossary of terms that are used throughout this HMP Update.

#### **Appendix B**

Appendix B provides public outreach information, including public notices, newsletters, meeting sign-in sheets, public comments, community survey results, and presentations.

#### **Appendix C**

Appendix C provides the adoption resolution passed by the Borough Assembly.

#### **Appendix D**

Appendix D provides the FEMA Review Tool, which documents compliance of this HMP Update with FEMA criteria.

#### **Appendix E**

Appendix E contains the Benefit-Cost Analysis Fact Sheet used to prioritize mitigation actions.

#### **Appendix F**

Appendix F provides plan maintenance documents, such as an annual review sheet, the progress report form, and a community survey.

#### **Appendix G**

Appendix G provides the Horseshoe Lake Road Community Assessment and Wildfire Protection Plan.

#### **Appendix H**

Appendix H provides the FEMA-approved City of Houston Hazard Mitigation Plan.

#### **Appendix I**

Appendix I provides the FEMA-approved City of Wasilla Hazard Mitigation Plan Update.

#### **Appendix J**

Appendix J Chickaloon HMP 2024

---

## 2.0 Prerequisites

### 2.1 Adoption by Borough Assembly and Supporting Documentation

Requirements for the adoption of this 2026 HMP Update by the local governing body, as stipulated in the DMA 2000 and its implementing regulations, are described below.

#### **DMA 2000 REQUIREMENTS: PREREQUISITES**

##### **Local Plan Adoption**

**Requirement §201.6(c)(5):** The local hazard mitigation plan shall include documentation that the plan has been formally adopted by the governing body of the jurisdiction requesting approval of the plan (e.g., Borough Assembly).

##### **Element**

- Has the local governing body adopted the updated plan?
- Is supporting documentation, such as a resolution, included?

*Source: FEMA, 2015.*

The Borough is the local jurisdiction represented in this 2026 HMP Update and meets the requirements of Section 322 of DMA 2000.

On December 15, 2025, the Borough Planning Commission held a public hearing on this HMP. The public was afforded an opportunity to provide comments and ask questions. The Planning Commission approved this HMP by Resolution 25-XX (Appendix C).

On January XX, 2026, this HMP was introduced at a regular meeting of the Borough Assembly. At the following regular meeting of the Assembly, there was a public hearing followed by adoption of the 2026 HMP Update by Ordinance 26-XXX on February XX, 2026 with unanimous approval (Appendix C). The Borough Assembly adoption resolution, once approved by the State and FEMA, will be included in Appendix C.

### 2.2 Cities and Federally Recognized Entities within the Borough

The City of Houston has a FEMA-approved and community-adopted HMP dated April 23, 2018 (Appendix H). The City of Wasilla has a FEMA-approved and community-adopted HMP dated October 14, 2018 (Appendix I). Representatives of the City of Palmer chose not to develop an HMP for the City or adopt the 2019 Borough HMP Update.

Two federally recognized tribes are located within the boundaries of the Borough. The Borough Planner personally invited both tribes to participate in the HMP Update. No feedback was received.

The Knik Tribe is a federally recognized tribe providing state and federally-contracted social, educational, and economic development services to tribal members in the Upper Cook Inlet region of Alaska. Located in Southcentral Alaska, the tribe has the largest Alaska Native Village Service Area for a single tribal government covering over 25,000 square (sq.) miles. There are over 10,000 Alaska Native and Indian residents within the Knik Tribal service area. Knik Tribal

---

Council has an old village site with historical significance, but no people live there. Knikatu, Inc. is the Native corporation landowner of Knik Tribal Council's lands within the Borough.

The Native Village of Chickaloon is a federally recognized tribe providing services to an estimated 2,373 Alaska Natives and Native American Peoples living in their Alaska Native Village Service Area, as well as the non-native community members living in Glacier View, Chickaloon, Sutton, Palmer, and Butte. The Native Village of Chickaloon has a FEMA-approved and community-adopted HMP.

Additionally, another federally recognized tribe located in the Municipality of Anchorage has significant land holdings in the Borough. The Native Village of Eklutna serves approximately 400,000 members in the Municipality of Anchorage and the Borough and is located within the Municipality of Anchorage. The Eklutna Native Corporation (Eklutna, Inc.) has significant land holdings in the Municipality of Anchorage and the Borough, with approximately 67,000 additional acres due to be conveyed from the Bureau of Land Management (BLM) to the Borough. The Borough Planner personally invited this tribe to participate in the HMP Update. No feedback was received.


---

## 3.0 Community Description

This section describes the location, government, geography, climate, history, demographics, economy, and transportation options of the Borough.

### 3.1 Location

The Borough lies in the heart of Southcentral Alaska, encompassing over 25,000 sq. miles of rolling lowlands, mountains, lakes, rivers, and streams. The Borough includes portions of the Alaska Range to the northwest, portions of the Chugach Mountains to the southeast, and essentially the entire Talkeetna and Clearwater Ranges in its interior (Figure 1).



The Denali Borough delineates almost the entire northern boundary of the Borough with the exception of a small northeastern edge bordered by the Upper Tanana Basin Unorganized Borough. The Upper Tanana Basin Unorganized Borough and the Copper River Basin Unorganized Borough delineate the Borough's east border. The Iditarod Unorganized Borough delineates the Borough's west border. The Municipality of Anchorage, Upper Cook Inlet, Knik Arm, and the Kenai Peninsula Borough delineate the Borough's southern border.

The Borough lies at approximately 61.6811 North Latitude and -149.0913 West Longitude (Department of Community, Commerce, and Economic Development [DCCED], Division of Community and Regional Affairs [DCRA], 2020). The Borough covers approximately 24,682 sq. miles of land and 578 sq. miles of water.

### 3.2 Government

The Borough is a second class borough incorporated in 1964 within the state of Alaska. The Borough has an elected Mayor and Assembly. The Borough Manager acts as chief administrator. The Borough has an appointed Planning Commission, Platting Board, Transportation Advisory Board, Historic Preservation Commission, as well as several advisory committees. The Borough's area-wide powers include: assessment and collection of taxes; education; planning and zoning; parks and recreation; ports, harbors and wharves; ambulance

---

service, search and rescue; transportation systems; air pollution control; day care facilities; historic preservation; and transient accommodations taxation.

The Borough's non-area-wide powers include: fire suppression, regulation of fireworks, motor vehicles and operators, snow vehicles, solid waste, libraries, septic tank waste disposal, economic development, nudity, limited health and social services, natural gas, electric, road and trail improvement districts, animal control, housing rehabilitation, emergency services communication center, and water pollution control.

### 3.3 Geography

The Borough is located in Southcentral Alaska and takes its name from the Athabascan Indian names for the two great rivers whose drainages form its broad central valley (the Matanuska and the Susitna Rivers). The Borough is bordered on the north by the Alaska Range and by the Chugach Range to the east. The Borough encompasses five geographically distinct regions: the Alaska Range, Talkeetna Mountains, Chugach Mountains, Susitna River Basin, and the Matanuska River Valley. Figure 1 is a graphic of the Borough's borders.

**Alaska Range Region:** The Alaska Range is an extremely remote, mountainous, and partially glaciated region which forms the northern and western geographic borders of the Borough. The range's main resource values include fish and wildlife, mining, and recreation. Denali National Park and Preserve is located in the northern portion of this region. Mt. McKinley or Denali, the tallest mountain in North America with an elevation of 20,320 feet, is located just north of the Borough boundary. On clear days, this peak can be viewed from many points within the Borough. This region is a remote, largely unsettled portion of the Borough.

**Talkeetna Mountains Region:** The Talkeetna Mountains region is the largest geographic region in the Borough. The region is generally defined as the Upper Susitna River Drainage Basin, but also includes the Central Talkeetna Mountains and the Clearwater Mountains. The region is characteristically rugged and remote, generally offering little potential for settlement except in limited areas. The George Parks Highway on the western border, the Glenn Highway on the southern border, and the Denali Highway in the northeast portion of the region offer relatively easy access for settlement in these limited areas. The Talkeetna Mountains region offers several recreational opportunities including hunting, fishing, snowmachining, skiing, backpacking, berry picking, white water rafting and kayaking, and canoeing. The community of Lake Louise is located near the eastern border of this region.

**Chugach Mountains Region:** The Chugach Mountains region is located in the southeast portion of the Borough. This region is almost entirely rugged mountains with more than 90% of its area above the tree line. Even though the Chugach Mountain Range is not the tallest range in the Borough, it does contain substantial glaciation due to its position as a major geographic barrier to weather systems originating in Prince William Sound and the Gulf of Alaska. The Matanuska, Knik, and Nelchina Glaciers are the area's largest glaciers and the points of origin for the region's largest rivers. The Knik Glacier is located just south of the Borough boundary. The Matanuska and Nelchina Glaciers are located within Borough boundaries. Although this region is unsettled, it supports considerable recreational use including backpacking, skiing, climbing, and hunting.

---

**Susitna River Basin:** The Susitna River Basin is the most diverse of the five geographic regions. The northern portion of the region is the drainage basin of the upper Chulitna River and includes the north Parks Highway and Denali State Park areas. The Parks Highway and Alaska Railroad divide the region and provide easy access to the land east of the Chulitna River. Access also provide travelers with high scenic values of the Alaska Range. The recreational lowlands portion of the Susitna River Basin contains the majority of the Borough's surface resource wealth. Typically, the region consists of lowland muskeg interspersed with well-drained forests and numerous creeks and rivers. The region is accessible primarily by river boat, airplane, and dogsled. The Skwentna, Yenta, Kahiltna, and Susitna Rivers and their tributaries are all major anadromous fish waterways and provide migratory spawning and rearing habitat for five species of salmon. These rivers support one of the largest sport fisheries in the state. The area is also an important big game habitat and hunting area. The remote communities of Skwentna and Alexander Creek are located within this area. The remainder of the Susitna River Basin can be accessed by road and includes the communities west and north of the Cities of Houston and Wasilla. These areas also provide sport fishing opportunities including hunting, boating, hiking, skiing, and snow-machining.

**Matanuska River Valley:** The Matanuska River Valley encompasses the drainage basin of the Matanuska River, as delineated by the Talkeetna Mountains to the north, the Chugach Mountains to the south, following the Glenn Highway to the Borough's eastern border. The region includes the most heavily developed portion of the Borough normally referred to as the "core area". This is the area encompassing Palmer, Wasilla, and Houston, and the developed areas around and between these communities. Most of the services provided by the Borough are located within this "core area".


Local topography greatly influences both wind speed and direction. Two locally recurring winds, the Matanuska and the Knik, are notable. The Matanuska wind occurs during winter months and blows southwesterly down the Matanuska River Valley. The Knik wind occurs predominantly during the summer months and blows westerly down the Knik River Valley. These winds often have velocities in excess of 60 miles per hour (mph) and occur from 16 to 25 days annually. Strong Chinook winds also occur along mountain range foothills during warm spells in the spring and winter.

### 3.4 History

The Athabascan Dena'ina (also known as Tanaina) Indians settled in Southcentral Alaska including the region now known as the Borough. In 1867, the U.S. purchased Alaska from Russia which had claimed it as its own during the 1700s. The Klondike Gold Rush brought thousands of prospectors and entrepreneurs to Alaska in the late 1800s and early 1900s. Gold was discovered in the Hatcher Pass area of the Borough in the early 1900s and it, along with coal mining and the construction of the Alaska Railroad, helped grow and sustain the local population. During the Depression, a U.S. government New Deal program brought a group of farmers to the Palmer area in an effort to establish an agricultural region in Southcentral Alaska. World War II brought the next population boom with millions of dollars spent on the Alaska-Canada Highway and the build-up of military bases and infrastructure in Alaska due to its close proximity to Japan. Construction of the regional



**Figure 1. Borough Borders**



road system and continued farming efforts spurred population growth in the Borough through the 1950s and 1960s. Alaska became the 49th State of the Union in 1959. The 1970s brought significant population growth and an economic boom to the entire state due to the construction of the 800-mile long Trans-Alaska pipeline. Today, the Borough is comprised of the lush farmlands of the Matanuska and Susitna Valleys, approximately 40 miles northeast of Anchorage. Low housing costs, the rural lifestyle, and a reasonable commute to Anchorage for employment and services has made the Borough one of the fastest growing areas of Alaska in recent years.

### 3.5 Demographics

The Borough is slightly larger in land area than the state of West Virginia. Most of the population is concentrated in the Borough's "core area", the approximately 100 sq. miles located between and around the cities of Palmer, Wasilla, and Houston, and several surrounding Community Council areas. Only about 1% of the Borough is populated, with the most densely-populated region located in the Southcentral portion of the Borough (the "core area"). In 2019, 86% of Borough residents live in subdivisions and neighborhoods outside the City Limits of Wasilla and Palmer (ADN, 2019b). The

---

remaining Borough population spreads out from this “core area” along two major corridors; the north-south Parks Highway and Alaska Railroad corridor and the east-west Glenn Highway corridor. A very small portion of the population is located along major river corridors.

The 2010 U.S. Census recorded 88,995 residents living in the Borough. The 2012 – 2016 American Community Survey (ACS) reported 98,679 residents living in the Borough, of which the median age was 34.8, indicating a relatively young population. The most recent 2018 DCCED certified population is 105,743 (DCRA, 2020). This population is expected to continue increasing as depicted on Figure 2.

Approximately 84% of Borough residents recognize themselves as White, and 5% of Borough residents recognize themselves as Alaska Native. The percentage of males is 52%, and the percentage of females is 48%. The 2016 ACS indicated that there are 30,839 households with the average household having approximately four individuals.

There are three incorporated cities within the Borough: Houston, Palmer, and Wasilla. There are two Alaska Native entities within the Borough: the Chickaloon Village Traditional Council and the Knik Tribal Council. Additionally, Eklutna, Inc. owns significant land holdings within the Borough.

**City of Houston:** The City of Houston encompasses 25.3 sq. miles of land and 1.2 sq. miles of water and was incorporated as a third class city in 1966 and reclassified as a second class city in 1973. Houston is located at the northern edge of the population center of the “core area”, 57 miles from Anchorage at North Latitude: 61.6312, West Longitude: -149.8007. Its 2018 DCCED certified population is 2,100. The City of Houston has a FEMA-approved and community-adopted HMP dated April 23, 2018.

**City of Palmer:** The City of Palmer is a Home Rule City encompassing 3.8 sq. miles of land and was formed in 1951. Palmer is located 42 miles northeast of Anchorage at North Latitude: 61.5934, West Longitude: -149.1093. Its 2018 DCCED certified population is 6,223.

**City of Wasilla:** The City of Wasilla encompasses approximately 11.7 sq. miles of land and 0.7 sq. mile of water and is bisected by the Parks Highway, 43 miles north of Anchorage at North Latitude: 61.5848, West Longitude: -179.4339. The City of Wasilla was incorporated in 1974 as a second class city and reclassified as a first class city in 1984. Its 2018 DCCED certified population is 8,801. The City of Wasilla has a FEMA-approved and community-adopted HMP dated October 14, 2018.

**Native Village of Chickaloon:** The Native Village of Chickaloon is an unincorporated community of 79.4 sq. miles of land and 0.8 sq. mile of water and is primarily located along the Matanuska River east of the community of Sutton at North Latitude: 61.7765, West Longitude: -148.4933. Additional tribal lands are located in Sutton, the Butte area of Palmer, Wasilla, and outside of the Borough. Its 2018 DCCED certified population is 254 people.

The Knik Tribal Council is mostly a service provider and has an old village site that is uninhabited.



Additionally, there are several unincorporated communities within the Borough (Figure 3); most of these are represented by the following 26 Borough-recognized Community Councils:

Big Lake	Gateway	Louise, Susitna, Tyone	South Lakes
Buffalo/Soapstone	Glacier View	Meadow Lakes	Susitna
Butte	Greater Farm Loop	North Lakes	Sutton
Chase	Greater Palmer	Petersville	Talkeetna
Chickaloon	Knik-Fairview	Point MacKenzie	Tanaina
Fishhook	Lazy Mountain	Skwentna	Trapper Creek
		South Knik River	Willow Area
			Community Organization

**Figure 2. Borough's Historic Population**





Figure 3. Borough-Recognized Community Councils



---

### 3.6 Economy

As of 2015, approximately 45% of all working Borough households have at least one family member who commutes to work outside the Borough, either in Anchorage, Eagle River, Joint-Base Elmendorf-Richardson, or to the oil pumping facilities on the North Slope of the Brooks Range. This means that on a typical workday, over 37,000 Borough residents are away from their homes at work, the overwhelming majority of them driving individual vehicles on the single road (Glenn Highway) leading south to Anchorage. Valley Transit uses two public buses and several 15 passenger vans to provide limited commuter transportation between the Borough and Anchorage.

The Borough's economy is primarily that of a bedroom community, with remnants of the Matanuska Valley's agricultural beginnings. There are a few family farms specializing in crops that do well in cold soils with a short yet intense growing season, as well as a small dairy industry. These farms are clustered around Palmer and the Point MacKenzie area. Tourism is the strongest local industry with good prospects for future sustained growth. Increasing population and tourist traffic have drawn large national retailers such as Wal-Mart, Lowes, and Home Depot to build in the "core area."

According to the 2016 ACS, the median household income in the Borough was \$86,831. Approximately 9,350 individuals (9.67%) were reported to be living below the poverty level. The potential work force (those aged 16 years or older) in the Borough was estimated to be 74,564, of which 47,177 were actively employed (ACS, 2016).

### 3.7 Transportation Options

The Borough is traversed by two major federal highways, the Glenn Highway and the Parks Highway. The Glenn Highway traverses the eastern portion of the Borough and connects to the Richardson Highway at Glennallen. The Parks Highway traverses the Borough in a north/south direction parallel to the Susitna River. These two federal highways connect the Borough to the two major population centers of Alaska, Anchorage and Fairbanks, and are the major freight corridors linking Interior Alaska with the coast. Virtually all out-of-state highway traffic travels through the Borough via one of the two interstate highways.

The Alaska Railroad traverses the Borough in a north/south direction, and, for most of its length, parallels the Parks Highway. It is a single-track line, with daily passenger service in summer reducing to weekly in winter. Flag stop service is available for areas north of Talkeetna, an area dotted with homesteads and vacation cabins not accessible by road. Development of a commuter rail system providing regular service to Anchorage has long been studied but not implemented due to high costs. Once the population reaches a critical point, commuter rail service may become financially feasible.

Palmer and Wasilla each have a Municipal Airport; however, there are no scheduled flights. Private aircraft owners and small flightseeing operations utilize both airports as well as the many small unpaved airstrips scattered throughout the Borough. The State Division of Forestry (DOF) bases its wildland firefighting air operations out of the Palmer Municipal Airport. The Borough contains more private airstrips per capita than any community of similar size in the U.S.

---

Construction on a 32-mile rail link between the Alaska Railroad main line in Houston and Port MacKenzie began in 2012. This rail link would provide Port MacKenzie customers/shippers with efficient rail transportation between the Port and Interior Alaska. As of September 2017, 75% of the project was complete.

Other transportation routes have been investigated. The Knik Arm Crossing Project was halted in 2016 due to a limited state budget. The project was developed to meet the current and projected transportation needs of the Municipality of Anchorage and the Borough with the goal of constructing a cost-affordable, vehicular toll bridge of about 2.7 miles across Knik Arm to join the Port of Anchorage area and Port MacKenzie area, as well as 19 miles of road to support the bridge's accessibility. The bridge would provide an efficient link between the operations and infrastructures of the two ports and offer an alternate north-south emergency response and disaster evacuation route. Work on this project is not expected to continue in the foreseeable future.

## 4.0 Planning Process

This section provides an overview of the planning process; identifies the Project Team members and key stakeholders; documents public outreach efforts; and summarizes the review and incorporation of existing plans, studies, and reports used to update this HMP. Additional information regarding the Project Team and public outreach efforts is provided in Appendix B. Requirements for the planning process, as stipulated in DMA 2000 and its implementing regulations, are described below.

### DMA 2000 Requirements: Planning Process

#### Local Planning Process

**Requirement §201.6(c)(1):** [The plan shall document] the planning process used to develop the plan, including how it was prepared, who was involved in the process, and how the public was involved.

#### Element

- Does the plan provide a narrative description of the process followed to prepare the updated plan?
- Does the updated plan indicate who was involved in the planning process?
- Does the updated plan indicate how the public was involved?
- Does the updated plan discuss the opportunity for neighboring communities, agencies, businesses, academia, nonprofits, and other interested parties to be involved in the planning process?
- Does the planning process describe the review and incorporation, if appropriate, of existing plans, studies, reports, and technical information?
- Does the updated plan document how the planning team reviewed and analyzed each section of the plan and whether each section was revised as part of the update process?

Source: FEMA, 2015.

### 4.1 Overview of Planning Process

The Matanuska-Susitna Borough Planning Department developed the 2026 Hazard Mitigation Plan Update.

The planning process began on June 20, 2025, following a delay in the Community Development Block Grant – Mitigation grant that was designated to complete the plan update. Therefore, it was determined to include the two new hazards identified within the last five years.

The Local Emergency Planning Committee (LEPC) was informed in July 2025 that the HMP will be updated. The brief scope of work was reviewed to add the two new hazards: Tsunami and Permafrost Thaw Landslide.

Comments received were incorporated into the HMP. On January 22, 2019, an introductory meeting with DHS&EM and the Borough Department Directors was held to discuss what a hazard mitigation plan is, what information is required, and State of Alaska/FEMA grants that can be applied for and received by communities with Community-adopted, and State and FEMA-Approved HMPs. The Borough then posted the 2013 HMP on its website asking for public comments.

The following five-step process occurred from June through November 2025.

1. Organize resources: Members of the Project Team identified resources, including staff, agencies, and local community members, who could provide technical expertise and historical information needed in updating the current FEMA-approved HMP.
2. Assess risks: The Project Team confirmed hazards specific to the Borough remained applicable and updated the 2026 risk assessment for the two new identified hazards, including the vulnerability analysis, prior to and during the development of the updated mitigation strategy.
3. Assess capabilities: The Project Team reviewed current administrative and technical, legal and regulatory, and fiscal capabilities to determine whether existing provisions and requirements adequately address relevant hazards.
4. Develop a mitigation strategy: After reviewing the risks posed by each new hazard, the Project Team determined that the primary element for the mitigation tool is outreach and education, warning sirens, evacuation routes, and signs. Additionally, coordination with the State Department of Transportation.
5. Monitor, evaluate, and update the HMP: The Project Team developed a process to monitor the HMP to ensure it will be used as intended while fulfilling community needs. The Project Team then developed a process to evaluate the HMP on a yearly basis to compare how their decisions affect hazard impacts. They then outlined a method to share their successes with the Borough community members to encourage support for mitigation activities and to provide data for incorporating mitigation actions into existing planning mechanisms and providing data for the HMP's five-year update. Opportunities are described in the Continued Public Involvement Section of this HMP (Section 8)

## 4.2 Hazard Mitigation Project Team

Table 1 lists the Hazard Mitigation Project Team members and contact information.

**Table 1. Hazard Mitigation Planning Team**

NAME	TITLE	ORGANIZATION	PHONE
Taunnie Boothby, CFM	Borough Team Lead and Floodplain Administrator	Borough	861.8526
Casey Cook	Borough Emergency Manager	Borough	861.8004
Tracy Woelfel, Secretary	LEPC Advisory Board	Borough	861.8005
Christian Hartley	Houston Fire Department Chief	LEPC	892.9130

NAME	TITLE	ORGANIZATION	PHONE
Scott Bell	Menard Center Facility Supervisor		864.9105
Bea Adler	Resident		861.8005
William Morrow	Red Cross		357.6060
Ray Hollenbeck	MARA – HAM Radio		373.6771
Kevin Munson	Mat-Su Health Services		352.3210
Rene’ Dillow	Public Health		352.6631
Bryen Bartgis	South Central Foundation		631.7333
Kathy Watkins	Willow CERT		495.1040
Kenneth Hudson	MARA – HAM Radio		354.0206
Norman Straub	Resident		861.8005
Cathi Kramer	West Lakes Fire Department		354.8734
Kara Cahill	Mat-Su Regional		861.6575
Gene Belden	Wasilla Police		352.5421
Michael Chmielewski	Radio Free Palmer		982.7149
Dawn Hicks	Public Health		352.6600
Micah Weinstein	MTA Telecommunications		761.2121
Wilfred Fernandez, Chair	Members	Borough Planning Commission	861.7851
Doug Glenn, Vice Chair			
Rick Allen			
Brendan Carpenter			
Michael Collins			
Linn McCabe			
Curt Scoggin			
Edna DeVries, Mayor	Members	Borough Assembly	861.8683
Tim Hale			
Stephanie Nowers			
Dee McKee			

NAME	TITLE	ORGANIZATION	PHONE
Bill Gamble			
Dmitri Fonov			
Max Sumner			
Ron Bernier			

#### 4.3 Public Involvement & Opportunity for Interested Parties to Participate

Table 2 lists the community's public involvement initiatives focused on encouraging participation and public insight for the HMP effort.

**Table 2. Public Involvement Mechanisms**

Mechanism	Description
LEPC Meeting	On July 16, 2025, one of the agenda items at the LEPC meeting was the HMP Update.
Notification of HMP Update and Request for Public Input	The Borough's website was updated with a hazard mitigation plan, story map and survey . The summary, scope, and benefits of the upcoming planning project were posted. The public was invited to comment and we de
Public Notices, dated September 5, 2025	Notice of the 45-day public comment period was provided to the public on September 5, 2025. The Draft HMP Update was also posted on the Borough's web page and Facebook page. Presentaions were given at 13 Community and City council meetings and available at the MSB Preparedness Expo on September 20, 2025. Public notice was published on September 5, 2025 in the Frontiersman. An online open house was held on the Borough's website from September 1 to October 15. See <a href="https://des.matsugov.us/pages/hazard-mitigation-plan">https://des.matsugov.us/pages/hazard-mitigation-plan</a> The online open house story map was viewed 114 times; but no one submitted any comments to the Planning Department or through the open house link.
LEPC Meeting	On October 15, 2025, one of the agenda items at the LEPC meeting was the HMP Update. Summary of meeting highlights and public comments reviewed. Provided the next steps.
Public Notice, dated ____, 2020	Planning Commission meeting. The meeting was announced via public notice, radio, newspaper, website, Facebook, and a posted newsletter.
Public Notice, dated ____, 2020	Borough Assembly meeting. The meeting was announced via public notice, radio, newspaper, website, Facebook, and a posted newsletter.



---

The MSB has been anticipating a grant through HUD for an expansive update of the Hazard Mitigation Plan. However, due to various issues, including the State of Alaska DCRA staff's training requirements for this new grant type, the COVID-19 pandemic (which has lasted multiple years), and the change in the Federal administration with shifting priorities, the grant agreement has been significantly delayed.

Due to several of these factors, the MSB requested an extension of the plan, but it was denied by the State of Alaska's Hazard Mitigation Officer. Considering this development, the MSB planning staff decided to complete an abbreviated update, as the funding is still scheduled to arrive. At that point, we hope to conduct a soil analysis for earthquake susceptibility and inventory flood and erosion areas, with a robust development of properties interested in mitigation options. However, there is a potential uncertainty regarding how FEMA will emerge from the Federal Government restructuring, and whether the grants for mitigating hazards will remain in the state, affecting future applications and projects.

In the Spring of 2025, the Borough began to develop an abbreviated update to the Hazard Mitigation Plan, which will now include the two new hazards in the MSB, potentially impacting the resident population and visitors: Tsunamis and Permafrost-thaw landslide instabilities. From September to October 15, 2025, the Borough posted a story map with a public survey regarding the hazards and a draft copy of the plan on its website - <https://des.matsugov.us/pages/hazard-mitigation-plan>. Public notice was printed in the *Frontiersman* on September 5, 2025.

The survey was also shared multiple times on the Borough's Facebook page and was available at the 17<sup>th</sup> Annual Mat-Su Emergency Preparedness Expo at the Menard Center on Saturday, September 20, 2025, where approximately 2,000 people were in attendance.

Thirteen community and city councils across the MSB received a presentation that included the updated hazards added to the Hazard Mitigation Plan, and the story map with a public comment opportunity was open from September to October 15, 2025. The following is a summary of feedback from those meetings.

**September 2, 2025 – Talkeetna Community Council**

Public presentation at the Talkeetna Community Council had approximately 15 people in attendance and online. Primary concerns were focused on the new hazard identified in Glacier View, and we discussed the Labor Day flooding that had just occurred in Talkeetna. Public comments were focused on next steps for the localized flood and erosion hazard.

**September 3, 2025 – Willow Area Community Organization**

Public presentation at the Willow Area Community Organization had approximately 18 people in attendance. Public comments were focused on next steps for the new hazards.

**September 4, 2025 – Susitna Community Council**

Public presentation at the Susitna Community Council Board meeting with 10 people in attendance and online. Public comments were focused on next steps for the new hazards.

---

**September 8, 2025 – Fishhook Community Council**

Public presentation at the Fishhook Community Council Board meeting with 4 people in attendance and online. Public comments were focused on next steps for the new hazards.

**September 9, 2025 – Big Lake Community Council**

Public presentation at the Big Lake Community Council had approximately 18 people in attendance. Public comments were focused on next steps for the new hazards.

**September 11, 2025 – Point MacKenzie Community Council**

Public presentation at the Point MacKenzie Community Council had approximately 13 people in attendance and online. Public comments were focused on the next steps for the new hazards. Questions arose about the evacuation location should this Tsunami occur. A discussion ensued about the potential of using the Community Council building as an evacuation location, due to the Knik Goose Bay Road running through the Tsunami inundation area of Fish Creek. The final evacuation locations will be determined at a later date. Currently, the proposed locations are the Menard Center and the AK State Fairgrounds. Final locations are to be determined with the development of the evacuation plan.

**September 18, 2025 – South Knik River Community Council**

Public presentation at the South Knik River Community Council had approximately 15 people in attendance. Public comments were focused on the next steps for the new hazards. Additionally, questions were asked about past landslides in the Pioneer Peak area of the Chugach Mountains within the South Knik River Community Council area. There was a question about the elevation for the Tsunami evacuation route. This was double-checked, but the model shows a catastrophic event with all elements aligned, with no interruptions in the model's performance, and the Tsunami dissipates before reaching the Old Glenn Highway bridge and does not enter the Matanuska River at Palmer and Butte. Therefore, the evacuation route through the Butte and around to the AK State Fairgrounds is unlikely to be impacted by the projected model output.

**September 25, 2025 – Glacier View Community Council**

Approximately 14 people attended public presentation at Glacier View Community Council. Primary concerns were focused on the current status of the Glenn Highway falling off the mountain. These concerns were communicated to the Alaska Department of Transportation.

**September 25, 2025 – North Lakes Community Council**

Approximately 25 people attended public presentation at North Lakes Community Council. Primary concerns were focused on the new hazard identified in Glacier View. Public comments focused on early warning systems and the potential for loss of life in the event of a permafrost-thaw landslide. The community was also curious to know if any other areas in the Mat-Su have been identified that have similar hazards.

**October 8, 2025 – Butte Community Council**

Public presentation at Butte Community Council had approximately 15 people attend. The participants were highly engaged in an open discussion because of the recent flooding that

---

occurred in the Butte. Residents were also concerned about early warning signs of a permafrost-thaw landslide in Glacier View and wanted to have more areas in the Borough tested for potential risks and hazards. Residents also acknowledged the potential for more hazards in the Mat-Su Borough because of the increasing population. Residents suggested working with outside agencies to get more information regarding potential for mitigation strategies across the Borough.

**October 8, 2025 – Gateway Community Council**

Public presentation at the Gateway Community Council had approximately 13 people in attendance and online. Public comments were focused on the next steps for the new hazards. Assemblymember Nowers mentioned the upcoming Assembly meeting on the 21<sup>st</sup> to approve the grant, which will determine the best locations for warning sirens.

**October 9, 2025 – Point MacKenzie Community Council**

Public presentation at the Point MacKenzie Community Council had approximately 20 people in attendance and online. Public comments were focused on next steps for the Tsunami hazard and a question was raised about the ability to use the Community Council building as a future shelter location because of the questions about the elevations between them and the Menard Center.

**October 9, 2025 – Houston City Council**

Hazard Mitigation Plan was presented to approximately 18 people in attendance. No public comments or feedback were received.

In total approximately 2198 people had an opportunity to learn about the HMP and provide comments. The October 15, 2025, the LEPC regular meeting and on the agenda was the HMP Update. LEPC members reviewed the Draft HMP Update, and one question presented was about the mitigation actions. Casey Cook and I explained that other than education for both hazards and warning sirens and signage for tsunamis, there were no other actions incorporated at this time.

On December 1, 2025, the HMP Update was introduced at the regularly scheduled Borough Planning Commission meeting. The importance of the MSB having an updated HMP was presented.

On December 15, 2025, Taunnie Boothby delivered a summary presentation of the HMP Update, proposing mitigation education and warning actions. A public hearing was conducted as an agenda item of the regularly scheduled Borough Planning Commission meeting.

In \_\_\_\_\_ 2026, the HMP Update was introduced at the regularly scheduled Borough Assembly meeting. The importance of the MSB having an updated HMP was presented.

On \_\_\_\_\_, 2026, Taunnie Boothby gave a brief summary presentation of the HMP Update and proposed mitigation education and warning actions. A public hearing was conducted as an agenda item of the regularly scheduled Borough Assembly meeting. The Borough Assembly adopted the HMP Update and passed a resolution. FEMA issued an Approval Letter on \_\_\_\_\_, 2026.

---

#### 4.4 Incorporation of Existing Plans and Other Relevant Information

During the planning process, the Project Team reviewed and incorporated information from existing plans, studies, and reports into the 2020 HMP Update. The following were reviewed and used as references for the jurisdiction information and hazard profiles in the risk assessment (see Section 6) of the HMP:

- *Borough Community Wildfire Protection Plan*, updated in 2008. Alaska Department of Natural Resources DOF.
- *Matanuska-Susitna Borough Comprehensive Development Plan*, updated in 2005.
- *Matanuska-Susitna Borough "Core Area" Comprehensive Plan*, updated in 2007.
- *Matanuska-Susitna Borough Wide Comprehensive Plan*, 2005.
- *Matanuska-Susitna Borough All-Hazards Mitigation Plan, Natural Hazards*, Final Update, 2013.
- *Big Lake Comprehensive Plan Update*, 2009.
- *Chase Comprehensive Plan Update*, 2017.
- *Chickaloon Comprehensive Plan Update*, 2008.
- *Fishhook Comprehensive Plan*, 2017.
- *Glacier View Comprehensive Plan Update*, 2008.
- *South Knik River Comprehensive Plan*, 2014.
- *Knik-Fairview Comprehensive Plan*, 1997.
- *Lazy Mountain Comprehensive Plan*, 2008.
- *Louise Susitna and Tyone Lakes Comprehensive Plan Update*, 2016.
- *Meadow Lakes Comprehensive Plan*, 2005.
- *Point MacKenzie Community Comprehensive Plan*, 2011.
- *Susitna (Formerly Y) Community Comprehensive Plan*, 2007.
- *Sutton Comprehensive Plan*, 2009.
- *Talkeetna Comprehensive Plan*, Amended 1999.
- *Willow Area Community Comprehensive Plan*, 2013.
- *Long Range Transportation Plan*, 2017.
- *Stormwater Management Plan*, 2017.
- *Wetlands Management Plan*, 2012.
- *Matanuska River Management Plan*, 2010.
- *Risk Map Data Package*, FEMA Region X-Matanuska-Susitna Borough, Alaska, 2019 by FEMA, DCCED, and the State of Alaska Division of Geological and Geophysical Survey (DGGS).
- State of Alaska DCCED Community Profile, provided historical and demographic information, 2020.
- State of Alaska DHS&EM *Hazard Mitigation Plan*, updated by DHS&EM, 2018a.
- State of Alaska DHS&EM *Disaster Cost Index*, 2018b.

---

## 5.0 Hazard Profiles

This section identifies and profiles the hazards that could potentially affect the Borough.

### 5.1 Overview of a Hazard Analysis

A hazard analysis includes the identification, screening, and profiling of each hazard. Hazard identification is the process of recognizing the natural events that threaten an area. Natural hazards result from unexpected or uncontrollable natural events of sufficient magnitude. Even though a particular hazard may not have occurred in recent history in the study area, all-natural hazards that may potentially affect the study area are considered; the hazards that are unlikely to occur or for which the risk of damage is accepted as being very low, are eliminated from consideration. Human and Technological, and Terrorism-related hazards are beyond the scope of this HMP Update.

Hazard profiling is accomplished by describing hazards in terms of their characteristics, history, location, extent, impact, and recurrence probability. Hazards are identified through the collection of historical and anecdotal information, review of existing plans and studies, and preparation of hazard maps of the study area. Hazard maps are used to determine the geographic extent of the hazards and define the approximate boundaries of the areas at risk.

### 5.2 Hazard Identification and Screening

Requirements for hazard identification, as stipulated in DMA 2000 and its implementing regulations, are described below.

#### **DMA 2000 Requirements: Risk Assessment: Identifying Hazards**

##### **Identifying Hazards**

**Requirement §201.6(c)(2)(i):** The risk assessment shall include a] description of the type, location, and extent of all-natural hazards that can affect the jurisdiction. The plan shall include information on previous occurrences of hazard events and on the recurrence probability of future hazard events.

##### **Element**

- Does the updated plan include a description of the types of all-natural hazards with the potential to affect the jurisdiction?
- Does the risk assessment identify the location (i.e., geographic area affected) of each natural hazard?
- Does the risk assessment identify the extent (i.e., breadth, magnitude, or severity) and impact of each hazard?
- Does the plan provide information on previous occurrences of each hazard?
- Does the plan include recurrence probability statements of future events (i.e., chance of occurrence) for each hazard?

Source: FEMA, 2015.

For the first step of the hazard analysis, the Project Team reviewed possible hazards that could affect the Borough according to the 2018 Alaska HMP (DHS&EM, 2018a). They then evaluated and screened the comprehensive list of potential hazards based on a range of factors, including prior knowledge or perception of the threat and the relative risk presented by each hazard, the ability to mitigate the hazard, and the known or expected availability of information on the hazard (see Table 3). The Project Team determined that the hazards that have the potential to impact the Borough include: changes in the cryosphere (new), earthquakes (high), flood/erosion (high), ground failure (removed from the 2020 HMP Update after discussion

amidst the Project Team), volcanoes (medium), severe weather (medium), and wildland/conflagration fires (high). The remaining hazards excluded through the screening process were considered to pose a lower threat to life and property in the Borough due to the low likelihood of occurrence or the low probability that life and property would be significantly affected.

**Table 3. Identification and Screening of Hazards**

Hazard Type	Should It Be Profiled?	Explanation
Changes in the Cryosphere	Yes	The Borough is experiencing an increase in fires and increased temperatures. Drought is a concern. The Borough is also susceptible to changes in the cryosphere as its geographical area includes glaciers and mountains where snow avalanches occur. The slopes throughout the Hatcher Pass area and the slope of Pioneer Peak between Goose Creek and the Knik River Bridge are well-known avalanche areas in the Borough.
Earthquakes	Yes	Alaska is an earthquake-prone state. The Castle Mountain Fault was responsible for a mid-1980s quake felt locally. The fault crosses the Parks Highway and the Alaska Railroad tracks just before the bridge over the Little Susitna River. Scientists looked at predicting peak ground acceleration within a 15-mile radius of the Wasilla city center at a depth of 15 miles. Their conclusions were that 50% of the area is highly earthquake-prone, and 40% of the area would be considered a deep subduction zone. There is a 10% deep thrust area 19 to 27 miles directly below Wasilla with a profile much like the fault that triggered the 1964 Great Alaska Earthquake (Borough, 2013).
Ground Failure Permafrost Thaw Landslide	Yes	<p>The Borough has terrain in areas that is likely to produce ground failure. the Borough develops more and spreads out, ground failure due to manmade development will be assessed. Historical anecdotes indicate roads were likely built on old wooden debris, and effects may be noticed in the future.</p> <p>On October 7, 2019, the <i>Frontiersman</i>, a local newspaper published an article about a major rockslide that traveled nearly 1,000 feet down the north face of Pioneer Peak. Palmer and Butte residents heard it before they saw it. Apparently, the rockslide crashed down rapidly; for many minutes afterward, residents heard the settling and ping of various rocks finding their new spot on the mountainside. In the wake of the landslide, a new mountain mark was made on Pioneer Peak. Rocks were likely released as precipitation from the torrential rain on October 5, 2019 made its way into the rocks, and the expansion of the freezing water broke the section(s) off. Geologists call this type of event mass wasting (Frontiersman, 2019).</p> <p>The Borough received Permafrost Thaw Landslide hazard information in 2024 from the Arctic T-Slip Scientific group. In October 2024, this group held an educational meeting at Victory Bible Camp in the Glacier View Area.</p>
Floods/Erosion	Yes	The National Weather Service (NWS) operates a flood-forecasting network in the Borough. Predictions are often difficult for many of the smaller rivers because of the short time span between when the precipitation occurs and flooding starts. Significant flooding on the Little Susitna River and the Matanuska River have been caused by ice jams, snow melt, and unusual amounts of precipitation. In 2019, ice jam flooding on Willow Creek was problematic.

Hazard Type	Should It Be Profiled?	Explanation
Tsunami & Seiche	Yes	This hazard recently came to our attention through the University of Alaska Fairbanks and the Alaska Earthquake Center. In 2023, a model analysis was completed for the Upper Cook Inlet based on the 1964 Great Alaska Earthquake. Following the identification of a Tsunami that had come into the Cook Inlet from the 1964 Earthquake, with little recognition because of the low tide and the 2:00 am arrival. The team then analyzed the Upper Cook Inlet based on a high-tide scenario and the placement of an earthquake at the right location and at a magnitude that could create a catastrophic Tsunami. The earthquake ranges studied included from 8.7 to 9.3 in magnitude. <a href="https://dggs.alaska.gov/webpubs/dggs/ri/text/ri2023_002.pdf">https://dggs.alaska.gov/webpubs/dggs/ri/text/ri2023_002.pdf</a>
Volcanoes	Yes	The Borough has been affected by volcanic ashfall from volcanoes on the Kenai Peninsula Borough in the past.
Severe Weather	Yes	High winds are the Borough's concern. Annual weather patterns, severe cold, and blizzards also are predominant threats. High winds can reach hurricane force and have the potential to seriously damage community infrastructures, especially above ground utility lines.
Wildland/Conflagration Fires	Yes	The Borough is located in a region where wildland fire is present at a high probability. The 1996 Millers Reach Fire originated in Houston and spread to the Big Lake area and was one of the worst wildland fires in state history. It involved 37 fire departments and over 100 different agencies and organizations. In addition, 1,800 fire-fighting and support personnel responded within the first 48 hours. It took almost two weeks for the fire to be contained and during this time, it burned 37,336 acres and destroyed 344 structures. The 2015 Sockeye Fire in the Willow area of the Borough was another major fire. It burned nearly 7,220 acres and destroyed 55 residences during eight days before it was contained. In 2019, the Borough was active with various fires—the Montana Creek, Malaspina, McKinley, and Deshka Landing. The Montana Creek fire consisted of 367 acres, and the Malaspina Fire consumed 85 acres. The most destructive of the fires, the 3,753-acre McKinley fire burned between Willow and the Talkeetna cutoff and destroyed 51 homes, three businesses, and 84 outbuildings in its rapid spread due to high winds, either knocking down power lines or causing trees to fall on power lines. The number of evacuees was estimated at 350 to 400. The Deshka Landing Fire burned 1,543-acres and moved into the Nancy Lake State Recreation Area. Road access on the Parks Highway and the Alaska Railroad adjacent to the fires was erratic.

---

## 5.3 Hazard Profile

The specific hazards selected by the Project Team for profiling were examined in a methodical manner based on the following factors:

- Hazard Characteristics;
  - Typical event characteristics;
  - Potential climate change impacts are primarily discussed in the Changes in the Cryosphere hazard profile but are also identified where deemed appropriate within selected hazard profiles;
- History (geologic as well as previous occurrences);
- Location;
- Extent (breadth, magnitude, and severity);
- Impact (general impacts associated with each hazard are described in the following profiles, and detailed impacts to the Borough's residents and critical facilities are further described in Section 6 as part of the overall vulnerability summary for each hazard); and
- Recurrence probability statement of the likelihood of future events.

The hazards profiled for the Borough are presented in the rest of Section 5.3. They are placed in alphabetical order which does not signify the importance level or risk.

### 5.3.1 Cryosphere

#### 5.3.1.1 Hazard Characteristics

The "cryosphere" is defined as those portions of Earth's surface and subsurface where water is in solid form, including sea, lake, and river ice, snow cover, glaciers, ice caps and ice sheets, and frozen ground (e.g., permafrost) (Figure 4). The components of the cryosphere play an important role in climate. Snow and ice reflect heat from the sun, helping to regulate the Earth's temperature. They also hold Earth's important water resources, and therefore, regulate sea levels and water availability in the spring and summer. The cryosphere is one of the first places where scientists are able to identify global climate change.

Hazards of the cryosphere can be subdivided into five major groups:

- Glaciers;
- Permafrost and periglacial;
- Sea ice;
- Snow avalanche; and
- Drought.


Of these major groups, all but sea ice applies to the Borough.

Glaciers are made of compressed snow, which has survived summer and transformed into ice. Over many years, layers of accumulated ice build into large, thickened ice masses. Due to the sheer mass of accumulated ice, glaciers flow like very slow rivers. Presently, glaciers occupy about 10% of the world's total land area, with most located in polar regions. Today's glaciers are much reduced from the last Ice Age, when ice covered nearly 32% of the land and 30% of



the oceans. Most glaciers lie within mountain ranges that show evidence of a much greater

**Figure 4. Cryosphere Components Diagram**



Source: DHS&EM, 2018a

extent during the ice ages of the past two-million years, and recent retreat in the past few centuries. Hazards related to glaciers include ice collapse (e.g., glacial calving and ice fall avalanche), glacial lake outburst flood, and glacial surge.

Permafrost and periglacial hazards are caused by the effects of changing perennially frozen soil, rock, or sediment (known as permafrost) and the landscape processes that result from extreme seasonal freezing and thawing. Permafrost is found in nearly 85% of Alaska and is thickest and most extensive in Arctic Alaska north of the Brooks Range. It is present virtually everywhere and extends as much as 2,000 feet below the surface of the Arctic Coastal Plain. Southward from the Brooks Range, permafrost becomes increasingly thinner and more discontinuous, broken by pockets of unfrozen ground until it becomes virtually absent in Southeast Alaska, with the exception of pockets of high-elevation alpine permafrost (DHS&EM, 2018a).

A snow avalanche is a mass of snow, ice, and debris that releases and slides or flows rapidly down a steep slope, either over a wide area or concentrated in an avalanche chute or track. Avalanches reach speeds of up to 200 mph and can exert forces great enough to destroy structures and uproot or snap large trees. A moving avalanche may be preceded by an “air blast,” which is also capable of damaging buildings. Snow avalanches commonly occur in the high mountains of Alaska during the winter and spring as the result of heavy snow accumulations on steep slopes.

Drought conditions increase wildfires. Drought conditions also have the potential to adversely affect subsistence resources such as salmon (loss of habitat, decreased survival rates, and decreased access to salmon spawning grounds). Furthermore, drought conditions have the potential for many unknowns related to subsistence resources when considering changes in the climate over time – berries, terrestrial animals, wild plants, etc. are all potentially affected by drought.

---

Alaska is particularly vulnerable to cryosphere hazards, as much of its social and economic activity is connected to the existence of snow, ice, and permafrost.

### **Glaciers**

**Ice Collapse** hazards result from large ice chunks breaking off from a glacier, either through glacial calving or as an ice fall avalanche. These hazards are almost impossible to predict, and in contrast to most other hazards in the cryosphere environment, they can happen independently of weather (e.g., heavy precipitation and rapid warming). In Alaska, ice collapses have, on multiple occasions, been triggered by earthquakes. Depending on the volume of ice collapse, these hazards can have tremendously devastating effects and can cause additional hazards, such as flooding and snow avalanches.

**Glacial Calving** is the breaking away of a mass of ice from a near-vertical ice face along the terminus of a glacier, often into a large body of water. Glacial calving can be accompanied by a loud cracking or booming sound as the blocks of ice break loose and crash into the water. The entry of the ice into the water can cause large, sometimes hazardous, waves that can swamp boats and inundate nearby shores.

**Ice Fall Avalanches** are triggered by new or existing cracks (crevasses) in the glacier ice that allow chunks of a glacier to detach and fall down the slope as a mass of broken ice. The mass of these ice falls often triggers snow avalanches on the slope below as they hit the snowpack. Ice fall avalanches are unrelated to precipitation, temperature, or other typical snow avalanche factors.

### **Permafrost and Periglacial**

In the periglacial environment, the effects of freezing and thawing drastically modify the ground surface. Types of modification include the displacement of soil materials, migration of groundwater, and the formation of unique landforms. Many periglacial regions are underlain by permafrost that strongly influences geomorphic processes acting in these parts of the world.

**Permafrost**, defined as ground with a temperature that remains at or below freezing (32°F) for two or more consecutive years, can include rock, soil, organic matter, unfrozen water, air, and ice. Regions with permafrost are typically categorized by percent of surface area underlain by permafrost (Figure 5): continuous (>90%), discontinuous (50-90%), sporadic (10-50%), and isolated (<10%) permafrost. The Borough has isolated, sporadic, and discontinuous permafrost. Figure 6 is a generalized permafrost hazard area map that was produced in 2018 as part of the State of Alaska HMP Update (DHS&EM, 2018a). The Borough is generally in a low or moderate permafrost hazard area.

**Frost Cracking** results from freezing soil contraction. This contraction can be forceful enough that the ground cracks in order to release tensile stress, similar to what happens when mud dries to form mud cracks. In extreme cases, polygons may form from thermal contraction in very cold environments and develop ice wedges within the cracks from meltwater and blowing snow accumulation. Frost cracking can be hazardous when it occurs in road surfaces, breaking pavement, and road bed structure.

**Frost Heaving** occurs when the soil surface is lifted with great strength from below by seasonal ice lens development in fine-grained soils. The temperature gradient from the freezing surface

---

into the unfrozen ground drives liquid water to the freezing front, where it can freeze into solid ice lenses. Buildings and roads are affected by the lifting force of the growing ice lenses, but the most destructive conditions occur when there is differential frost heave. Differential frost heave occurs when ice lens formation is non-uniform, and only portions of the soil surface are pushed up—this can break building foundations and roads to pieces. A compounding effect of the seasonal ice lenses that cause frost heaving is that, upon thawing, the soil is left supersaturated, meaning that the liquid is carrying the weight of the soil. Pressure on the supersaturated soil, such as driving on a road across the thawed ice heave area, causes horizontal (lateral) movement of the soil and destruction of the overlying roadbed. This is the reason that roads can fail in spring, and why there are restrictions on axle weight.

**Frost Jacking** occurs when a solid object, such as a fence post or foundation block, is incrementally jacked out of the ground due to ice lens formation within the soil during repeated freeze-thaw cycles. Two mechanisms are believed to be responsible for frost jacking:

- Freezing soil grips the object and heaves upward due to expanding ice, thereby lifting the object out of the ground; and
- Water trickles underneath a solid object, and resultant ice growth during freezing pushes the object out of the ground. This process can cause foundations to break and buildings to collapse.

### **Snow Avalanche**

Snow avalanche is a downhill mass movement of snow or fluidized snow. The damage caused by an avalanche varies based on the avalanche type, the consistency and composition of the avalanche flow, the flow's force and velocity, as well as the avalanche path. Its size, run-out distance, and impact pressure vary. Avalanches have the potential to kill people and wildlife, destroy infrastructure, level forests, and bury entire communities. Significant avalanche cycles (multiple avalanches naturally releasing across an entire region) are generally caused by long periods of heavy snow, but avalanche cycles can also be triggered by rain-on-snow events, rapid warming in the spring, and earthquakes.

An avalanche releases when gravity-induced shear stress on or within the snowpack becomes larger than its shear strength. Triggers can be natural (e.g., rapid weight accumulation during or just after a snowstorm or rain event, warming temperatures, and seismic shaking) or artificial (e.g., human weight or avalanche-control artillery).

Terrain factors that influence avalanche release are slope angle, aspect, and curvature, as well as topography (terrain roughness). Avalanches are also controlled by vegetation cover and elevation, which are both factors in getting enough snow accumulation on the slope. Avalanches typically release on slopes greater than 25 degrees and less than 60 degrees; this is the slope range where the snow can accumulate enough to build a slab, but also where snow tends to remain in place without sluffing off due to gravity. It is important to remember that avalanche run-out (deposition) can occur on all slopes. Figure 7 is a generalized avalanche-potential map of Alaska that was produced in 1980 by compiling and cross-correlating topographic relief, snow-avalanche regions, climatic zones, snowpack characteristics, and known and suspected avalanche activity.


New Alaska avalanche studies are currently being carried out by the DGGs and the University of Alaska Fairbanks (UAF). Figure 8 depicts potential snow avalanche release areas within a six-

mile buffer of roads in Alaska. The modeling uses digital topographic information as input and determines the potential release zones based on geostatistical parameters (e.g., elevation, slope, and curvature) and land cover (e.g., trees). This is a preliminary model result that does not include weather or snowpack parameters, but more advanced studies that will incorporate these elements are planned (DHS&EM, 2018a).

#### 5.3.1.2 Climate Factors

Climate has a major effect on cryosphere hazards because these hazards are so closely linked to snow, ice, permafrost, and ground temperature. Changes in climate can modify natural processes and increase the magnitude and recurrence frequency of certain geologic hazards (e.g., avalanches, floods, erosion, slope instability, and permafrost thaw), which if not properly addressed, could have a damaging effect on Alaska's communities and infrastructure, as well as on the livelihoods and lifestyles of Alaskans.

**Figure 5. Permafrost Characteristics of Alaska**




During the last several decades, Alaska has warmed twice as fast as the rest of the U.S. Alaska's glaciers are in steep decline and are among the fastest-melting glaciers on Earth. New ice-dammed lakes are being formed in valleys formerly occupied by glaciers, and as climate change continues on its current trajectory, more ice-dammed lakes can be expected. Glacier retreat also causes debuttressing and valley-wall unloading, potentially increasing rockfall and landslide

incidences.


Permafrost is at an increased risk of thawing as a result of climate change. The major climatic factor leading to warming and thawing permafrost is an increase in air temperatures. Another important factor is the potential increase in snow depth predicted by the majority of climate models. Snow insulates permafrost from low winter temperatures, which leads to an increase in ground temperatures and diminishes permafrost stability. When soils are warm, permafrost becomes unstable and is sensitive to catastrophic collapse in conjunction with flooding and erosion. Even in non-ice-rich soils, process-driven models show more material is available for erosion and transport when the soil is thawed, which leads to increased exposure of underlying or adjacent frozen material to thermal and physical stressors (DHS&EM, 2018a).

Scientific data on the impacts of changing climate on the active layer (i.e., the surface layer above the permafrost that thaws each summer) is sparse, but on the decadal timescale (i.e.,

**Figure 6. Permafrost Hazard Areas Map**




**Figure 7. Map Depicting Alaska's Potential Snow-Avalanche Areas**





**Figure 8. Potential Snow-Avalanche Release Areas**



tens of years), the depth of the active layer looks to be increasing. This is potentially destructive to permafrost stability because the ground is not completely refreezing in winter.

Some studies suggest that warming climate may increase avalanche risk due to changes in snow accumulation and moisture content, as well as loss of snowpack stability because of changing air temperature. Increased rain-on-snow event frequency is leading to an increase in avalanche hazards all across Alaska.


### **Drought**

Although the Borough did not declare a disaster emergency declaration, the U.S. Drought Monitor showed moderate and abnormally dry conditions in the Borough. The U.S. Drought Monitor is produced through a partnership between the National Drought Mitigation Center at the University of Nebraska-Lincoln, the U.S. Department of Agriculture (USDA), and the National Oceanic and Atmospheric Administration (NOAA). Figure 9 illustrates drought conditions observed in Alaska. Drought conditions were experienced in the Borough in 2019.

#### **5.3.1.3 Cryosphere Hazard History**

There is no written history of changes to the cryosphere for the Borough with the exception of avalanches. Alaska leads the nation in avalanche accidents per capita and experiences multiple fatalities each year due to this hazard. In addition to human risk, road closure due to avalanches

**Figure 9. U.S. Drought Monitor of Conditions in Alaska**  
**U.S. Drought Monitor**  
**Alaska**



is very costly. For example, a typical road closure with roughly 1,500 cubic feet of snow covering the road costs the Alaska Department of Transportation & Public Facilities (DOT&PF) approximately \$10,000 to remove. In the winter of 1999 to 2000, unusually high snowfall from the Central Gulf Coast Storm fueled avalanches in Cordova, Valdez, Anchorage, Whittier, Cooper Landing, Moose Pass, Summit, the **Matanuska-Susitna Valley**, and Eklutna. Damages in these communities exceeded 11 million dollars, resulting in the first presidentially-declared avalanche disaster in U.S. history. This storm is listed as 00-191 and is included in the Severe Weather Section 5.3.5.3.

Colorado and Alaska have the highest annual per capita death and injuries caused by avalanches. This is because some of the most-traveled roads pass through avalanche-prone areas, and because there is a high frequency of backcountry avalanches triggered by the many hikers, skiers, and snowmachine users. There is growing exposure to this hazard as development continues to occur in avalanche-prone areas, and participation in winter recreational activities increases.

Table 4 lists avalanche hazard events for the past 20 years.



**Table 4. Borough Avalanche Events**

Day	Event
December 9, 2000	An avalanche fatality occurred between 1:30 pm and 2:00 pm. The put-in was an area north of Dunkle Mine, around Milepost 196 on the Parks Highway. The accident site was about 16 miles in from the road, just inside the park boundary. The victim went to help a stuck snowmachiner who had been "highmarking" on a hill which tapered into a ravine. The stuck snowmachiner got himself unstuck and rode downhill. The victim was just heading downslope when he was hit from behind (witnesses said he probably didn't even see the slide coming and thus, didn't accelerate to try to ride it out). The width of the slide was estimated between 1/4 and 1/2 mile wide. The victim was carried roughly 400 yards. A team of searchers found the sled and began probing upslope. Within about 15 minutes, they found the victim. He was buried face down, about four feet deep, roughly 20 feet upslope from his snowmachine.
February 3, 2001	Snowmachiners triggered an avalanche on a slope south of Eureka, near the east fork of the Matanuska River. The avalanche killed two members of the group and slightly injured a third man, who was carried downslope and trapped beneath his snowmachine until he was freed.
February 12, 2001	Three avalanches closed the road above the Motherlode Lodge in the Hatcher Pass area, coupled with nearly three feet of new snow.
November 11, 2001	A small wind slab avalanche released under a 30-year old woman and her male friend. The slide carried the two about 100 yards down the slope. The man came to rest on top of the snow. The woman was buried, head-down, under three feet of snow. She perished.
April 20, 2002	A weekend storm reportedly dumped more than four feet of snow on Hatcher Pass, setting up three avalanches that closed the road. No injuries or property damage was reported; however, three people from the Hatcher Pass Lodge got stuck when they tried to leave Saturday. They were taken out by snowmachine.
February 9, 2003	Two snowboarders were caught in an avalanche off Hatch Peak (in Hatcher Pass). One dug out, the other was buried for two hours before being finally dug out by rescuers who attempted, unsuccessfully, medical attention. Heavy wet snow fell in the Pass during the prior week, with more than a foot since Thursday. High winds over the weekend shifted snow loads to lee slopes, including the northeast-facing run near the Pass. Both snowboarders were at the base of the mountain when the avalanche let go.
February 28, 2006	An avalanche in Hatcher Pass above the Mother Lode Lodge killed a snowboarder.
November 2015	A person skiing on a solo trip disappeared and was assumed to have been buried by an avalanche.
January 2, 2016	A person riding a snowmachine was caught in a terrain trap when an avalanche released above him. He was buried under six feet of snow and perished.
January 16, 2016	A snowboarder triggered an avalanche on Skyscraper Mountain in Hatcher Pass Recreation Area. He was buried under 7.5 feet of snow and perished.
November 22, 2017	An avalanche in Hatcher Pass took the life of a local ski coach. Strong winds and low snow caused the snowpack to be very unstable.
March 19, 2018	Hatcher Pass Avalanche Center reported an avalanche closed the road to the ski area at the top. Ten people were stranded at the ski area for 24 hours while DOT&PF cleared the road. No one was injured.
March 2, 2020	A snowboarder died in an avalanche in Hatcher Pass near the popular '16 Mile' road run. A total of 33 inches of new snow accumulated over the weekend. The rapid load overloaded weak layers. A persistent slab problem was upgraded to a deep persistent slab problem, with the January layer of facets more than 39 inches in most locations.

Visual evidence of changes in the cryosphere within the Borough includes:

- Frost heaves on the highways and roads;
- Powerlines tilting to the side; and

- 
- Subsidence as the active layer melts.

A brief summary from *Alaska's Changing Environment: Documenting Alaska's physical and biological changes through observations* is provided below (Thoman and Walsh, 2019).

- Temperatures have been consistently warmer than at any time in the past century.
- The growing season has increased substantially in most areas, and the snow cover season has shortened.
- Precipitation overall has increased. In Southcentral, annual precipitation since the 1990s has increased 3.4%. Flooding and erosion have increased.
- Recent years have brought many temperature extremes to Alaska, including the warmest year (2016), the warmest month (July 2019), and in places like Anchorage, the warmest day (July 4, 2019).
- Warmer springs and earlier snow melt have lengthened the wildfire season. Wildfire seasons with more than one million acres burned have increased 50% since 1990, compared to the 1950 – 1989 period. The frequency of longer wildfire seasons has increased dramatically.
- A major outbreak of spruce-bark beetles has been spreading through Southcentral Alaska during the past several years. The area affected by the outbreak increased from 33,000 acres in 2015 to 593,000 acres in 2018. While small populations of beetles are always present in spruce forests, sudden increases in their populations are favored by a dry summer, which reduces trees' capacity to produce sap, a defense against the beetle. Longer and warmer summers also increase beetles' reproductive capacity, while milder winters increase over-winter survival rates.

#### 5.3.1.4 Location, Extent, Impact, and Recurrence Probability

##### **Location**

The Matanuska, Knik, and Nelchina Glaciers are the area's largest glaciers and the points of origin for the region's largest rivers. The Knik Glacier is located just south of the Borough boundary. The Matanuska and Nelchina Glaciers are located within Borough boundaries. At 27 miles long by four miles wide, the Matanuska Glacier is the largest glacier accessible by car in the U.S. Its terminus feeds the Matanuska River. It lies near the Glenn Highway about 100 miles northeast of Anchorage and flows about one foot per day. Due to ablation of the lower glacier, as of 2007, the location of the glacier terminus has changed little over the previous three decades. Nelchina Glacier is located 15 miles south of Eureka. Nelchina Glacier heads on the north side of the Chugach Mountains, with Mounts Siegfried, Valhalla, and Fafnir on its western fork, and Audubon Mountain on its eastern fork. It trends north to its terminus at the head of the Nelchina River. Nelchina Glacier is 22 miles long and drains into Tazlina Lake.

Port MacKenzie, located across Knik Arm from Anchorage, is a deep-water port that mainly serves industrial customers. The Borough owns and operates the dock; and it has been in operation since 2001. In 2005, a new deep-draft dock was completed, allowing larger export ships to use the facility. Currently, the port is accessed via a 40-mile road from the highway in

---

Wasilla. The 8,940-acre port is dedicated to commercial and industrial development. Sea ice is not an issue.

The slopes throughout the Hatcher Pass area and the slope of Pioneer Peak between Goose Creek and the Knik River Bridge are well-known avalanche areas in the Borough. There are no homes at Hatcher Pass. Homes along the Old Glenn Highway outside of Palmer have been relocated out of the danger zone.

### **Extent**

Permafrost is found beneath nearly 85% of Alaska. Permafrost can harbor ice in many forms, ranging from massive ice bodies to ice lenses to disseminated interstitial ice crystals. Thawing causes landslides, ground subsidence, flooding, and erosion as well as lake disappearances or new lake development. Periglacial hazards result from the effects of repeated freezing and thawing and include frost cracking, frost heaving, and frost jacking, and can occur anywhere in the state.

The entire state of Alaska is at risk of effects of climate change. Historical climate data shows that the average annual temperature in Alaska has warmed about 4°F since the 1950s and 7°F in winter. The growing season has lengthened by about 14 days. Models predict continued warming, including an increase in temperature by 1.5 to 5°F by 2030 and 5 to 18°F by 2100.

### **Impact**

Permafrost and periglacial impacts include a full range of damage from comparatively minor bending or buckling of manmade features due to heterogeneous movement, to complete destruction of infrastructure and buildings due to catastrophic ground failure and flooding.

Impacts associated with degrading permafrost include surface subsidence, infrastructure, structure, and/or road damage. Permafrost does not pose a sudden and catastrophic hazard, but improperly designed and constructed structures can settle as the ground subsides, resulting in loss of the structure or expensive repairs. Permafrost restricts use of the ground surface, and affects the location and design of roads, buildings, communities, and airfields. To avoid costly damage to these facilities, careful planning and design in the location and construction of facilities is warranted.

Permafrost impacts include a full range of damage from comparatively minor bending or buckling of manmade features due to heterogeneous movement, to complete destruction of infrastructure and buildings due to catastrophic ground failure. Permafrost has generated comparatively slow ongoing phenomena in the past, but warming climate is expected to increase the magnitude and frequency of damaging permafrost collapse. Indicators of a possible ground failure (involving melting permafrost) include:

- Springs, seeps, or wet ground that is not typically wet;
- New cracks or bulges in the ground or pavement;
- Soil subsiding from a foundation;

- 
- Secondary structures (decks, patios) tilting or moving away from main structures;
  - Broken water line or other underground utility;
  - Leaning structures that were previously straight;
  - Offset fence lines;
  - Sunken or dropped-down road beds;
  - Rapid increase in stream levels, sometimes with increased turbidity;
  - Rapid decrease in stream levels even though it is raining or has recently stopped; and
  - Sticking doors and windows, visible spaces indicating frames out of plumb.

Avalanches have the potential to kill people and wildlife, destroy infrastructure, level forests, and bury entire communities. In many areas of the state, avalanches lead to lengthy closures of important transportation routes. The economic impacts of such avalanches, from impeding traffic to removing avalanche debris blocking the transportation corridor, can be significant at both the local and state levels.

The Borough has two main roads (Parks Highway and Glenn Highway) connecting to the rest of the state's road systems. Most Alaska communities have road choke points such as bridges and steep terrain that are susceptible to multiple natural hazard impacts from earthquakes, floods, and changes to the cryosphere events such as avalanches.

### **Recurrence Probability**

Changes to the cryosphere in the Borough are occurring and will continue to do so. The active layer of permafrost continues to thaw because of warmer summers and winters than what was typically experienced in the past although the Winter 2019/2020 is more like a "normal" winter than the past several years. Droughts and an increase of spruce-bark beetle could increase fire risk Borough-wide. The probability of future events is highly likely based on a minimum annual occurrence.

#### **5.3.2 Earthquake**

Alaska is one of the most seismically active regions in the world and is at risk of societal and economic losses due to damaging earthquakes. On average, Alaska has one "great" magnitude [(M) >8] earthquake every 13 years and one M 7-8 earthquake every year. Earthquakes have killed more than 130 people in Alaska during the past 60 years (DHS&EM, 2018a).

It is not possible to predict the time and location of the next big earthquake, but the active geology of Alaska guarantees that major damaging earthquakes will continue to occur and can affect almost anywhere in the state. Scientists have estimated where large earthquakes are most likely to occur, along with the probable levels of ground shaking to be expected. With this information, as well as information on soil properties and landslide potential, it is possible to estimate earthquake risks in any given area.

---

Alaska earthquake statistics include:

- Alaska is home to the second-largest earthquake ever recorded (1964 Great Alaska Earthquake, M 9.2);
- Alaska has 11% of the world's recorded earthquakes; and
- Three of the eight largest earthquakes in the world occurred in Alaska.

Since 1900, Alaska has had an average of:

- 45 M 5-6 earthquakes per year;
- 320 M 4-5 earthquakes per year; and
- 1,000 earthquakes located in Alaska each month.

Source: UAF Earthquake Center

#### *5.3.2.1 Hazard Characteristics*

An earthquake is a sudden motion or trembling caused by a release of stress accumulated within or along the edge of Earth's tectonic plates. The effects of an earthquake can be felt far beyond the site of its occurrence. Earthquakes usually occur without warning, and after only a few seconds, can cause massive damage and extensive casualties. The most common effect of earthquakes is ground motion, or the vibration or shaking of the ground during an earthquake.

Ground motion generally increases with the amount of energy released and decreases with distance from the rupture area. An earthquake causes waves in the earth's interior (i.e., seismic waves) and along the earth's surface (i.e., surface waves). Two kinds of seismic waves occur: P (primary) waves are longitudinal or compressional waves similar in character to sound waves that cause back and forth oscillation along the direction of travel (vertical motion), and S (secondary) waves, also known as shear waves, are slower than P waves and cause structures to vibrate from side to side (horizontal motion). There are also two types of surface waves: Raleigh waves and Love waves. These waves travel more slowly and typically are more damaging than seismic waves because they cause larger motions and their frequency is close to harmonic frequencies for human structures and for sedimentary deposits.

In addition to ground motion, several secondary natural hazards can occur from earthquakes such as:

- **Strong Ground Motion** is ground shaking. Strong ground motion intensity is directly correlated with earthquake magnitude (i.e., the larger the earthquake magnitude, the more intense and widespread the ground shaking will be). The strong ground motion severity is also dependent on the distance from the energy source.
- **Surface Rupturing** occurs when the subsurface patch of fault that slips in an earthquake intersects the earth's surface. This causes discrete, differential ground movement during intense earthquake shaking. The relative crustal block motion is dictated by the rupture's fault type, which can be horizontal, vertical, or a combination of both. Earthquakes larger than a M of 6.5 have sufficient energy to create surface ruptures, but whether or not this occurs is dependent on the earthquake's depth. The shallower a

depth at which a significant earthquake occurs, the more likely it is to create a surface rupture. Permanent displacement along faults can be substantial. Surface ruptures, as a product of intense strong ground motion, can cause severe damage to existing structures.

- **Landslides/Debris Flows** occur as a result of horizontal seismic inertia forces induced in the slopes by ground shaking. The most common earthquake-induced landslides include shallow, disrupted landslides such as rock falls, rockslides, and soil slides. Debris flows are created when surface soil on steep slopes becomes completely saturated with water. Once the soil liquefies, it loses the ability to hold together and can flow downhill at very high speeds, taking vegetation and/or structures with it. Slide risks increase after an earthquake during a wet winter.

The severity of an earthquake can be expressed in terms of intensity and M. Intensity is based on the damage and observed effects on people and the natural and built environment. It varies from place to place depending on the location with respect to the earthquake rupture (where the fault moved). While the area directly above the rupture usually experiences the most intense earthquake effects (e.g., shaking), the total area affected can cover hundreds of thousands of sq. miles, depending on the earthquake's M.

Larger earthquakes are less common than smaller earthquakes, such that the smallest earthquakes are extremely frequent, while the largest earthquakes are relatively infrequent.

Earthquakes are also classified by their felt effects (e.g., perceived shaking intensity). However, the effects of an earthquake are directly related to the distance from the earthquake rupture, among other parameters such as the type of crust where the earthquake occurs. In general, the closer one is to an earthquake's epicenter, the more severe the felt effects and damage will be. An earthquake's intensity is described by the Modified Mercalli Intensity (MMI) Scale. As shown in Table 5, the MMI Scale consists of 10 increasing levels of intensity that range from imperceptible to catastrophic destruction. Peak ground acceleration (PGA) is also used to measure earthquake intensity by quantifying how hard the earth shakes in a given location. PGA can be measured as acceleration due to gravity (g) (MMI, 2006).

**Table 5. Perceived Shaking, Potential Damage, and Peak Ground Acceleration**

PERCEIVED SHAKING	Not felt	Weak	Light	Moderate	Strong	Very strong	Severe	Violent	Extreme
POTENTIAL DAMAGE	none	none	none	Very light	Light	Moderate	Mod./Heavy	Heavy	Very Heavy
PEAK ACC.(%g)	<0.05	0.3	2.8	6.2	12	22	40	75	>139
PEAK VEL.(cm/s)	<0.02	0.1	1.4	4.7	9.6	20	41	86	>178
MMI scale	I	II–III	IV	V	VI	VII	VIII	IX	X+

M is the measure of the earthquake's strength and is related to the amount of seismic energy released at the earthquake's hypocenter, the actual location of the energy released inside the earth. It is based on the amplitude of the earthquake waves recorded on instruments, known as the Richter magnitude test scales, which have a common calibration.

Earthquakes in Southcentral Alaska are produced by a number of different tectonic features.

1. The strongest earthquakes in Southcentral Alaska are generated by the megathrust fault that marks the contact zone between the subducting Pacific and overriding North American plates. The 1964 M of 9.2 Great Alaska Earthquake, which is still the second largest earthquake ever recorded worldwide, began under Prince William Sound.
2. Intermediate depth seismicity (below 20 miles) occurs in the so-called Benioff Zone, where the subducting Pacific Plate descends towards the mantle beneath the North American Plate. This zone extends along Aleutian Arc, Alaska Peninsula, and Cook Inlet and terminates beneath the northern foothills of the Alaska Range. In southern and central Alaska, this seismicity abates at a depth of approximately 140 miles, reflecting the down-dip extension of the Pacific Plate. Historically, M 6+ earthquakes of this type have been recorded beneath Cook Inlet.
3. Crustal seismicity in this region can be attributed to three major sources: the faults and folds of the Cook Inlet basin, the Castle Mountain Fault (Figure 14), and the wide band of diffuse seismicity extending from northern Cook Inlet to the Denali Fault (Figure 13). Mapped geological structures in upper Cook Inlet are capable of generating strong earthquakes. The April 1933 M of 6.9 earthquake, which caused considerable damage in Anchorage, appears to have occurred on such a structure. The Castle Mountain Fault, which passes 25 miles north of Anchorage, exhibits geological evidence of Holocene offsets and generated the M of 7.5 1984 Sutton earthquake. The diffuse zone of seismicity between Cook Inlet and the Denali Fault may mark a deformation zone between the Bering microplate to the west and the southern Alaska block to the east. This broad zone of seismicity includes a series of predominantly thrust faults, and a 1943 M of 7.0 earthquake may have originated in this band.

#### 5.3.2.2 History

Since 1925, 39 earthquakes have been recorded with a M of 6.0 or greater within a 150-mile radius of the approximate center of the Borough (62.133610° N, 149.906096° W) (Table 6). Within the same area, there have been 179 earthquakes greater than a M of 5.0 and 1,119 greater than a M of 4.0. The largest two recorded earthquakes within 150 miles of the Borough within the last 20 years measured a M of 7.9 occurring on November 2, 2002, and a M of 7.1 occurring on November 30, 2018. The November 30, 2018 earthquake caused significant damage to infrastructure and neighborhoods within the Borough (see Section 5.3.2.3 for preliminary impact numbers) (see Figures 10 and 11).

**Table 6. Historical Earthquakes within a 150-Mile Radius of the Approximate Center of the Borough**

Date	Latitude	Longitude	Depth	M	Place
November 30, 2018	61.3464	-149.9552	46.7	7.10	Point MacKenzie, Matanuska-Susitna Borough
September 25, 2014	61.9449	-151.8160	108.9	6.20	60 miles west northwest of Willow
November 3, 2002	63.5141	-147.4529	4.2	7.90	Central Alaska
October 23, 2002	63.5144	-147.9116	4.2	6.60	Central Alaska
May 1, 1991	62.4760	-151.4130	114.2	6.30	Central Alaska
September 7, 1983	60.9760	-147.5000	45	6.40	Southern Alaska



---

July 12, 1983	61.0310	-147.2860	37	6.60	Southern Alaska
March 28, 1964	60.9080	-147.3390	25	9.20	1964 Prince William Sound Earthquake
October 21, 1962	61.3900	-149.2100	71	6.00	Southern Alaska
August 18, 1962	62.2600	-152.5400	46	6.13	Central Alaska
July 16, 1962	62.2700	-152.5800	50	6.00	Central Alaska
June 29, 1962	62.4000	-152.1700	23	6.00	Central Alaska
May 10, 1962	61.9600	-150.1100	82	6.00	Southern Alaska
August 28, 1959	63.4200	-148.8500	44	6.00	Central Alaska
October 3, 1954	60.6510	-150.3920	61.5	6.40	Kenai Peninsula
March 3, 1954	61.5400	-146.7800	56	6.25	Southern Alaska
June 25, 1951	61.1000	-150.1000	128	6.25	Southern Alaska
August 19, 1948	63.0000	-150.5000	100	6.25	Central Alaska
October 16, 1947	64.1310	-148.6130	26	7.20	Central Alaska
November 3, 1943	61.7760	-151.0510	15	7.60	Southern Alaska
July 30, 1941	60.9270	-151.0330	35	6.40	Kenai Peninsula
October 11, 1940	60.0000	-150.5000	UKN	6.00	Kenai Peninsula
September 4, 1935	63.7500	-152.5000	UKN	6.25	Central Alaska
August 2, 1934	61.5000	-147.5000	UKN	6.00	Southern Alaska
June 18, 1934	60.8550	-151.3160	15	6.00	Kenai Peninsula
June 2, 1934	61.2500	-147.0000	UKN	6.25	Southern Alaska
May 4, 1934	61.5350	-147.7810	25	6.90	Southern Alaska
June 19, 1933	61.2500	-150.5000	UKN	6.00	Southern Alaska
June 13, 1933	61.0000	-151.0000	UKN	6.25	Southern Alaska
April 27, 1933	61.1310	-151.0040	15	6.90	Southern Alaska
January 4, 1933	60.9010	-148.3950	20	6.40	Kenai Peninsula
September 14, 1932	61.0000	-148.0000	50	6.25	Southern Alaska
June 8, 1932	62.5000	-153.3000	UKN	6.00	Central Alaska
March 25, 1932	62.5360	-152.9570	15	6.80	Central Alaska
March 25, 1932	62.5000	-153.0000	UKN	6.00	Central Alaska
July 3, 1929	62.5000	-149.0000	UKN	6.25	Central Alaska
January 21, 1929	64.0000	-148.0000	UKN	6.25	Central Alaska
June 21, 1928	60.5590	-147.0390	15	6.80	Southern Alaska
February 23, 1925	61.1090	-147.7550	25	6.60	Southern Alaska

Additionally, the 2002 Denali Fault earthquake provided disaster assistance to the Borough per the DHS&EM *Disaster Cost Index* (DHS&EM, 2018b).

**03-203 Denali Fault Earthquake (AK-DR-1440) Declared November 6, 2002 by Governor Knowles, then FEMA-Declared November 8, 2002:** A major earthquake with a preliminary magnitude of 7.9 occurred on the Denali Fault in Interior Alaska on November 3, 2002, with strong aftershocks. The earthquake caused severe and widespread damage and loss of property, and threat to life and property in the Fairbanks North Star Borough, the Denali Borough, the **Matanuska-Susitna Borough**, and numerous communities within the Delta Greely, Alaska Gateway, Copper River, and Yukon-Koyukuk Regional Education Attendance Areas including the cities of Tetlin, Mentasta Lake, Northway, Dot Lake, Chistochina and Tanacross, and the unincorporated communities of Slana and Tok. The areas experienced severe damage to numerous personal residences requiring evacuations and sheltering of residences; extensive damage to primary highways including the Richardson Highway, the Tok Cutoff, **the Parks Highway**, and road links to communities including the road to Mentasta and Northway. Damage to supports for the Trans-Alaska Pipeline necessitated the shutdown of the pipeline. Additionally, fuel spills from residential storage tanks and significant damage to water, septic, sewer and electrical systems also occurred. Not all of the



areas listed in the State disaster were included in the Federal Individual Assistance Program. Assistance to those areas was through the State Individual Assistance Program. Additionally, not all of the areas listed in the State declaration were eligible for all categories of assistance under the Federal Public Assistance Program. Those areas were only eligible for Debris Removal & Emergency Protective Measures under the Federal Public Assistance Program but were eligible for all Permanent Work categories under the State Public Assistance Program. FEMA also authorized 404 Mitigation funding. Individual Assistance totaled \$67K for 12 applicants. Public Assistance totaled \$24.8 million for 17 applicants with 53 project worksheets (PWs).

The President declared a disaster (DR-4413) for the November 30, 2018 Earthquake with a M of 7.1 with its epicenter at Point MacKenzie, Alaska within the Borough, but a description has not yet been added to the DSH&EM *Disaster Cost Index* (DHS&EM, 2018b). This earthquake was located 10 miles north of Anchorage, at a depth of 27.4 miles and occurred at 8:29 am. It was followed by numerous significant aftershocks. See Figure 10 for the epicenter location and Figure 11 for pictures of some damages.

Wide-spread damage occurred to structures and roadways throughout the Borough as well as the Anchorage Municipality. Houston Middle School in the Borough was destroyed, and FEMA determined it will be a demolition/rebuild project. A brief summary of observed strengths from

**Figure 10. November 30, 2018 Earthquake Epicenter at Point MacKenzie**



November 30, 2018 08:29:29 AKST  
61.3234°N 149.9234°W Depth 27.4 miles

---

the Quick-Look After-Action Report on January 29, 2019 included:

- Matcom was able to maintain call receiving and dispatch services throughout the incident even though suffering physical damage to the dispatch center.
- The Department of Emergency Services was able to answer all requests for service although some calls had to be reprioritized and stacked.
- Fire Service Areas and Emergency Medical Services (EMS) were able to manage the requests for emergency services including two structure fires, 31 EMS calls, and 111 calls for fire department assistance, which included 49 reported gas leaks.
- The Borough School District competently protected the students in their care and conducted a rapid assessment of damages.
- The Matanuska-Susitna Regional Medical Center was able to maintain their services and overcame structural and operational challenges in providing care to 117 persons injured by the earthquake.


#### *5.3.2.3 Location, Extent, Impact, and Recurrence Probability*

##### **Location**

The Uniform Building Code rates the entire state of Alaska in Earthquake Zone 4, the highest hazard level. Figures 12 and 13 show the locations of active and potentially active faults in Alaska. Approximately 75% of Alaska's detected earthquakes occur in the Alaska Peninsula, Aleutian, Cook Inlet, and Anchorage areas. About 15% occur in Southeast Alaska, and the remaining 10% occur in the Interior. The greatest earthquake in North American history occurred in the Alaska-Aleutian Seismic zone. That earthquake was a M of 9.2, lasting between four and five minutes and was felt over a 7,000,000 sq. mile area. This earthquake occurred 75 miles southeast of Palmer and 85 miles southeast of Wasilla which are the primary population centers of the Borough. It caused a significant amount of ground deformation as well as triggering landslides and tsunamis resulting in major damage throughout the region. The megathrust zone where the North Pacific Plate plunges beneath the North American Plate still has the potential to generate earthquakes up to a M of 9. Within 25 miles of Anchorage, there are at least three suspected active faults with the potential to create earthquakes with M's of 7.5. One of them, the Castle Mountain Fault, produced an earthquake with an M of 7.5 near Sutton in 1984 and may have generated a M of 6.9 in an earthquake that shook Anchorage in 1933. This area is of concern, as a great deal of development has and continues to occur along the fault.

The Borough's "core area" is in the Cook Inlet basin. The Cook Inlet basin is a northeast-trending fore arc basin located between the Chugach and Kenai Mountains to the south and the Alaska Range and the Aleutian volcanic arc to the north and west. Major fault zones are close to the margin of the basin: the Castle Mountain fault to the north, the Bruin Bay fault to the northwest, and the Border Ranges fault along the south. Folds in the basin are complex, discontinuous structures that have variable shape and convergence and are commonly anchored by blind thrust faults. These are thrust faults that do not rupture all the way up to the surface so there is no evidence of it on the ground. They are "buried" under the uppermost layers of rock in the crust. Figures 14 and 15 show the major faults in the Borough's "core area".

**Figure 11. Vine Road, Houston Middle School, and Alaska Railroad**



### Extent

Although major earthquakes occur relatively infrequently, the Borough remains vulnerable to significant damages from an earthquake.

*“Alaska has changed significantly since the damaging 1964 earthquake, and the population has more than doubled. Many new buildings are designed to withstand intense shaking; some older buildings have been reinforced, and development has been discouraged in some particularly hazardous areas.*

*Despite these precautions, and because practices to reduce vulnerability to earthquakes are not applied consistently in regions of high risk, future earthquakes may still cause life-threatening*



**Figure 12. Active and Potentially Active Faults in Alaska**



damage to buildings, cause items within buildings to be dangerously tossed about, and disrupt basic utilities and critical facilities.

FEMA estimates that with the present infrastructure and policies, Alaska will have the second highest average annualized earthquake-loss ratio (ratio of average annual losses to infrastructure) in the country. Reducing those losses requires public commitment to earthquake-conscious siting, design, and construction. The Seismic Hazards Safety Commission is committed to addressing these issues. Earthquake-risk mitigation measures developed by similar boards in other states have prevented hundreds of millions of dollars in losses and significant reductions in casualties when compared to other seismically active areas of the world that do not implement effective mitigation measures. The San Francisco (1989), Northridge (1994), and Nisqually (2001) earthquakes caused comparatively low losses as a result of mitigation measures implemented in those areas. Many of these measures were recommended by the states' seismic safety commissions."

Source: HAZUS 99 Estimated Annualized Earthquake Losses for the U.S., FEMA Report 66. September 2000. Via DHS&EM, 2018a.


### Impact

The State of Alaska Individual Assistance program is designed to provide grant funding to individuals and families for damages to their real property and personal property, as well as medical expenses that are a direct result of the disaster event. In addition, the Individual Assistance program can provide temporary housing to individuals and families that cannot return to their homes. Preliminary cost impacts from the November 30, 2018 Earthquake (DR-4413) are:


- Individual Assistance Applications Approved: 4,338;
- Total Individuals & Households Program Dollars Approved: \$26,554,587.86; and
- Total Public Assistance Grants Dollars Obligated: \$9,383,316.49.

The State of Alaska Public Assistance program is designed to help communities, government organizations, and certain non-profits make repairs to utilities, public buildings, roads, bridges, and other critical infrastructure damaged by the declared event. The Borough lists categories for public assistance in Table 7.

**Figure 13. Tectonic Plates**



**Figure 14. Location of Major Faults in the Houston-Wasilla-Palmer Area**



Source: U.S. Geological Survey website

**Table 7. Public Assistance for the Borough (170-006F3-00)**

Subrecipient	Count of Project #	Estimated Cost
Applicant Signed Project	1	\$350,654.00
Obligated	8	\$1,291,075.69
Pending CRC Project Development	9	\$41,704,813.00
Pending EEI Completion	8	\$1,532,421.56
Pending FEMA Insurance / 406 HMP Mitigation Completion	1	\$99,917.00
Pending QA Review	1	\$90,181.00
<b>Grand Total</b>	<b>29</b>	<b>\$45,069,062.25</b>

Preliminary cost impacts for individual homes within the Borough are included in Table 8.

**Table 8. Earthquake Data**

Borough 2018 November Cook Inlet Earthquake	
Total Applicants from Borough Before FED DEC:	2794
Total Applicants from Borough Reconsideration:	75
Total of Warrants issued by State to Borough Applicants:	26
<b>Total \$ amount awarded to Borough Applicants:</b>	<b>\$323,090.75</b>

Preliminary cost impacts reported from FEMA are included in Table 9. Not all damaged buildings were reported to the Borough, State, or FEMA, and the unidentified damages are not accounted for.

Shakemaps use recorded and predicted ground motions to show where and how intensely the ground shook during an earthquake—most crucially, they help identify areas of likely damage within minutes of a significant earthquake. Shake maps are color-coded to show how strongly the ground shook in different places. Each color corresponds to a number on the MMI (link or sidebar), which was created to describe an earthquake’s severity in a given place. Figures 16-20 are shake maps from five different scenarios. Figure 16 is a fabrication of the 1964 Great Alaska Earthquake using existing infrastructure in the Borough. Figure 17 is the actual shake map generated from the November 30, 2018 Earthquake. Figure 18 is a fabricated scenario meant to show the potential hazard from an earthquake with a magnitude of 7.5 with its epicenter near the Castle Mountain Fault (Figure 14). Figures 19 and 20 are fabricated scenarios meant to show potential hazards from an aftershock with a magnitude of 6.8 if the epicenter was centered in Wasilla or Houston, respectively.

### Recurrence Probability

While it is not possible to predict an earthquake, the U.S. Geological Survey (USGS) has developed earthquake probability maps that use the most recent earthquake rate and probability models. These models are derived from earthquake rate, location, and M data as well as from mapping of active faults, from the USGS National Seismic Hazard Mapping Project.

The measure of peak ground acceleration is relative to the acceleration due to gravity (1 g). At 1 g vertical acceleration, objects will be lofted off the ground as it moves down, and then

**Table 9. FEMA Individual Assistance Grants to Communities Within the Borough**

<b>Borough/ City</b>	<b>Registrations</b>	<b>Total HA</b>	<b>Total ONA</b>	<b>Total IHP</b>	<b># Max Grant</b>	<b># Own- ers</b>	<b># Rent- ers</b>	<b># Undesig- nated</b>	<b>Major Damage (Renter)</b>	<b>Moderate Damage (Renter)</b>
Big Lake	191	\$671,956.83	\$10,507.74	\$682,464.57	6	183	4	4	0	0
Chickaloon	2	\$10,343.45	\$1,278.34	\$11,621.79	0	2	0	0	0	0
Houston	89	\$235,307.18	\$8,827.87	\$244,135.05	1	82	6	1	0	1
Lakes	6	\$3,498.73	\$133.02	\$3,631.75	0	5	1	0	0	0
Meadow Lake	3	\$464.65	\$0.00	\$464.65	0	3	0	0	0	0
Palmer	576	\$1,297,504.11	\$20,613.62	\$1,318,117.73	11	553	23	0	1	5
Skwenta	1	\$6,467.53	\$0.00	\$6,467.53	0	1	0	0	0	0
Sutton	22	\$111,451.78	\$2,984.78	\$114,436.56	1	20	1	1	0	0
Talkeetna	21	\$14,175.08	\$266.04	\$14,441.12	0	21	0	0	0	0
Trapper Creek	8	\$4,433.26	\$229.95	\$4,663.21	0	7	1	0	0	0
Wasilla	1,650	\$2,968,879.00	\$81,065.67	\$3,049,944.67	18	1,578	63	9	0	8
Willow	102	\$361,880.34	\$5,591.09	\$367,471.43	2	100	1	1	1	0
<b>Matanuska- Susitna</b>	<b>2,671</b>	<b>\$ 5,686,361</b>	<b>\$ 131,498</b>	<b>\$ 5,817,860</b>	<b>39</b>	<b>2,555</b>	<b>100</b>	<b>16</b>	<b>2</b>	<b>14</b>

---


experience twice their own weight when the ground moves up. One g of horizontal acceleration will make flat ground feel as though it is sloped at 45 degrees – steep enough that most things would fall. Figure 21 indicates that the USGS earthquake probability model places the probability of an earthquake in the Borough with a likelihood of experiencing severe shaking (0.30g to 1.80g pga) at a 2% probability in 50 years. A 2% probability in 50 years is the rare, large earthquake, and statistically, it happens on average every 2,500 years.

Based on past history, no area of the Borough is very far removed from the possibility of an earthquake. The probability of future earthquake events is highly likely based on a minimum annual occurrence.


---




**Figure 15. Fault Lines in the Borough**



**Figure 16. 2019 Shakemap, M9.2 Alaska Mainshock Scenario**




**Figure 17. 2019 Shakemap, M7.1 November 30, 2018 Anchorage Earthquake**







**Figure 18. 2019 Shakemap, M7.5 Castle Mountain Fault Scenario**



**Figure 19. 2019 Shakemap, M6.8 Wasilla Aftershock Scenario**




**Figure 20. 2019 Shakemap, M6.8 Houston Aftershock Scenario**





**Figure 21. State of Alaska Earthquake Probability**



### 5.3.3 Flood and Erosion

#### 5.3.3.1 Hazard Characteristics

##### **Floods**

Flooding is Alaska's most common disaster, often costing in excess of one million dollars annually, causing major disruptions to society and occasionally, loss of life (DHS&EM, 2018a). Many floods are predictable based on rainfall patterns. The Borough experiences the following types of flooding:

**Rainfall-runoff flooding** is the most common type of flooding in Alaska, typically occurring in late summer through early fall. Rainfall intensity, duration, distribution, as well as pre-existing soil moisture conditions and geomorphic characteristics of the watershed all contribute to the flood's magnitude. These floods result from high rainfall amounts and accompanying high surface runoff rates.

**Snowmelt flooding** typically occurs from April through June, but is most common in the spring when rapidly warming temperatures quickly melt snow. Snowpack depth, spring weather patterns, and geomorphic characteristics of the watershed influence the magnitude of flooding. Rainfall and high temperatures can exacerbate snowmelt floods.

---

**Ice jam floods** occur after an ice jam develops, causing water to rise upstream behind the jam. When the jam releases, the stored water causes downstream flooding. Damage from ice jam floods is usually worse than from rainfall runoff or snowmelt floods because the ice jam floods are usually higher, the water levels change more rapidly, and the ice causes physical damage. Ice jams usually develop where the channel slope decreases, gets shallower, or where constrictions occur such as at bridges, bends in the river, headwaters, and reservoirs. During spring breakup, ice jams commonly dam water along big rivers. This flooding is exacerbated by snowmelt. Significant flooding on the Susitna River and the 2019 Willow Creek flooding were caused by ice jams and snow melt.

**Aufeis**, also called glaciation or icing, accumulates during winter along stream and river valleys in arctic and subarctic environments. It forms by the upwelling of river water behind ice dams, or by ground-water discharge. The latter mechanism prevails in high-gradient alpine streams as they freeze solid. Ground-water discharge is blocked by ice, disturbing the steady-state condition and causing a small incremental rise in the local water table until discharge occurs along the bank and over the top of the previously formed ice. Successive ice layers can lead to aufeis accumulations that are several meters thick. Aufeis typically melts out during summer and will often form in the same place year after year.

**Ground-water flooding** occurs when water accumulates and saturates the soil. The water table rises and floods low-lying areas, including homes, septic tanks, and other facilities.

**Flash floods** are characterized by a rapid rise in water. They are often caused by heavy rain on small stream basins, ice jam formation, or by dam failure. They are usually swift-moving and debris-filled, causing them to be very powerful and destructive.

**Fluctuating lake level floods** occur when lake inflow is excessive, flooding areas around the lake. Generally, lakes buffer downstream flooding due to the storage capacity of the lake.

**Glacial outburst flooding** is called a jökulhlaup. They are the result of a sudden release of water from a glacier or glacially-dammed lake, resulting in rivers rapidly rising downstream. This can happen on many Alaskan rivers, including the Susitna River. Sometimes, glacial outburst flooding is predictable, but not always.

To develop flood predictions, the NWS and Borough operate a flood-forecasting network. Predictions are often difficult for many of the smaller rivers because of the short time span between when the precipitation occurs and the flooding starts.

Floods in the Borough can occur as a result of a combination of factors, including heavy snow pack, temperature, sunshine, and precipitation. The sequence of events affects the flooding potential. Spring floods on streams may occur as a result of an above-normal snowfall during the winter followed by an unusually cold spring and a rapid snowmelt. Summer and fall floods usually result from intense precipitation. In addition, an ice jam could occur during winter or spring breakup, causing overbank flooding. Ice jams have caused the highest flooding on Willow Creek, Little Willow Creek, and Talkeetna River, but no frequency has been applied to this type of flood. The Borough monitors streams, creeks, and rivers for ice jam flooding as well as other triggered hot spots, similar to the DHS&EM's River Watch program. The Borough also thaws culverts as needed as part of its routine winter stream maintenance program.



---

The principle flood problems are natural obstructions such as trees and vegetation along the banks, manmade obstructions such as bridges and boat docks, ice jams, accumulation of brush and debris along and within the bed which can be carried downstream by high water and block bridge openings or other constrictions, and inadequately-sized culverts.

### ***Erosion***

**Erosion** is the action of surface processes (such as water) that remove soil, rock, or dissolved material from one location and transport it to another location. Erosion can be gradual or occur quite quickly as the result of a flash flood, storm, or other event. Most of the geomorphic change to a river system is due to peak flow events that can dramatically increase the erosion rate. Erosion is a problem in developed areas where disappearing land threatens development and infrastructure (DHS&EM, 2018a). Erosion rarely causes death or injury. However, erosion causes the destruction of property, development, and infrastructure.

Erosion is a process that involves the gradual wearing away, transportation, and movement of land. However, not all erosion is gradual. It can occur quite quickly as the result of a flash flood, coastal storm, or other event. Most of the geomorphic change that occurs in a river system is in response to a peak flow event. Erosion is a natural process, but its effects can be exacerbated by human activity. Erosion is a concern in developed areas. The disappearing land threatens development and infrastructure. There are two main types of erosion that affect human activity in the Borough:

- Riverine erosion; and
- Wind erosion.

Riverine erosion results from the force of flowing water into and adjacent to river channels. This erosion affects the bed and banks of the channel and can alter or preclude any channel navigation or riverbank development. In less-stable, braided channel breaches, erosion and deposition of materials are a constant issue. In more stable, meandering channels, episodes of erosion may occur occasionally. Examples of riverine erosion that threaten both public and private property are found in the Borough. Riverine erosion on the meandering Matanuska River, near Palmer has threatened the stability of several houses and some infrastructure. This braided river system has cut a wide channel that has altered course several times since the first mapped channels in 1906. A dramatic shift occurred in the 1950s. Efforts to control the river, from sacrificial boulder dikes to deepening the center channel by excavating the gravel, have met with limited and short-lived success. In 1992, 1994, and 2012, several homes went over the banks of the river due to active erosion.

Riverine erosion risk is predominantly along the Matanuska River in the communities of Butte, Chickaloon, Palmer, and Sutton. While flooding along the river corridor is somewhat rare, high-water events have resulted in significant negative effects from erosion. The braided glacial river moves back and forth across a wide braided plain, exposing each river bank to occasional prolonged periods of erosion. The river shifted in channel migration direction in the early 1990s, when the main channel migrated to the left bank of the river, resulting in major loss of homes and land.

---

Development along the Matanuska River has occurred without much knowledge of or consideration to river channel migration. As a result, homes have been destroyed, agricultural land lost, infrastructure damaged, and tax base lost as the river has shifted back and forth across its plain. There are no existing regulations for development based on riverine erosion, and such development in threatened areas is continuing. These types of development are regulated by requiring setbacks of 75 feet from the new structure to the ordinary high-water mark of a waterbody.

Wind erosion occurs when wind is responsible for the removal, movement, and redepositing of land. It occurs when soils are exposed to high-velocity wind. Wind will pick up the soil and carry it away. Wind erosion can cause a loss of topsoil, which can hinder agricultural production. Loess, deposits of silt laid down by wind action, can reduce visibility, cause automobile accidents, hinder machinery, and have a negative effect on air and water quality, creating animal and human health concerns. Wind erosion also causes damage to public utilities and infrastructure.

Wind erosion is a significant problem for the Matanuska Valley with gusts of up to 100 mph. Dust from the Matanuska and Knik river drainage systems can cause dust storms that greatly exceed national health-based standards. Sources of particulate come from river drainages, volcanoes (ashfall), wildfires (ash), burned-over areas (wildfires), gravel pits, agricultural plowing, road sanding, wood stoves, open burning, unpaved roads, and bare soil/erosion. April thru June and August are the months most prevalent to dust storms.

#### *5.3.3.2 Climate Factors*

Climate and weather are the two primary drivers of flooding and erosion in Alaska. Weather (i.e., the day-to-day state of the atmosphere) affects these hazards in the short-term with individual episodes of rainfall, wind, and temperature that initiate or intensify individual episodes of flooding or erosion. Climate affects the long-term incident rate and severity of these hazards, especially in Alaska, which is particularly vulnerable due to its high northern latitude and the unique importance of snow, ice, and permafrost.

#### *5.3.3.3 Flood and Erosion History*

The Borough has a history of flood and erosion events described in the DHS&EM *Disaster Cost Index* (DHS&EM, 2018b). These events are listed below. The numbers are references to the way the State tracked various disaster events over the years.

**7. Willow Creek, December 20, 1979:** Abnormal weather conditions, caused by a combination of extreme debris jams, abnormal temperature variations, and glaciation-caused flooding of Willow Creek in the **Matanuska-Susitna Borough**, rendering roads in the area impassable and threatening homes.

**56. Southcentral Alaska Flood (Major Disaster), October 12, 1986, FEMA-declared (DR-0782) on October 27, 1986:** Record rainfall in Southcentral Alaska caused widespread flooding in Seward, **Matanuska-Susitna Borough**, and Cordova. The President declared a major disaster implementing all public and individual assistance programs, including Small Business Association (SBA) disaster loans and disaster unemployment insurance benefits. Flooding was particularly severe in the Seward area of the Kenai Peninsula and in tributaries to the Susitna

---

River from Talkeetna downstream. Flood damage was estimated at \$20 million, and the region was declared a Federal disaster area.

**144. Mat-Su Borough, July 18, 1991:** Severe bank erosion near the Circle View Subdivision area along the Matanuska River destroyed one home and threatened several others, causing the **Mat-Su Borough** to support either construction of emergency bank protection measures or relocation of homes. The Governor's Declaration authorized a loan of up to \$500,000 dollars to the **Mat-Su Borough**. The following year, the legislature converted this loan to a grant.

**172. Matanuska River Erosion:** On July 1, 1994, **Matanuska-Susitna Borough** sustained serious damage and threats to life and property resulting from erosion of the Matanuska River, in the vicinity of Circle View Estates. As a result of this disaster, authority was granted under Alaska Statutes, Section 26.23.020 to loan \$500,000.00 from the Disaster Relief Fund to the **Matanuska-Susitna Borough**.

**FEMA-declared DR-1072 on October 13, 1995:** On September 21, 1995, the Governor declared a disaster as a result of heavy rainfall in Southcentral Alaska, and as a result, the Kenai Peninsula Borough, **Matanuska-Susitna Borough**, and the Municipality of Anchorage were initially affected. On September 29, 1995, the Governor amended the original declaration to include Chugach and the Copper River Rural Educational Attendance Areas (REAAs), including the communities of Whittier and Cordova, and the Richardson, Copper River and Edgerton Highway areas which suffered severe damage to numerous personal residences, flooding, eroding of public roadways, destruction and significant damage to bridges, flood control dikes and levees, water and sewer facilities, power and harbor facilities. On October 13, 1995, the President declared this event as a major disaster (AK-1072-DR) under the Robert T. Stafford Disaster Relief and Emergency Assistance Act. Individual Assistance totaled \$699K for 190 applicants. Public Assistance totaled \$7.97 million for 21 applicants with 140 DSRs. Hazard Mitigation totaled \$1.2 million. The total for this disaster was \$10.5 million.

The 77-foot span of Hunter Creek Bridge on Knik River Road slumped into Hunter Creek, leaving 36 people and their animals stranded on the far end of the dead-end road, about 10 miles southeast of Palmer. The National Guard helped evacuate 27 people to the other side of the Knik River using helicopters. The creek, usually narrow enough to throw rocks over, carved a 150-foot wide swath down the hillside on its way to the Knik River just downstream. "You could hear boulders crashing into the pillars and see the trees piling against them." The area was one of several places throughout Southcentral Alaska hampered by heavy rain for the next few days. More than 2.5 inches of rain fell in Palmer and much more fell in the mountains nearby. Several other areas flooded, including the Susitna Valley settlement of Skwentna where some residents took refuge in the post office and roadhouse. In addition, the Old Glenn Highway was closed after the Knik River sent more than three feet of water cascading over it just past the Old Knik River Bridge (ADN, 1995).

**07-220 2006 August Southcentral Flooding (AK-07-220) declared August 29, 2006 by Governor Murkowski, then FEMA-declared (DR-1663) on October 16, 2006:** Beginning on August 18 and continuing through August 24, 2006, a strong weather system caused severe flooding, resulting in severe damage and threats to life and property, in the Southcentral part

---

of the State including the **Matanuska-Susitna Borough**, the City of Cordova and the Copper River Highway area in the Chugach REAA, the Richardson Highway area in the Copper River REAA and Delta/Greely REAA, the Denali Highway area, and **Alaska Railroad and Parks Highway areas in the Matanuska-Susitna Borough**, and the Denali Borough. The Little Susitna River flooded its banks north of the communities of Wasilla and Meadow Lakes. Concurrently, the Talkeetna River overflowed its banks in the downtown and surrounding areas of Talkeetna. Willow Creek in the community of Willow also overflowed. Governor Murkowski signed a state disaster declaration bringing recovery resources to several homeowners who were severely impacted and enabling washed-out roads and bridges to be rebuilt. Damage cost estimates were near \$21 million in Public Assistance, primarily for damage to roads, bridges, and rail lines. Individual Assistance estimates were near \$2 million.

**12-240, 2012 September Storm declared by Governor Parnell on October 17, 2012, then FEMA-declared November 27, 2012 (DR-4094):** Beginning on September 4, 2012, a strong weather system produced high winds and heavy rains, resulting in severe and widespread wind damage and flooding throughout much of Southcentral and Interior Alaska. The series of storms created a threat to life and property in the **Matanuska-Susitna Borough**, Kenai Peninsula Borough, Alaska Gateway REAA, and the Chugach area. The magnitude of the storm resulted in wind damages and flooding which necessitated debris clearance, emergency protective measures, damage to public facilities including roads, bridges, railroad, electrical distribution and water systems, and damage to private residences. A large number of roads and bridges were affected; damage to the Alaska Railroad was severe enough to shut down the rail service for several days. Approximately 823 properties suffered damage from flooding and erosion; almost 60 homes were either severely damaged or destroyed; traffic on 60 roads was disrupted, and 40 of those roads were closed. Most of the damage occurred along the Little Susitna River and Willow Creek. As a result of the raging rivers, the Talkeetna dike/revetment was damaged, part of the Shirley Towne Bridge was washed away, and the approach to Yoder Bridge was washed out. Super-saturated ground and elevated water tables caused additional flooding of homes and septic systems, damaging property and road beds outside of typical “flood-prone” areas. State estimates of damage to individual property approached \$3.5 million, public infrastructure exceeded \$19 million statewide, and the military base in Anchorage sustained an additional \$3.5 million in flood damages. There was one fatality associated with the flooding.

**16-258, 2016 Mat-Su River Erosion declared by Governor Walker on August 22, 2016:** During the week of August 14 through 20, 2016, there was imminent threat of flooding in the **Matanuska-Susitna Borough** along the Old Glenn Highway from Mile 12 through Mile 15. Flooding in this area had the potential to cause substantial damage to the highway, infrastructure, and local homes. The ADOT&PF was immediately called to accomplish necessary emergency protective measures to prevent flooding of public and private infrastructure.

**2018 Damage to the Alaska Railroad declared June 28, 2018 by Governor Walker, then FEMA-declared (DR-4391) on September 5, 2018:** Ice jams formed along the Susitna River during spring breakup, which resulted in flooding along the river northeast of Talkeetna during May 11-

13, 2018. Workers with the Alaska Railroad Corporation discovered a five-mile section of track flooded and covered with chunks of ice after an ice jam caused an eight- to ten-foot vertical water level rise between Talkeetna and Curry, on the Susitna River. Significant sections of track were damaged and moved horizontally by as much as 25 feet. At the same time, significant areas of erosion/damage to the railroad bed itself also occurred which had to be rebuilt. Rail service was disrupted for several days. The total Public Assistance cost estimate was \$2,011,378.

Events of concern that occurred in Borough history, but weren't recorded in DHS&EM's *Disaster Cost Index* are listed in Table 10.

**Table 10. Historical Flood Events that were not Identified by DHS&EM's Disaster Cost Index**

Day	Event
July 22, 1981	A torrential rainstorm resulted in widespread flooding, stream over flow and damage to bridges and culverts in Southcentral Alaska. This condition made travel hazardous throughout the region, and in some cases, roads were impassable to all traffic, including emergency vehicles. The Governor's Proclamation of a Disaster Emergency enabled DES to provide the affected communities with immediate recovery assistance, resulting in the restoration of the area's transportation system. No direct assistance was provided to individuals and families.
January 28, 1989	To mitigate the threat of flooding to homes and the Glenn Highway from the Matanuska River, funds were applied toward construction of an earthen/gravel dike.
April 14, 1990	The major Disaster Declaration by the President in response to statewide flooding in the Spring of 1989 authorized the commitment of federal funds to projects designed to mitigate flood damage in future years. Since the federal funding required a State matching share, the Governor declared a disaster to provide these funds and authorize their expenditure.
May 8, 2002	A "flash flood" caused by breaking ice dams developed Tuesday morning along a small portion of the Matanuska River. In the Richie subdivision, Mile 64 of the Glenn Highway, one resident reported that his family lost thousands of dollars in personal property stored outside under fabric shelters. Other residents said that this breakup was the most dramatic since at least 1980.
May 15, 2002	Ice jammed the Talkeetna River just upstream from the Susitna River confluence. This caused localized flooding which washed out some sections of the ballast and shoved the track out of alignment. According to Alaska Railroad personnel, "This was the railroad's most significant damage due to flooding in more than a decade." Rail traffic was suspended between Anchorage and Fairbanks during the flood event for nearly two days. Two passenger trains were canceled, including the first run of the season for the "Denali Star".
August 13, 2002	Newspaper reports indicated a flash flood along portions of McRoberts Creek. Reference was made to "...apparently a landslide coming down the shallow gorge that channels the creek..." and also to "...heavy rains...". Apparently, a dozen homes were indirectly impacted. Little verification data was available to assess the situation.
May 3, 2009	An ice jam created flooding along the Susitna River in Talkeetna. Flooding destroyed part of the Alaska Railroad tracks in the area by large chunks of ice. Flooding was caused by snow melt and river ice jams due to rapid

	spring warming combined with excessive snow pack and river ice thickness.
July – August 2012	The main channel of the Matanuska River moved within its braided plain. This natural event combined with a record high snowfall and resulted in severe erosion from Sutton to Palmer. Properties along the Glenn Highway at approximately Milepost 65 lost acres of ground, a septic system, personal property and structures, and even a historic home to the fast-moving river. In addition, two properties around Milepost 15 of the Old Glenn Highway suffered extreme erosion, loss of outbuildings, and ultimately had to be abandoned by the property owners.
July 10-12, 2018	A deep, anomalously strong upper level trough and associated surface low dug southward across Western Alaska. As a result, nearly the entire atmosphere across Southern Alaska shifted to southwesterly flow, which brought copious amounts of Pacific moisture into Southern Alaska. This rainfall combined with already high-water levels due to snowmelt from anomalously warm temperatures earlier in the month. The Yentna and Skwentna Rivers, already high due to snowmelt, were expected to reach near bank full during the second week of July as the weather pattern turned wetter. On July 10th, a local lodge near the confluence of the Yentna River and Lake Creek reported flooding in cabins and outbuildings, resulting in 18 inches of water getting inside. A Flood Advisory was issued as a result of this report. Later that same day, an update from Lake Creek was received saying that the river had risen to 2-3 feet above the bank and that most of the property, including numerous waterfront lodges, were flooded.
August 14-15, 2018	An upper level low digging southward across Southwest Alaska, brought moist flow off the Gulf into Southcentral on southeasterly winds. This brought higher than normal rainfall to the northern and western Susitna Valley. The river gauge on the Yentna River at Lake Creek went into minor flood stage for a brief period on August 14th. McDougall's Lodge Cabins were evacuated due to flooding water.
December 21, 2019	An ice jam caused Willow Creek to flood, prompting at least 12 households in Willow to evacuate. Six homes were damaged by floodwaters (one homeowner stood in knee-deep water); six homeowners received substantial damage letters from the Borough in May 2020. Deneki Bridge was impassable to vehicle traffic until the situation stabilized, trapping people on the wrong side of the water. Fishhook Road and areas west of the bridge were also impacted. On December 23, 2019, the Borough Mayor and Borough Manager declared a Local Disaster Emergency and requested that the Governor declare a Disaster Emergency and provide State Assistance to the Borough in its response and recovery from this event.

Source: NWS, 2019

#### 5.3.3.4 Location, Extent, Impact, and Recurrence Probability

##### Location

Looking at a map of the Borough, it is immediately evident that due to the large number of rivers, streams and lakes, the predominant hazard is flooding. As throughout the rest of Alaska, there are so many lakes and streams that not all of them are formally named.

---

Increasing the accuracy of flood mapping is an important first step in flood mitigation. The Borough Code Title 17: Zoning, Chapter 17.29 sets forth general standards for flood hazard reduction. Code Compliance Officers are charged with enforcing the code. Flood Insurance Rate Maps (FIRMS) were newly revised on September 27, 2019.

Certain areas have been identified as particularly susceptible to flooding. These are shown on FIRM panels published in 2019. The Planning Department is now using Light Detection and Ranging Software (LiDAR) as a valuable tool for managing Special Flood Hazard Areas. The flood insurance study and the FIRMs are on file at the Permit Center. Additionally, the Borough Planning and Land Use Department has gone to great lengths to identify, record, map, and obtain flood plain development permit applications for all flood plain development that has occurred since 1985.

Figures 22, 23, and 24 show the impacts of the land that is eroding adjacent to the Matanuska River. Erosion is primarily affecting two areas in the Borough. Figure 22 shows an overview of both areas. Figure 23 shows the Sutton area where HMGP projects occurred in 2018. Figure 24 shows the Butte area where HMGP projects are occurring. The Borough received a FEMA grant to acquire up to 15 properties that were impacted by erosion of the Matanuska River. This grant was available to homeowners that voluntarily participated, and a total of eight homeowners participated. Two homes in the Sutton area were acquired and demolished in 2018 and 2019, and the land has been deeded to remain as open space in perpetuity. Six homes in the Butte area have been acquired. Demolition of the homes was interrupted by COVID-19 in 2020. These six homes will be demolished as soon as possible with the land deeded to remain as open space in perpetuity.



Another area of flooding concern is an alluvial fan, outside of the Borough's mapped "Special Flood Hazard Area". The area is Hunter Creek and is located at Mile 9.6 on the Knik River Road. The 77-foot span of the Hunter Creek Bridge slumped into the creek in September 1995 (refer to DR-1072 on October 13, 1995 in Section 5.3.3.3 for information). The Cedars Subdivision platting was finalized in 2014, and single-family residential development is ongoing in this area. Figures 25 and 26 illustrate the alluvial fan.

Alluvial fan flooding is characterized by a sudden torrent of water capable of carrying rocks, mud, and debris that debouches from valleys and canyons and spreads over the fan surface. Fan flood flows are characterized by surging, erosion, scour, channel avulsion, mud and debris flows, and sheet flows on the lower portions of the fan surface.

The Alaska Department of Fish and Game (DF&G) Fish Passage Assessment Program was created in 2000 and charged with assessing state-owned road crossings for impacts to fish passage. Since that time DF&G has also assessed crossings on Borough, municipality, private, and federal roads and on the Alaska Railroad. Salmon and other fish move throughout the watershed year-round, and unobstructed access to habitat is critical to helping maintain a healthy fish population. Properly-designed bridges and culverts have little or no adverse effect on fish, aquatic organisms, and other riverine animals, but when culverts are too small, too steep, or incorrectly-placed relative to the natural stream, they impede both up- and downstream fish movement. This program has been continued, and more information on the



**Figure 22. 2018 Hazard Mitigation Grant Program - Butte & Sutton Acquisition Areas**



Matanuska Susitna Borough  
Permit Center

Date: 12/6/2019





0 3,550 7,100 14,200 21,300 28,400 Feet

This map is solely for informational purposes only. The Borough makes no express or implied warranties with respect to the character, function, or capabilities of the map or the suitability of the map for any particular purpose beyond those originally intended by the Borough. For information regarding the full disclaimer and policies related to acceptable uses of this map, please contact the Matanuska-Susitna Borough GIS Division at 907-861-7801.



**Figure 23. 2018 Hazard Mitigation Grant Program - Sutton Acquisitions**



**Matanuska Susitna Borough  
 Permit Center**





This map is solely for informational purposes only. The Borough makes no express or implied warranty with respect to the CMRS, LUTIM, or capabilities of the map or the reliability of the map for any particular purpose beyond those originally intended by the Borough. For information regarding the full disclaimer and policies related to accessible uses of this map, please contact the Matanuska-Susitna Borough GIS Division at 907-861-7801.

Date: 12/6/2019

0 1,250 2,500 5,000 7,500 10,000 Feet

0 1,250 2,500 5,000 7,500 10,000

**Figure 24. 2018 Hazard Mitigation Grant Program - Butte Acquisitions**



Matanuska Susitna Borough  
Permit Center

Date: 12/6/2019





This map is solely for informational purposes only. The Borough makes no express or implied warranty with respect to the character, function, or capabilities of the map or the suitability of the map for any particular purpose beyond those originally intended by the Borough. For information regarding the full disclaimer and policies related to acceptable uses of this map, please contact the Matanuska-Susitna Borough GIS Division at 007-861-7801.

0 700 1,400 2,800 4,200 5,600 Feet



**Figure 25. The Cedars Subdivision - Hunter Creek approximately Mile 9.5 Knik River Road**



**Matanuska Susitna Borough  
Permit Center**


Date: 11/4/2019



0 625 1,250 2,500 3,750 5,000 Feet

This map is solely for informational purposes only. The Borough makes no express or implied warranties with respect to the character, function, or capabilities of the map or the suitability of the map for any particular purpose beyond those originally intended by the Borough. For information regarding the full disclaimer and policies related to acceptable uses of this map, please contact the Matanuska-Susitna Borough GIS Division at 907-861-7801.

**Figure 26. The Cedars Subdivision - Hunter Creek approximately Mile 9.5 Knik River Road**



Matanuska Susitna Borough  
Permit Center

Date: 11/4/2019



0 110 220 440 660 880 Feet

This map is solely for informational purposes only. The Borough makes no express or implied warranties with respect to the character, function, or capabilities of the map or the suitability of the map for any particular purpose beyond those originally intended by the Borough. For information regarding the full disclaimer and policies related to acceptable uses of this map, please contact the Matanuska-Susitna Borough GIS Division at 907-861-7801.



---

projects within the Borough can be accessed at:  
<https://www.adfg.alaska.gov/index.cfm?adfg=fishpassage.main>.

### **Extent**

Floods are described in terms of their extent (including the horizontal area affected and the vertical depth of floodwaters) and the related probability of occurrence. The following factors contribute to flooding frequency and severity:

- Rainfall intensity and duration.
- Antecedent moisture conditions.
- Watershed conditions, including terrain steepness, soil types, amount, vegetation type, and development density.
- The existence of attenuating features in the watershed, including natural features such as lakes and human-built features such as dams.
- Flow velocity.
- Availability of sediment for transport, and the bed and embankment watercourse erodibility.
- Location of potentially-impacted structures related to the base flood elevation as indicated with their certified high-water mark.

A variety of natural and human-induced factors influence the erosion process. River orientation and proximity to up and downstream river bends can influence erosion rates. Embankment composition also influences erosion rates, as sand and silt erode easily, whereas boulders or large rocks are more erosion-resistant. Other factors that may influence erosion include:

- Geomorphology;
- Amount of encroachment in the high hazard zone;
- Proximity to erosion-inducing structures;
- Nature of the topography;
- Density of development;
- Structure types along the embankment; and
- Embankment elevation.

### **Impact**

Flood depth grids were completed for the Borough in 2019. Flood depth grids illustrate the flood depth, in feet above the ground surface, to demonstrate the variability of flood depths in flood-prone areas. Figures 27, 28, 29, and 30 include depth grids for multiple flood scenarios for Willow Creek which recently flooded on December 21, 2019: 10% (10-year), 4% (25-year), 2% (50-year), 1% percent (100-year) annual chance. This information is useful for visualizing flood impacts outside of the regulatory purview and for examining the vulnerability of structures in terms of severity and frequency.

The Matanuska River has eroded peoples' homes away. Recent mitigation projects have allowed homeowners to voluntarily sell their homes and relocate (see Figures 22-24).

---

---

### Recurrence Probability

Flooding will continue in the Borough. Climate change may also play a part in increased flooding. The probability of future events is highly likely based on a minimum annual occurrence as seen in 2018 and 2019. Future populations of the Borough can expect to see flooding and erosion at the same or increased rates as current populations have experienced.

#### 5.3.3.5 NFIP

Requirements for communities that participate in the NFIP, as stipulated in DMA 2000 and its implementing regulations, are described below.

DMA 2000 Requirements: Risk Assessment – NFIP	
<b>Profiling Hazards</b>	
<b>Requirement §201.6(c)(2)(ii):</b>	The risk assessment shall address NFIP insured structures that have been repetitively damaged by floods.
<b>Element</b>	
■	Are there repetitively damaged properties in the jurisdiction?
Source: FEMA, 2015.	

The function of the NFIP is to provide flood insurance at a reasonable cost to homes and businesses located in floodplains. In trade, the communities within the Borough regulate new development and substantial improvement to existing structures in the floodplain or require developers to build safely above flood heights to reduce future damage to new construction. The program is based upon mapping areas of flood risk and requiring local implementation to reduce flood damage primarily through requiring the elevation of structures above the base (100-year) flood elevations.



The Borough participates in the NFIP; the NFIP area includes the incorporated areas of the cities of Houston, Palmer, Wasilla, and Talkeetna. Table 11 defines FIRM zone definitions, and Table 12 contains current NFIP statistics for the Borough. The repetitive loss properties in Tables 12 involve three structures that are all single-family homes. Table 13 contains Borough and State Floodplain Coordinators that implement the NFIP. Tables 14 and 15 identify the number of structures and land use of properties that are within flood zones in the Borough.

Flood insurance purchase may be required in A, AO, AH, and A-numbered zones as a condition of loan or grant assistance. An Elevation Certificate is required as part of the development permit. The Elevation Certificate is a form published by FEMA, required to be maintained by communities participating in the NFIP. According to the NFIP, local governments maintain records of elevations for all new construction or substantial improvements in floodplains and must keep certificates on file.

Elevation Certificates are used to:

1. Record the elevation of the lowest floor of all newly-constructed buildings, or substantial improvement, located in the floodplain.
  2. Determine the proper flood insurance rate for floodplain structures.
-

**Figure 27. 10-Year or 10% Flood Depth Grid, Willow Creek**



**Matanuska Susitna Borough  
Permit Center**

Date: 12/13/2019





0 230 460 920 1,380 1,840 Feet

This map is solely for informational purposes only. The Borough makes no express or implied warranties with respect to the character, function, or capabilities of the map or the suitability of the map for any particular purpose beyond those originally intended by the Borough. For information regarding the full disclaimer and policies related to acceptable uses of this map, please contact the Matanuska-Susitna Borough GIS Division at 907-861-7801.



**Figure 28. 25-Year or 4% Flood Depth Grid, Willow Creek**



**Matanuska Susitna Borough  
Permit Center**

Date: 12/13/2019





0 230 460 920 1,380 1,840 Feet

This map is solely for informational purposes only. The Borough makes no express or implied warranties with respect to the character, function, or capabilities of the map or the suitability of the map for any particular purpose beyond those originally intended by the Borough. For information regarding the full disclaimer and policies related to acceptable uses of this map, please contact the Matanuska-Susitna Borough GIS Division at 907-981-7801.



**Figure 29. 50-Year or 2% Flood Depth Grid, Willow Creek**



**Matanuska Susitna Borough  
Permit Center**

Date: 12/13/2019





0 230 460 920 1,380 1,840 Feet

This map is solely for informational purposes only. The Borough makes no express or implied warranties with respect to the character, function, or capabilities of the map or the suitability of the map for any particular purpose beyond those originally intended by the Borough. For information regarding the full disclaimer and policies related to acceptable uses of this map, please contact the Matanuska-Susitna Borough GIS Division at 907-861-7801.



**Figure 30. 100-Year or 1% Flood Depth Grid, Willow Creek**



Matanuska Susitna Borough  
Permit Center

Date: 12/13/2019



0 230 460 920 1,380 1,840 Feet

This map is solely for informational purposes only. The Borough makes no express or implied warranties with respect to the character, function, or capabilities of the map or the suitability of the map for any particular purpose beyond those originally intended by the Borough. For information regarding the full disclaimer and policies related to acceptable uses of this map, please contact the Matanuska-Susitna Borough GIS Division at 907-881-7801.

- 
3. Local governments must ensure that elevation certificates are completed correctly for structures built in floodplains. Certificates must include:

**Table 11. FIRM Zone Definitions**

Firm Zone	Explanation
A	Areas of 100-year flood; base flood elevations and flood hazard not determined.
AO	Areas of 100-year shallow flooding where depths are between one and three feet, average depths of inundation are shown, but no flood hazard factors are determined.
AH	Areas of 100-year shallow flooding where depths are between one and three feet; base flood elevations are shown, but no flood hazard factors are determined.
A1-A30	Areas of 100-year flood; base flood elevations and flood hazard factors are determined.
B	Areas between limits of the 100-year flood and 500-year flood; or certain areas subject to 100-year flooding with average depths less than one foot or where the contributing drainage area is less than one-square mile; or areas protected by levees from the base flood.
C	Areas of minimal flooding.
D	Areas of undetermined, but possible, flood hazards.

- The location of the structure (tax parcel number, legal description, and latitude and longitude) and use of the building.
  - The FIRM panel number and date, community name, and source of base flood elevation date.
  - Information on the building's elevation.
  - Signature of a licensed surveyor or engineer.
-

**Table 12. Current NFIP Statistics for Borough** – This information will need to be updated after the Federal Government Shutdown is over.

Emergency Program Date Identified	Regular Program Entry Date	Map Revision Date	NFIP Community Number	CRS Rating Number	Borough Total # of Current Policies (9/30/19)
2/28/1978	5/01/1985	9/27/2019	020021	-	225
Borough Total Premiums	Borough Total Dollars of Paid Losses	AK State Average Value of Losses	AK State # of Current Policies	AK State Total Premiums	AK Total Loss Dollars Paid
\$222,010	\$1,248,284	\$15,227	2,352	\$2.2 million	\$9.7 million
Borough Average Premium	AK State Average Premium	Borough Repetitive Loss Claims	Borough Dates of Rep. Losses	Borough Total Rep. Loss	Borough Average Building Rep. Loss
\$987	\$906	6	2006 & 2012	\$45,296	\$7,480
Borough Minus Rated Policies	Borough Total Insurance in Force	Borough Total Claims Since 1978	AK State Total Claims Since 1978	Borough Average Value of Losses	Borough Total Dollars of Paid Losses
18	\$55,983,700	78	640	\$16,004	\$1,248,284

**Table 13. State and Local Floodplain Coordinators**

Borough Floodplain Coordinator	Matanuska-Susitna Borough Contact: Taunnie Boothby Planning Dept (office in the Willow Library) 350 E Dahlia Ave Palmer, AK 99645 Phone: (907) 861-8526 E-Mail: <a href="mailto:taunnie.boothby@matsugov.us">taunnie.boothby@matsugov.us</a>
State of Alaska Floodplain Coordinator	Floodplain Management Programs Coordinator Division of Community and Regional Affairs Department of Commerce, Community & Economic Development Contact: Zayleen Kalalo 550 West 7th Avenue, Suite 1640 Anchorage, AK 99501 Phone: (907) 269-7904 E-Mail: <a href="mailto:zayleen.kalalo@alaska.gov">zayleen.kalalo@alaska.gov</a> Website: <a href="#">Floodplain Management, Planning &amp; Land Management, Division of Community and Regional Affairs</a>

**Table 14. Borough Structures within the Flood Zones**

Flood Zones	Acres	Land Appraisal	Building Appraisal	Number of Structures
only 1% chance/year	174,778	\$180,789,300	\$324,628,308	1,893
both 1% & 0.2% chance/year	26,614	\$47,431,200	\$69,170,600	672
only 0.2% chance/year	2,777	\$11,125,000	\$21,420,148	210
<b>Totals</b>	<b>204,169</b>	<b>\$239,345,500</b>	<b>\$415,219,056</b>	<b>2,775</b>

**Table 15. Borough Flood Zones by Land Use**

Flood Zones	Undeveloped	Residential	Commercial	Agricultural	Mixed Use	Other	Total
only 1% chance/year	55.81%	40.58%	1.66%	0.05%	1.17%	0.73%	100%
both 1% & 0.2% chance/year	49.04%	48.02%	0.45%	0.23%	1.81%	0.45%	100%
only 0.2% chance/year	45.45%	45.06%	1.98%	0.00%	4.35%	3.16%	100%

### 5.3.4 Volcanoes and Ashfalls

#### 5.3.4.1 Hazard Characteristics

Alaska is home to 41 historically active volcanoes stretching across the entire southern portion of the State from the Wrangell Mountains to the far Western Aleutians. An average of one to two eruptions per year occurs in Alaska. In 1912, the largest eruption of the 20th century occurred at Novarupta and Mount Katmai, located in what is now Katmai National Park and Preserve on the Alaska Peninsula.

#### **Volcanic Ash**

Volcanic ash, also called tephra, is fine fragments of solidified lava and rock crystals ejected into the air by a volcanic explosion. The fragments range in size, with the larger falling nearer the source. Ash is a problem near the source because of its high temperatures (may cause fires), burial (the weight can cause structural collapses; for example, it was 100 miles from Novarupta to Kodiak where structures collapsed), and impact of falling fragments. Further away, the primary hazard to humans is damage to machinery (including airplanes in flight), decreased visibility, and inhaling the fine ash (long-term inhalation can lead to lung cancer). Lightning in large ash clouds can also pose a hazard. In Alaska, this is a major problem as many of the major flight routes are near historically active volcanoes. Ash accumulation may also interfere with the distribution of electricity due to shorting of transformers and other electrical components (ash is an excellent conductor of electricity).

The largest volcanic eruption of the 20<sup>th</sup> century occurred at Novarupta Volcano in June 1912. The eruption started by generating an ash cloud that grew to thousands of miles wide during the three-day event. Within four hours of the eruption, ash started falling on Kodiak, darkening the city. It became hard to breathe because of the ash and sulfur dioxide gas. The water became undrinkable and unable to support aquatic life. Roofs collapsed under the weight of the ash. Some buildings were destroyed by ash avalanches while others burned after being struck by lightning from the ash cloud. Similar conditions could be found all over the area. Some villages ended up being abandoned, including Katmai and Savonoski Villages. The ash and acid rain also negatively affected animal and plant life. Large animals were blinded, and many starved because their food was eliminated.

The single greatest volcanic hazard in the Borough is airborne ash, fine fragments of rock blown high into the atmosphere during explosive volcanic eruptions.

---

#### 5.3.4.2 History

The Alaska Volcano Observatory (AVO), which is a cooperative program of the USGS, DGGs, and the UAF Geophysical Institute (GI), monitors the seismic activity at 23 of Alaska's 41 active volcanoes in real time. In addition, satellite images of all Alaskan and Russian volcanoes are analyzed daily for evidence of ash plumes and elevated surface temperatures. Russian volcanoes are also a concern to Alaska as prevailing winds could carry large ash plumes from Kamchatka into Alaskan air space. AVO also researches the individual history of Alaska's active volcanoes and produces hazard assessment maps for each center. The Alaska Tsunami Warning Center, located in Palmer, also monitors volcanic and earthquake activity throughout the Pacific region.

The Borough has experienced volcanic ash in 1989, 1990, and 1992 from Mt. Redoubt and Mt. Spurr. These eruptions disrupted transportation and industry, particularly jet aircraft (Figure 31).

#### 5.3.4.3 Location, Extent, Impact, and Recurrence Probability

##### **Location**

Figure 31 illustrates the spread of ash fall which is dependent on wind direction.

##### **Extent**

For any given eruption, the depth of ash deposited at any given location depends on the total volume of ash ejected, the wind direction, and the distance between the volcano and a given location.

Extreme ashfall events, similar to the 1912 event, would have similar extreme consequences including building damage up to and including collapses; disruption of travel (air, sea, land); and disruption of water, electric power and communications, and health and environmental impacts. Smaller ashfall events would result in little or no building damage, but would still have significant impacts, including:

- Respiratory problems for at-risk populations such as young children, people with respiratory problems, and the elderly;
  - Disruption of air, marine, and land traffic;
  - Clean-up and ash removal from roofs, gutters, sidewalks, roads, vehicles, mechanical systems and ductwork, engines, and mechanical equipment;
  - Clogging of filters and possible severe damage to vehicle engines, furnaces, heat pumps, air conditioners, commercial and public buildings combined heating, ventilation, and air conditioning (HVAC) systems and other engines and mechanical equipment;
  - Disruption of public water supplies drawn from surface waters, including degradation of water quality (high turbidity) and increased maintenance requirements at water treatment plants;
  - Disruption/clogging of storm water drainage systems;
  - Disruption of electric power from ash-induced short circuits in distribution lines, transmission lines, and substations; and
-



- 
- Disruption of communications.

A major factor in determining ashfall is wind direction. Additionally, if there is a large ashfall, wind could blow and redistribute ashfall several times which would be a prolonged hazard.

### **Impact**

The eruption of Mount Redoubt in 1989 caused widespread distribution of ash over the central and southern peninsula and resulted in power outages and disruption of traffic. Volcanic ash nearly caused the greatest loss of life of any disaster event in Alaska. During the 1989 eruption of Mount Redoubt, a commercial airliner, with 245 passengers and crew aboard, flew into an ash cloud resulting in a loss of power to all four engines.

Ash fall from prior eruptions is persistent and is carried along with glacial silt, primarily along the Matanuska River near Palmer. During times of high winds these fine particles may pose a significant health threat.

Another impact of major ashfall is a breakdown of soil cover, accelerating erosion. This impact was seen on the flanks of Okmok in the eastern Aleutian Islands following the 2008 eruption. Former grasslands were cut with networks of deep, rapidly eroding gullies.

The Borough has experienced a few tenths of an inch of ashfall on residents' vehicles and homes. Planes are grounded. Operation of motorized equipment including vehicles is discouraged due to the potential for damage. The Borough has a shelter in place policy. Schools would remain operationally functional during an event unless the School Superintendent states that they won't.

### **Recurrence Probability**


Ash fall from volcanic eruptions is a threat to health and to equipment that may draw in fine, abrasive particles. The Borough's Department of Emergency Services receives weekly monitoring reports from the AVO and alerts whenever an eruption is imminent or observed.

The recurrence probability for the future residents of the Borough would remain the same as for current residents. The probability of future events of volcanic ashfall in the Borough is likely based on a minimum three to five-year occurrence.

---



**Figure 31. Areas Affected by Ash Falls**



### 5.3.5 Severe Weather

#### 5.3.5.1 Hazard Characteristics

Severe weather occurs throughout Alaska with extremes experienced by the Borough that include increasing high winds, winter storms, thunderstorms and lightning, hail, heavy and drifting snow, heavy rain/freezing rain/ice storm, and cold.

#### High Winds

High winds occur in Alaska when there are winter low-pressure systems in the North Pacific Ocean and the Gulf of Alaska. Alaska's high winds can equal cyclonic force. In Alaska, high winds (winds in excess of 60 mph) occur frequently over coastal areas along the Gulf of Alaska. They can also combine with loose snow to produce ground blizzards.

Localized downdrafts, downbursts, and microbursts, are also common wind hazards.

Downbursts and microbursts are often generated by thunderstorms. Downbursts are areas of rapidly falling rain-cooled air. Upon reaching the ground, downbursts spread out in all directions in excess of 125 mph. Microbursts are smaller scale, more concentrated downbursts reaching speeds up to 150 mph. Both types of wind, commonly lasting five to seven minutes, are hazardous to aviation. These winds reach hurricane force and have the potential to seriously damage community infrastructure (especially above ground utility lines) while disrupting vital marine transportation. High winds can also be a localized problem where a

---

pressure differential occurs across a mountain range (a katabatic wind), such as those found in Anchorage's Hillside area and in the Matanuska River Valley near Palmer.

### **Winter Storms**

Winter storms include a variety of phenomena described above and may include several components such as high winds, snow, and freezing rain/ice storms. Ice storms include freezing rain, sleet, and hail and can be the most devastating of winter weather phenomena; often causing automobile accidents, power outages, and personal injury. Freezing rain coats every surface it falls on with an icy glaze. Freezing rain most commonly starts in a narrow band on the cold side of a warm front, where surface temperatures are at or just below freezing temperatures. Ice crystals high in the atmosphere grow by collecting water vapor molecules, sometimes supplied by evaporating cloud droplets. As the crystals fall, they encounter a layer of warm air where the particles melt and collapse into raindrops. As the raindrops approach the ground, they encounter a layer of cold air and cool to temperatures below freezing.

### **Thunderstorms**

Thunderstorm hazards include lightning, heavy rain, snow, up drafts, down drafts, severe aircraft turbulence and icing, damaging hail, high winds, and flash flooding. A thunderstorm is considered severe if winds reach 60 mph or generate surface hail at least one inch in diameter. Thunderstorms affect relatively small areas; the average thunderstorm is about 15 miles in diameter and lasts less than 30 minutes in any given location.

Lightning exists in all thunderstorms. It is formed from built-up charged ions within the thundercloud. Lightning is hazardous to humans and frequently starts wildfires in Alaska's interior northern boreal forests. The BLM lightning activity sensors positioned across the interior locate an average of 26,000 cloud-to-ground lightning strikes per year. Very active thunderstorm days may feature 8,000 to 12,000 lightning strikes, mainly occurring during the late afternoon hours from the end of June to the beginning of July.

Lightning-caused injuries and deaths are unusual in Alaska. However, in 1986, one person was killed and three others injured near Tok, when they took shelter under a tree that was struck by lightning.

Alaska has a relatively low frequency of thunderstorm occurrence. In a typical year, Alaska has fewer than 20 days with thunderstorms, and they do not occur uniformly over the State. They are virtually unknown in the Borough.

### **Hail**

Thunderstorms produce hail in ball or irregular shapes greater than 0.75 inch in diameter. The size and severity of the storm determine the size of the hailstones. Alaskan hail is small (pea-sized) and fairly rare. Lightning and hail may become bigger and more frequent with changes in the cryosphere. In August 1992, a sudden hailstorm deposited a blanket of 0.5 diameter hailstones to a depth of one inch in an area north of Wasilla.

---

---

### **Heavy and Drifting Snow**

Heavy snow generally means an accumulation of more than 12 to 24 inches of snow inside of 24 hours. Sometimes, roadways will close, disrupting supply flow and emergency response service access. Excessive accumulation will collapse roofs, knock down trees and power lines, damage parked light aircraft, and capsize small boats. Heavy snow increases flooding risks. Heavy snow is associated with vehicle accidents, overexertion, and hypothermia. Drifting is the uneven distribution of snowfall and snow depth caused by strong surface winds. Drifting snow may occur during or after a snowfall.

Record heavy snow occurred in Anchorage on March 17, 2002, when two to three feet of snow fell in less than 24 hours over portions of the city. Ted Stevens International Airport recorded a storm total of 28.7 inches, and an observer near Lake Hood measured over 33 inches. Anchorage was essentially shut down during the storm, which fortunately occurred on a Sunday morning when a minimal number of businesses were open. Both military bases, universities, and many businesses remained closed the following day, and Anchorage schools remained closed for two days. It took four days for snow plows to reach all areas of the city. It doesn't take several feet of snow to cause considerable risk to residents of the Anchorage area. On March 20, 2001, more than 100 vehicle accidents occurred in the Anchorage-Eagle River area when 8 to 12 inches of snow fell.

Snowfall in the Borough is typically lighter than that received in Anchorage, however, because the Borough abuts the northern border of the Municipality of Anchorage, its residents are directly impacted by these events. Commuters are especially impacted.

### **Heavy Rain/Freezing Rain/Ice Storm**

Freezing rain and ice storms describe occasions when excessive ice accumulations are expected during a heavy rain event. They are a particularly hazardous winter weather phenomena and often cause numerous automobile accidents, power outages, and personal injury. Ice storms form from freezing rain and pass through a thin layer of cold air just above the ground and cool to below freezing. The drops remain in a liquid state until they impact a surface and freeze on contact. Ice accumulations can damage trees, utility poles, and communication towers which disrupt transportation, power, and communications.

### **Cold**

The definition of extreme cold varies according to the normal climate of a region. In areas unaccustomed to winter weather, near freezing temperatures are considered "extreme". In Alaska, extreme cold usually involves temperatures below - 40 °F with additional wind chills. Excessive cold may accompany winter storms or can occur without storm activity during clear skies with high barometric pressure. Extreme cold accompanied by wind exacerbates exposure injuries such as frostbite and hypothermia.

Extreme cold interferes with infrastructure across Alaska for days or sometimes weeks at a time. Liquid fuels may congeal or freeze, denying motorized transportation, heat, and electricity generation. In desperation, some people choose to burn propane stoves indoors, increasing their risk to carbon monoxide poisoning.

---

---

#### 5.3.5.2 *Climate Change Influences*

Increases in carbon dioxide, methane, and other gases in the atmosphere are generally warming and changing the climate worldwide by trapping heat that would have escaped back into space. Trees and other plants cannot absorb as much carbon dioxide through photosynthesis as is produced by burning fossil fuels. Therefore, carbon dioxide builds up and changes precipitation patterns; increases storms, wildfires, and flooding frequency and intensity; and substantially changes flora, fauna, fish, and wildlife habitats.

In contemporary usage, climate change commonly refers to the change in global or regional climate patterns that spans from the mid- to late 20<sup>th</sup> century to the present. Evidence collected by scientists and engineers from around the world tells an unambiguous story: the planet is warming. Climate change at locations in high northern latitudes, such as Alaska, is causing rapid and severe environmental change.

Alaska's temperature rise rate has been twice the average of the rest of the U.S. in recent decades. During the period from 1949 to 2014, the Statewide average annual air temperature increased by 3°F, and the average winter temperature increased by 6°F (ACRC, 2018). This included considerable annual and regional variability, and was accompanied by a greater number of extremely warm days and fewer extremely cold days (CCSP, 2008). The Statewide average annual precipitation during this same period increased by about 10%, with recent decades showing amounts largely above normal, but with substantial annual and regional variability (Shulski and Wendler, 2007, ACRC, 2018).

Global climate is projected to continue changing over this century, and changes to Alaska's climate are expected to be unprecedented (Chapin et al, 2014). Average annual temperatures in Alaska are projected to rise by an additional 2°F to 4°F by 2050, and by 6°F to 12°F by the end of the century depending on emission levels (Stewart et al, 2013). Projections of annual precipitation show an increase across Alaska as part of the broad pattern of increases projected for high northern latitudes.

Snow cover extent and depth have been decreasing in most places in Alaska for nearly three decades. Warmer winter temperatures change the precipitation frequency of snow and rain, and are producing more frequent rain-on-snow events.

#### 5.3.5.3 *History*

The Borough has a history of severe weather events described in the DHS&EM *Disaster Cost Index* (DHS&EM, 2018b). These events are listed below.

4. **Matanuska-Susitna Borough, February 9, 1979:** As a result of a winter storm generating high winds and drifting snow, many roads in the **Matanuska-Susitna Borough** were rendered impassable to all traffic, including emergency vehicles. DOT&PF was tasked by DHS&EM and public assistance was provided to clear roads; the Alaska National Guard conducted rescue operations for isolated and stranded individuals. Subsequent to the Governor's request, the SBA made disaster loans available to 44 residents and 24 businesses which suffered damage as a result of the storm. The State did not make any direct grants to individuals or families.
-

---

**108. Moose Feeding Project:** Record snowfall depths prevented moose from gaining access to their usual feeding grounds, forcing them to starve and attempt to use the Alaska Railroad tracks to access food. This caused numerous collisions with vehicles and disrupted train traffic.

**119. Hazard Mitigation Cold Weather, 1990:** The Presidential Declaration of Major Disaster for the Omega Block cold spell of January and February 1989 authorized federal funds for mitigation of cold weather damage in future events. The Governor's declaration of disaster provided the State matching funds required for obtaining and using this federal money.

**00-191. Central Gulf Coast Storm declared February 4, 2000 by Governor Murkowski, then FEMA-declared (DR-1316) on February 17, 2000:** On February 4, 2000, the Governor declared a disaster due to high impact weather events throughout an extensive area of the State. The State began responding to the incident December 21, 1999. The declaration was expanded on February 8 to include the City of Whittier, City of Valdez, Kenai Peninsula Borough, **Matanuska-Susitna Borough**, and the Municipality of Anchorage. On February 17, 2000, President Bill Clinton determined the event warranted a major disaster declaration under the Robert T. Stafford Disaster Relief and Emergency Assistance Act, P.L. 93-288 as amended. On March 17, 2000, the Governor again expanded the disaster area and declared that a condition of disaster existed in Aleutians East, Bristol Bay, Denali, Fairbanks North Star, Kodiak Island, and Lake and Peninsula Boroughs and the census areas of Dillingham, Bethel, Wade Hampton, and Southeast Fairbanks, which was of sufficient severity and magnitude to warrant a disaster declaration. Effective on April 4, 2000, Amendment No. 2 to the Notice of a Major Disaster Declaration, the Director of FEMA included the expanded area in the presidential declaration. Public Assistance, for 64 applicants with 251 PWs, totaled \$12.8 million. Hazard Mitigation totaled \$2 million. The total for this disaster was \$15.66 million.

**03-204. Southcentral Windstorm (AK-DR-1461) Declared March 28, 2003 by Governor Murkowski, then FEMA-declared April 26, 2003:** A major windstorm with sustained and severe winds that exceeded 100 mph occurred between March 6 and March 14, 2003. The windstorm affected the **Matanuska-Susitna Borough**, the Municipality of Anchorage, and the Kenai Peninsula Borough. Severe damage occurred to numerous personal residences and local businesses; extensive damage occurred to public facilities (i.e. schools, libraries, community centers, airports, buildings, and utilities). Federal Disaster Assistance for Debris Removal, Emergency Protective Measures, and all Permanent Work categories were approved under the Public Assistance Program. FEMA also authorized 404 Mitigation funding and individual assistance under the Individual and Household Program. Individual Assistance totaled \$48K. Public Assistance totaled \$2.5 million for 24 applicants with 87 PWs. Hazard Mitigation totaled \$532K. The total for this disaster was \$3.47 million.

**12-240, 2012 September Storm declared by Governor Parnell on October 17, 2012, then FEMA- declared November 27, 2012 (DR-4094):** Beginning on September 4, 2012, a strong weather system produced high winds and heavy rains, resulting in severe and widespread wind damage and flooding throughout much of Southcentral and Interior Alaska. The series of storms created a threat to life and property in the **Matanuska-Susitna Borough**, Kenai Peninsula Borough, Alaska Gateway Regional REAA, and the Chugach area. The magnitude of the storm

---

resulted in wind damages and flooding which necessitated debris clearance; emergency protective measures; damage to public facilities including roads, bridges, railroad, electrical distribution and water systems; and damage to private residences and losses of personal property.

The Borough has experienced severe weather events from 2000 through 2019 according to NWS. Table 16 contains notable events that were not declared disasters.

**Table 16. Severe Weather Events**

Date	Type	Event
April 4, 1980	High Wind	The Governor proclaimed a Disaster Emergency subsequent to a hurricane force windstorm which caused damage to over 5,000 residences and businesses in the Anchorage area and parts of the Borough. Though most of the residents were insured against their losses, the State provided a number of Individual and Family Grants and temporary housing, as well as public assistance to the Municipality. In addition, the SBA made disaster loans available to affected individuals.
December 13, 2000	High Wind	Brisk northeast wind gusts above 60 mph began at the Wasilla Fire Station. Modified arctic air flowing out of the Copper River Basin...associated with strong high pressure in the Northwest Territories of Canada...was the cause of the winds. Peak gusts reached 70 mph.
February 1, 2001	Winter Storm	A weakening low moved into western Prince William Sound. Gusty east winds preceded the low. Strong pressure rises accompanied the weakening low. Significant precipitation was reported on the west and southwest side of the low. In the Matanuska Valley, Palmer recorded 5 - 6 inches of snow, Hatcher Pass Lodge 7 inches, and 3 inches of new snow fell at the Talkeetna airport. At a site 20 miles south of Cantwell, one foot of new snow was reported. Between midnight and 4 pm Thursday, the Anchorage Police Department reported 98 vehicle crashes and 68 vehicles went off the road.
February 11, 2001	Heavy Snow	A strong low moved into the northern Bering Sea Saturday as its front swept into the Southcentral region. Initial marine over running of the arctic air resulted in heavy snow in the Susitna Valley. Strong down slope winds resulted in a delay in the onset of the heavy snow over the Anchorage and Palmer areas until Sunday evening. Spotter reports of snowfall were 12 inches in Palmer and 8 to 16 inches in the Susitna Valley.
March 18, 2001	High Wind	In the Susitna Valley, reports received from East Fork Maintenance Camp of DOT mentioned 6 inches of new snow. Typically, in cases like this, sporadic reports do not reflect highest amounts...which, in this case, likely exceeded the 8 inch/12 hours or less threshold for a heavy snow warning. Locally strong winds were reported near the Matanuska River. These winds were caused by moderate to strong high pressure in the eastern Alaskan interior and moderate low pressure in the Gulf of Alaska. Northeast wind gusts reached 71 mph.
March 22-24, 2001	High Wind	Another Matanuska wind event was set up by moderate, cold high-pressure in the Copper River Basin and complex low pressure in the Gulf of Alaska. Modified arctic air spilled through the Matanuska Glacier/River toward Cook Inlet. Gusts reached 66 mph Friday and 69 mph Saturday. Although the last wind gust of 60+ mph at the Wasilla Fire Station was reported at 2 am Friday, winds at the site again gusted to 59 mph Saturday. With these Matanuska wind cases, it is known that

		higher winds blow further up-river (where there are no gauges to measure speeds).
April 2-4, 2001	High Wind	In advance of a moderate front, strong, damaging southeast winds hit the Anchorage Municipality Zone Monday. Winds reached 60+ mph along the Upper Hillside by 8 pm Monday. Peak winds reported in the Anchorage area: 90+ mph at Glenn Alps, 88 mph at Rabbit Creek, 73 mph at both Muldoon and Alpenglow. Snow began falling in the Susitna Valley early Monday evening. Trapper Creek reported 16 inches of snow by Tuesday morning. 9 inches of new snow was reported near the Parks Highway at Colorado Lake (3 miles from Igloo) since 7 pm Tuesday, with 30 inches of snow since Sunday (4/1/01).
May 2-4, 2001	Heavy Snow	A late season snowstorm developed along and just north of the arctic front, dumping between 12 and 18 inches across portions of the northern Susitna Valley, the Portage and Whittier area, and over Turnagain Pass late Wednesday through Friday morning. Snowfall amounts along higher elevations in the Anchorage and Palmer area totaled between 8 and 12 inches.
November 17, 2001	Ice Storm	A moderate ridge, building northwestward from British Columbia into Prince William Sound, accompanied by moderate pressure rises (2.5 - 4.5 mbs/hour) and a northwestward moving arctic front in the area, produced locally very gusty easterly winds around Turnagain Arm, along higher elevations of the mountains east of Anchorage and along much of the Matanuska River. Anchorage Daily news reported a headline of "Ice storm glazes the Glenn (highway)". Sub headline read "Freezing rain halts traffic, coats highway, local roads in slick sheaths." In the article, "Eagle River got the worst of it (freezing rain). Starting about 5 p.m. the northbound Glenn Highway backed up after motorists lost traction on the Eagle River hill. Scores of cars, with estimates ranging from 30 to 75, also got stuck on Eagle River Loop road, further jamming the Glenn at the Hiland Road exit. Police struggled to get sanding trucks in place. Tow trucks got stuck. The NWS issued a freezing rain warning at 5:30 pm after a meteorologist reported a quarter-inch of ice coating her car in Birchwood. Most of Anchorage got a thin coating of freezing rain, as did Palmer. Alaska State Troopers reported a few minor accidents in Palmer and Wasilla." There was a north gust of 97 mph at Williwaw.
March 9-10, 2002	Heavy Snow	Strong, northeasterly "Matanuska" winds were reported around Palmer. Gusts peaked at 85 mph at midnight Saturday.
March 18-19, 2002	Heavy Snow	A moderate frontal system, moving into Southcentral Alaska, caused locally strong southeast wind around the Anchorage Municipality and areas of heavy snow in the Susitna Valley. Wind gusts of 97 mph were reported at a remote upper elevation location known as Site Summit (near Alpenglow Ski area). Other reports of 69 mph gusts were received at Glen Alps, along the Upper Anchorage Hillside, late Thursday morning. In the Susitna Valley, 1 - 1.5 feet of new snow fell in roughly a 24 hour or less interval around Talkeetna, Chulitna, and Swan Lake.
April 20, 2002	Heavy snow	Southerly winds aloft, associated with two low-pressure systems in the eastern Bering Sea, produced areas of heavy snow in the Susitna Valley. Reports around Petersville Road indicated close to 30" of snow 'hammered' the area. Lesser amounts were reported around Talkeetna and Skwentna...however, snow at lower elevations rapidly melted as it fell.
February 23, 24, 2003	Heavy Snow	An occluded front, associated with a strong low near the Aleutians, moved up into Southcentral Alaska early Monday, continuing north into the Susitna Valley. The front produced areas of heavy snow in the



		Susitna Valley, mostly in northern sections. At the Kenny Creek Lodge, at Mile 17.5 on the Petersville Road, a spotter report indicated 2 feet of snow fell in less than a 24-hour period. Heavy snow was also reported at Chulitna, Hayes River, Big River Lakes, and near Skwentna.
March 12-14, 2003	High Wind	A "Bora" type windstorm hit much of the Matanuska Valley, Anchorage, and portions of the Kenai Peninsula. Very cold air funneled down the Matanuska Valley, driven by a large high centered over the Chukotsk Peninsula. A combination of strong convergence aloft, a tight surface pressure gradient, and terrain forcing brought hurricane-force winds to the ground over a large portion of greater Anchorage. Damage reports were numerous and included small planes, roofs torn off buildings, car ports caving in, and siding blown off. Power outages of 9 hours or more were reported. Communications were also impacted. Lots of broken signs, traffic lights rendered inoperable, partial roof collapses, lost roofing shingles, and garbage cans scattered all over west Anchorage and the Palmer area. When the 109-mph gust hit the Ted Steven's International Anchorage airport at 10:42 pm, the tower was abandoned, and the airport closed to incoming traffic. Just prior to that, an Alaska Airlines flight received clearance to land with winds "three five zero at eight zero knots (92 mph)". Flights right behind it decided to go to Fairbanks and Juneau! In all, around 15 flights were diverted to Fairbanks, which became a parking lot for 747s Thursday. Hurricane force winds with gusts up to 100 mph wreaked havoc in the Borough. High winds were sustained for several days with temperatures of 0°F, making for a windchill factor of -53°F.
July 16-17, 2003	Winter Storm	An unusual winter storm affected areas of the northern Susitna Valley to Denali National Park. A rare cold front passage occurred across Interior Alaska, dipping as far south as the Talkeetna area. Warm moist air flowed into this front from the Cook Inlet region, causing a convergence zone. Cold air pushed south off the Alaska Range and caused snow to occur down to an elevation of approximately 1500 feet. Water equivalent amounts ranged from 2.64 inches in 24 hours at Trapper Creek to 5.7 inches at Cantwell. Minor flooding occurred north of Talkeetna. Whole trees were floating down the Jack River, near Cantwell, and local residents reported not having ever seen that in all the years they lived there.
July 22-29, 2003	Storm	Another strong storm moved into northwest Alaska, bringing heavy rain into Interior and Southcentral regions. Rainfall amounts were reported at 7.45 inches over a day and a half period at the base of Ruth Glacier. Talkeetna reported 1.78 inches, and Hatcher Pass reported 2.34 inches in a 24-hour period. This event occurred 11 days after a previous major flood event that occurred over the same region July 16-17. High freezing levels and extremely moist soil conditions contributed to the excessive runoff that lead to the rapid rise of many of the small streams in the Susitna Valley. Four inches of water was reported along the Parks Highway at Honolulu Creek. Some erosion occurred at the approaches to the bridge across Honolulu Creek. Susitna Landing had water in the parking lot and campground. Railroad tracks sustained washout damage near Curry, about 20 miles north of Talkeetna.
November 8-9, 2003	Heavy Snow	A front pushed through Southcentral, resulting in heavy snowfall along the Chugach Mountains and along the maritime polar boundary inland of the coast. Snowfall in the northern Susitna Valley fell at a rate of over an inch an hour, resulting in 18 inches of snow over an 11-hour period. Total snowfall reached 25 inches in the northern Susitna Valley.

November 23-24, 2003	Heavy Snow	A strong low in the northern Bering Sea had a trailing front that extended across the eastern Bering Sea and pushed into Southwest Alaska Sunday, November 23rd. Cold air already in place over Southcentral coupled with the inflow of moisture associated with this front, and formation of a low along the front resulted in localized areas of heavy snowfall in the Matanuska Valley. The Alaska and West coast Tsunami Warning center reported a storm total of 20 inches over a 16-hour period.
January 6-7, 2004	High Wind, Drifting Snow	Strong high-pressure over Interior Alaska combined with a rapidly deepening low in the Gulf of Alaska, resulted in strong northerly wind across Southcentral and the northern gulf coast of Alaska. The north wind reached 86 mph in the Palmer and Wasilla area as a result of channeling down the Matanuska Valley. Drifting snow and sand resulted in the derailment of the Alaska Railroad train at the junction of the Parks Highway, resulting in closing the Parks Highway for several hours.
March 19, 2004	High Wind	Strong high-pressure in the Bering Sea along with a developing low in the Gulf of Alaska increased the pressure gradient over much of the area during the period, creating high winds over the North Gulf Coast. Wasilla reached a peak wind of 72 mph with estimated wind gusts to 75 mph across the Matanuska Valley.
September 29-30, 2004	Heavy Snow	A low moved from the southwest Gulf of Alaska into the Susitna Valley. This resulted in a strong push of moisture into the Susitna Valley over the colder air in the northern Susitna Valley. The orographic lift typical of the "bench" near Chulitna resulted in heavy snow beginning late Wednesday night that continued until the snow changed over to rain Thursday afternoon. The cooperative observer reported that 12 inches of snow fell from 10 p.m. Wednesday night through Thursday morning.
October 1, 2004	Heavy Rain	A strong Bering Sea storm pushed extremely moist air into Southcentral. Heavy rain and snow occurred over the previous weekend, resulting in saturated soil throughout the region. Rainfall of moderate to heavy rates was reported by observation sites in the Susitna Valley south to the Anchorage bowl. Amounts of 2 to 3 inches were observed across this region with higher estimated amounts along the Chugach and Talkeetna Mountains. This resulted in the small streams in the Anchorage Bowl and in the central Susitna Valley, which were already elevated from the weekend storm, to rise above bank full stage and cause minor flooding.
November 26-28, 2004	Heavy Snow	This storm was associated with a pronounced southerly fetch which brought warm moist air into Southcentral. Rain fell throughout much of Southcentral except in the northern zones where orographically enhanced snowfall rates left several feet of wet snow over the Northern Susitna Valley. Some residents reported snowfall rates of upwards of 3 to 4 inches per hour on the 27th and 28th.
December 22-24, 2004	Heavy Snow	The peak wind was 102 mph gust at Glen Alps trail head at 4 am Wednesday morning, December 22nd. The strong southeast flow pushed deep moist air into the Susitna Valley, resulting in heavy snow north of Talkeetna. Spotter reports were of at least 13 inches of snow overnight at Gate Creek Lodge near Trapper Creek.
January 3-4, 2005	Heavy Snow	A storm system south of the Gulf of Alaska merged with a front moving eastward off the central Bering Sea. The southerly flow and abundant moisture supply brought up to 35 inches of snow in 24 hours to areas north of Talkeetna. The influx of warm air also produced mixed precipitation in southern portions of the zone with freezing rain.

January 17-18, 2005	High Wind	Strong high-pressure and deep cold air over the eastern interior of Alaska along with a large low-pressure system in the Gulf of Alaska resulted in strong outflow wind through the channeled terrain of the Chugach Mountains. The wind peaked at 93 mph in the Wasilla area at the Cottonwood Creek Public Safety building. A tractor trailer was blown on to its side on the north bound off-ramp of the Parks Highway onto Trunk Road.
March 20-21, 2005	High Wind	Strong high-pressure over interior Alaska coupled with an intensifying low in the Gulf of Alaska resulted in strong gap outflow wind through the Chugach Mountains. The wind peaked at 81 mph at the Wasilla airport. The strong wind blew the McDonalds sign down and also knocked trees down in the Palmer-Wasilla area, causing localized damage.
June 14, 2005	Hail	Hail potential of 3/4 inch or more with this thunderstorm. This thunderstorm occurred over a relatively uninhabited region. A report was received from the Alaska Railroad that "ping-pong ball" size hail was observed near Curry.
June 15, 2005	Hail	A strong thunderstorm moved off the Alaska Range and merged with a weaker thunderstorm that moved off the Talkeetna Mountains 10 miles east of Talkeetna. A spotter reported golf ball size hail and trees blown down along with flooding basements of a couple of local businesses, but this did not result in any property damage.
February 10, 2006	Ice Rain	Very light freezing rain and moderate rainfall in the Palmer and Wasilla areas created treacherous driving conditions along the Glenn Highway. Numerous cars went off the road, and one accident required medical attention.
August 18-24, 2006	Extreme Rain	Widespread heavy rain fell over much of Central and Southcentral, beginning August 17 and continuing through August 23. Heavier rains Friday caused rises on both gauged and un gauged rivers throughout this area. 24-hour rainfall amounts of up to 6 inches were reported through the Susitna River valley by Saturday morning along with widespread reports of flooding and road wash outs. This event resulted in the tentative flood of record for the river gauge on the Little Susitna River at the Parks highway with a preliminary crest near 14 ft. Moderate rain fell earlier in the week beginning on the 12th and 13th in the Susitna Valley. Total rainfall measured at the Ruth Glacier remote automated warning system (RAWS) was 16.42 inches for this event, and the Hatcher Pass RAWS measured 14.86 inches of rain.
October 9-10, 2008	Heavy Snow	An intense north Pacific storm produced high wind across Southcentral along with heavy snow along the Alaska Range. Snowfall totals were as high as 2.5 feet in the Susitna Valley at Skwentna and two feet at Puntilla and Hayes River lodges. Calls from observers at Skwentna, Puntilla, and Hayes reported 2 to 2.5 feet of snow fell overnight.
January 10-11, 2010	High Wind	A strong low in the Gulf of Alaska combined with deep cold arctic air over the Interior produced strong gap wind through the Chugach Mountains. High wind in the Palmer-Wasilla area caused significant damage.
March 8-9, 2010	Winter Storm	An intense storm moved into the Gulf of Alaska March 8th resulting in heavy snow and blizzard conditions from Southwest Alaska to Prince William Sound and inland into the Copper River Basin. Spotters reported over 17 inches of snow along Fishhook Road from this storm.

August 5-6, 2010	Freezing Rain	High freezing levels combined with moderate rain in the Susitna Valley resulted in the Yentna River rising above flood stage August 5th. Rainfall in the Susitna Valley was 1 to 1.5 inches prior to the rising water.
September 24, 2010	High Wind	A strong low moved into the Gulf of Alaska. This storm, coupled with high-pressure over Interior Alaska, produced strong north winds across the region and through the channeled terrain of Southcentral Alaska. Over 10,000 people lost electric power in the Southcentral region as a result of the high wind. The strongest wind observed was a 78-mph gust in the Palmer/Wasilla area. This strong wind event occurred early in the fall while trees still had leaves on them. This resulted in an uncharacteristically high number of trees being blown down, some of which fell across power-lines causing the unusually high number of power outages. Based upon insurance company information, it is estimated that \$500,000 of damage occurred from this storm in the Matanuska Valley to the Anchorage area.
December 15, 2010	High Wind	A strong storm in the Gulf of Alaska combined with deep cold arctic air and high-pressure over Interior Alaska resulted in strong north gap winds across Southcentral. Along with the strong wind, low temperatures resulted in low wind chills across much of the Southcentral and Southeast. The peak measured wind was 87 mph in the Wasilla area. Gusts very likely reached around 100 mph during this event based upon the damage and power outages associated with this event in the Palmer and Wasilla area. Wasilla Airport observed a peak gust of 87 mph.
November 16-17, 2011	High Wind	Strong north wind blew down the Matanuska Valley, causing some damage in the Palmer area. A sign at a local gas station blew over due to the high wind. Several trees were blown down across the road.
November 29, 2012	High Wind	A strong Gulf of Alaska low coupled with deep cold arctic air and high-pressure of the Alaska mainland produced the typical strong cold advection outflow gap winds along the coast. Winds peaked at 97 mph in Valdez. Strong wind in Palmer blew the roof off one house and blew over a stop light. Along with the strong wind, humidity was extremely low, and the lack of snow cover resulted in extreme wild fire danger. A vehicle crash and fire spread to the grass and neighboring homes and forest. A downed power line started a fire.
December 20, 2012	High Wind	Strong deep cold air over Interior Alaska coupled with low-pressure in the Gulf of Alaska produced the typical strong gap winds through the mountain passes and channeled terrain of the Chugach Mountains. The wind peaked at 97 mph during this event.
March 12, 2013	High Wind	A large area of high-pressure centered near the Arctic Coast combined with a low in the Gulf of Alaska produced a strong pressure gradient over Southern Alaska. This strong pressure gradient produced warning level winds in the Matanuska Valley and in various places along the north coast of the Gulf of Alaska. Strong winds coming out of the Matanuska River valley reached the intersection of the Glenn and Parks highways near Palmer. The Glenn Highway Milepost 35 weather information sensor reported peak wind gusts of 78 and 84 mph the afternoon of March 12. The wind blew down trees and knocked down a traffic sign six miles southwest of Palmer.
November 22, 2013	Winter Storm	A strong North Pacific storm moved into the Gulf of Alaska November 21, pushing copious moisture and warm air aloft over the southern mainland of Alaska. This storm produced blowing snow across the Chugach Mountains, freezing rain over the Kenai Peninsula to the southern Susitna Valley, and areas of snow and freezing rain across

		Southwest Alaska. The freezing rain resulted in school closures from Anchorage to the Palmer and Wasilla area. Several school buses slid off the road and one bus flipped on its side in the Wasilla area due to icy roads. Blizzard conditions in Thompson Pass resulted in the Alaska DOT closing the road during this event. Wasilla school district transportation department reported significant ice accumulation.
February 5-6, 2015	High Wind	On February 5 and 6, an Arctic high-pressure ridge extended from the Alaska Interior into the Yukon at around 1,040 millibars. This ridge, combined with a low-pressure system around 966 millibars located in the Eastern Gulf of Alaska created a strong pressure gradient over Prince William Sound and the northern extent of Cook Inlet. Gap winds developed and damaged vessels in harbor and buildings in the region. The peak gust of 75 mph occurred at 10 pm February 6. DOT Station GTFA2 measured a peak gust of 71 mph. An unoccupied single engine plane was damaged at the Palmer airport.
March 6-7, 2015	Heavy Snow	The Susitna Valley's largest snow event of the season occurred in early March as a storm from the Bering Sea moved east across mainland Alaska. The associated cold front, and southerly flow ahead of the front, provided the necessary moisture and lift to bring nearly one and a half feet of snow to the most populated areas of the northern Susitna. Elsewhere in Southcentral, precipitation was rather mixed. Southeast downslope winds warmed surface temperatures into the low forties. in Anchorage, rain fell. Higher elevations of Homer received up to two inches of wet snow. Peak snowfall in the northern Susitna Valley occurred between midnight and 6:00 am on March 7. The DOT near Trapper Creek reported 12 inches of snowfall by 4:00am from the Talkeetna Spur road to Mile 163 of the Parks Highway. The highest snowfall amount was reported by a spotter in Chulitna with 16 inches of snow by the afternoon of March 7th. Early on the morning of March 7, a power outage occurred, impacting approximately 2,500 members in greater Willow, Talkeetna, Petersville, and the Trapper Creek area. The outage was blamed on heavy snow.
April 16, 2015	Lightning Strike	A lightning strike near Houston knocked out power for more than 28,000 people. The lightning strike at 5:42 p.m. affected the Intertie between Anchorage and Fairbanks, knocking out power from Willow to as far as North Pole and Salcha. According to Golden Valley Electric Association, the strike knocked out 11 substations.
August 18, 2015	Hail	Severe thunderstorms developed over the Matanuska and Susitna Valleys before moving over Cook Inlet and dying out. One storm over populated areas produced large hail. Another thunderstorm appeared severe on radar but was not in a populated area and did not produce any local storm reports. Largest hail reports were estimated from social media to be around 1.0 inch. A NWS employee reported 1.0-inch drifts of pea-sized hail.
September 27-30, 2015	Heavy Rain	A strong low-pressure system moved across the state from the northwest, bringing heavy precipitation to the Southcentral area. The precipitation started as rain, then switched to snow as cold temperatures moved in behind the front. Heavy rain overnight caused minor flooding of the streams and rivers in the central Susitna Valley. A cooperative observer at Amber Lake recorded 1.55 inches of rainfall in 24 hours on Sept. 27. Willow Creek reached one foot above minor flood stage, and Montana Creek reached 1.5 feet above minor flood stage. Ten homes were impacted by the water, with water surrounding them but not flooding the homes. One road was washed out.

October 24-26, 2017	Heavy Snow	A negatively-tilted trough over the Kenai Peninsula shifted to the northeast and allowed precipitation to overspread Southcentral. An antecedent cold air mass allowed for snowfall over inland locations, while coastal locations experienced a mix of rain/snow. The greatest snow accumulations were observed over the Susitna Valley. Multiple reports of 9 to 12 inches of snowfall fell near and east of Skwentna. The base of Mount Susitna reported seven inches of snow while Talkeetna reported 8.5 inches of snow. Storm total reports: 11 inches at Bentalit Lodge, 12 to 18 inches at the Cantwell DOT, and 12.5 inches at the Chulitna DOT.
January 1 - 4, 2022	Severe Winter Storm and Straight line Winds	DR-4646-AK The wind gusts reached up to 91 mph, with the strongest recorded at the Palmer Airport and the Glenn-Parks Highway Interchange. Significant damage to buildings and structures, including torn roofs. Overturned trucks and small airplanes. Widespread power outages are affecting thousands of households across the region. Some outages last for an extended period. Toppled trees and debris. Frozen pipes due to the cold temperatures, combined with the wind.

Source: NWS, 2019

#### 5.3.5.4 Location, Extent, Impact, and Recurrence Probability

##### Location

The entire Borough is affected. Wind gusts have peaked at 100 mph.

Severe weather is a normal part of living in Alaska. However, sometimes the confluence of elements produces extreme conditions. Being prepared is the key to survival. Alternate forms of home heat and lighting, stored food, appropriate clothing, and advance planning are critical.

In the Borough, there is potential for weather disasters. High winds can topple trees, damage roofs and windows, and result in power outages. Heavy snow can cause power outages or collapse roofs of buildings. Storms can make commuter travel to Anchorage difficult. Extreme weather is most prevalent during the winter with any combination of cold temperatures, strong winds, storm surge, and heavy snow.

##### Extent

The most common forms of damage to structures as a result of severe wind includes loss of roofing materials, damage to doors and hinges, broken water lines due to freezing, fallen trees, structural failure of out-buildings, fallen or damaged exterior lights, flag poles, and antennae. Overhanging signs on businesses and satellite dishes become airborne projectiles under certain conditions.

Heavy snow brings another set of damages. Structural deflection or collapse of structures is common. Deflection causes cracks or breakage of interior walls and finishes. Falling ice from roof eaves can knock out electric meters, damage vehicles, break windows, and threaten injury to passersby. Sliding snow can cause damages described above plus cause damage to roof-mounted vents and other equipment. Wind-packed snow and ice can block windows and emergency exits.

##### Impact

---

Heavy snowfall can also damage infrastructure and critical facilities. Heavy snowfalls make transportation difficult, especially by road, and result in more money spent on snow plow services. High numbers of injuries and fatalities are not expected with a heavy snow event. Heavy snow can have a greater impact on people who need access to medical services, emergency services, pedestrians, and people who rely on public transportation. The cost of fuel to heat homes during times of heavy snow can be a financial burden on populations with low or fixed incomes. Borough residents most vulnerable to the hazard of severe weather are the homeless who lack adequate shelter and those on fixed incomes who may not be able to adequately heat their homes.

Extreme weather interferes with community infrastructure and its proper functions. It can cause fuel to congeal in storage tanks and supply lines, stopping electric power generation, which in turn causes heaters and furnaces to stop. Without electricity, heaters and furnaces do not work, causing water and sewer pipes to freeze or rupture. If extreme cold conditions are combined with low or no snow cover, the ground's frost depth can increase, disturbing buried pipes.

The greatest danger from extreme cold is its effect on people. Prolonged exposure to the cold can cause frostbite or hypothermia and become life-threatening. Infants and elderly people are most susceptible. The risk of hypothermia due to exposure greatly increases during episodes of extreme cold, and carbon monoxide poisoning is possible as people use supplemental heating devices not intended for indoor use during extreme weather events.

### **Recurrence Probability**

Alaska will continue to experience diverse and seasonal weather events. Severe wind and rain are becoming more likely with climate change, while extreme snow and cold are becoming less likely. While the trend is toward warming, periods of extreme cold persist. January 2020 is an example of that. Climate change is causing extremes of both heat and cold, resulting in unpredictability in how current and future residents prepare. Severe winter storms, rain events, and high wind events occur annually; therefore, the probability of a severe winter storm impacting the Borough is highly likely based on an annual occurrence.

#### **5.3.6 Wildfire and Conflagration Fire**

During the five-year period spanning 2013 through 2018, over 82 fire-related fatalities were recorded in Alaska. Since 2013, the State has declared over 3,077 fire-related emergencies or disasters. Firefighter and public safety are the primary concern of each local and fire response agency. In Alaska, thousands of acres burn every year in 300 to 800 fires, primarily between the months of March and October. According to the Alaska Interagency Coordination Center (AICC), Alaska lost 7,815,368 acres from 2013 to 2017. This figure consisted of the 2,408 wildland fires that started throughout that same time period. This is an average of 3,246 acres per wildland fire (DHS&EM, 2018a).

For the purposes of profiling this hazard, fires are characterized by their primary fuel sources into two categories:

- Wildland fire, which consumes natural vegetation.
- Community fire conflagration, which propagates among structures and infrastructure.

Fires in the Borough tend to be wildland fires that consume structures. Fires in the Cities of Wasilla and Houston are predicted to be conflagration fires due to the presence of spruce trees

---



---

up to structures.

Additionally, the Borough has experienced a regional spruce-bark beetle outbreak. Fire risk has increased in recent years due to these infestations which have affected both white and black spruce forest stands. These infestations have impacted an estimated 309,746 acres (nearly 500 sq. miles) of spruce forest in the Borough. Dead and dying spruce trees present a wildfire hazard when standing because they can support intense, rapidly moving crown fires. These insect-killed trees also present a hazard after they have fallen because they can support very intense surface fires. Wildfire in either fuel type is very difficult for firefighters to control by direct attack. As of 2004, an estimated four million acres of spruce in Southcentral Alaska have been affected. While spruce-bark beetle outbreaks are natural events, the magnitude of spruce mortality during historic episodes was typically much less (20% to 30%) than the current infestation in which mortality rates exceed 90% (DOF, 2008). Figure 32 illustrates observed spruce-bark beetle damage from 2015 to 2018.

#### *5.3.6.1 Management in Alaska*

Alaska has a Master Cooperative Wildland Fire Management and Stafford Act Response Agreement. As a result, fire management is the responsibility of three agencies: DOF, BLM (through the Alaska Fire Service [AFS]), and U.S. Forest Service (USFS). See Figure 33. Each agency provides firefighting coverage for a portion of the State regardless of land ownership. These agencies have cooperated to develop a state-wide interagency wildland fire management plan. In the Borough, the DOF has the responsibility to manage fire response.


In 2008, the Borough adopted a Community Wildfire Protection Plan (CWPP) for its entire acreage. The majority of wildland fires that occur in the Borough are human-caused, and most of these fires are located within the wildland urban interface (WUI). These fires have the potential to threaten life and property because of their proximity to habitation. The Alaska Interagency Fire Management Plan has mapped all areas in the Borough into one of four fire protection designations or levels: Critical, Full, Modified, or Limited. The CWPP designates almost all of the burnable land in the Borough as Limited, with land in the “core area” designated as Full. Wildfire risk includes damage to structures, property, and loss of life in every community in the Borough.

In July 2019, the Horseshoe Lake Community Assessment and Wildfire Protection Plan was developed (Appendix G). This is the first area-specific CWPP within the Borough, and other communities are encouraged to develop their own CWPPs.

Alaska’s statutory wildfire season normally begins on April 1 and ends on August 31. Extension of the fire season under State law means that small- and large-scale burn permits will be required for open debris burning or the use of burn barrels through September 30. With several wildfires burning in Southcentral Alaska and high fire danger persisting due to continued warm, dry conditions, the Department of Natural Resources (DNR) Commissioner announced that Alaska’s statutory wildfire season in 2019 would be extended from August 31 to September 30. This was the first time that the fire season was extended since 2006 legislation shifted the five-month season to start and finish one month earlier. The one-month extension was necessary to ensure public safety. While acreage burned in the 2019 fire season falls well below the record season of 2004, when approximately 6.6 million acres burned, it marked the fifteenth time in 80 years of records that Alaska saw more than two million acres burn in a single season. As of November 23, 2019, more than 2.68 million acres burned in Alaska in the 2019 season (ADN, 2019a).

---

**Figure 32. Spruce-Bark Beetle Areas**



---

#### 5.3.6.2 Hazard Characteristics

A wildland fire is a type of wildfire that spreads through consumption of vegetation. It often begins unnoticed, spreads quickly, and is usually signaled by dense smoke that may be visible for miles around. Wildland fires can be caused by human activities (such as arson or unattended campfires) or by natural events such as lightning. Wildland fires often occur in forests or other areas with ample vegetation. In addition to wildland fires, wildfires can be classified as tundra fires, urban fires, interface or intermix fires, and prescribed burns.

The following three factors contribute significantly to wildland fire behavior and can be used to identify wildland fire hazard areas.


- **Topography:** As slope increases, the rate of wildland fire spread increases. South-facing slopes are also subject to more solar radiation, making them drier, and thereby, intensifying wildland fire behavior. However, ridgetops may mark the end of wildland fire spread since fire spreads more slowly or may even be unable to spread downhill.
- **Fuel:** The type and condition of vegetation plays a significant role in the occurrence and spread of wildland fires. Certain types of plants are more susceptible to burning or will burn with greater intensity. Dense or overgrown vegetation increases the amount of combustible material available to fuel the fire (referred to as the “fuel load”). The ratio of living to dead plant matter is also important. Climate change is deemed to increase wildfire risk significantly during periods of prolonged drought as the moisture content of both living and dead plant matter decreases. The fuel load continuity, both horizontally and vertically, is also an important factor.
- **Weather:** The most variable factor affecting wildland fire behavior is weather. Temperature, humidity, wind, and lightning can affect chances for ignition and spread of fire. Extreme weather, such as high temperatures and low humidity, can lead to extreme wildland fire activity. By contrast, cooling and higher humidity often signal reduced wildland fire occurrence and easier containment. Climate change increases the susceptibility of vegetation to fire due to longer dry seasons.

The frequency and severity of wildland fires is also dependent on other hazards, such as lightning, drought, human causes, and infestations (spruce-bark beetle infestations or spruce needle aphids). The risk of wildfire has increased significantly over the past two decades, due in large part to the spruce-bark beetle infestation. If not promptly controlled, wildland fires may grow into an emergency or disaster. Even small fires can threaten lives and resources and destroy improved properties; they can also impact transportation corridors and/or infrastructure. In addition to affecting people, wildland fires may severely affect livestock and pets. Such events may require emergency water, food, evacuation, and shelter.

The indirect effects of wildland fires can be catastrophic. In addition to stripping the land of vegetation and destroying forest resources, large, intense fires can harm the soil, waterways, and the land itself. Soil exposed to intense heat may lose its capability to absorb moisture and support life. Exposed soils erode quickly and enhance rivers and stream siltation, thereby increasing flood potential, harming aquatic life, and degrading water quality. Lands stripped of vegetation are also subject to increased debris flow hazards.



**Figure 33. Alaska Fire Management Options**



Conflagration fires are very difficult to control. Complicating factors are wind, temperature, slope, proximity of structures, and community firefighting capability, as well as building construction and contents. Additional factors facing response efforts are hazardous substance releases, structure collapse, water service interruptions, unorganized evacuations, and loss of emergency shelters. Historical national conflagration examples include the Chicago City Fire of 1871 and the San Francisco City Fire following the 1906 earthquake. In 2018, the deadliest and most destructive wildfire and conflagration fire in California encompassed 20,000 acres, killed 85 people, and almost completely incinerated the town of Paradise. The fire was sparked by transmission lines owned by Pacific Gas & Electric. Dry vegetation and high winds caused extreme rates of spread.

Many wildland firefighters are neither equipped nor trained for conflagration fires. When wildland firefighters encounter structure, vehicle, dump or other non-vegetative fires during the performance of their wildland fire suppression duties, firefighting efforts are often limited to wildland areas.

Structural fire suppression within defined service areas is the responsibility of the Borough and Palmer Fire Departments. The Cities of Houston and Wasilla fund their own independent fire departments and have inter-departmental agreements within the Borough area.

#### 5.3.6.3 Climate Factors

According to the *Global Climate Change Impacts in the U.S.*, published in 2009 by the U.S. Global Change Research Program, "Under changing climate conditions, the average area

---

burned per year in Alaska is projected to double by the middle of this century. By the end of this century, area burned by fire is projected to triple under a moderate greenhouse gas emissions scenario and to quadruple under a higher emissions scenario” (DHS&EM, 2018a).

Since 1990, Alaska has experienced nearly twice the number of wildfires per decade compared to the period from 1950 to 1980. For example, the sparsely-populated arctic region experienced only three wildfires over 1,000 acres from 1950 to 1970. Since 2000, there have been over 33 large wildfires in this same region.

Wind blows down dead trees that have been affected by spruce-bark beetles. As air temperatures warm, spruce-bark beetles spread; typically, this occurs when temperatures are over 60 °F.

#### 5.3.6.4 History

The Borough has a history of fire events described in the DHS&EM *Disaster Cost Index* (DHS&EM, 2018b). These events are listed below and shown on Figure 34.

**1996 Prator Lake Fire:** “In 1996, one week before the devastating Millers Reach Wildfire, No. 2, Houston found itself fighting a wildfire in Houston on the south side of Prator Lake. Most area firefighters were fighting other wildfires throughout the Borough. Firefighting was performed with a skeleton crew from Houston as well as the Fire Department’s Explorer post consisting of local teenagers. The fire was extinguished and kept around 12 acres in size. This fire was combined with the Millers Reach Wildfire No. 2 in the State and Federal disaster declarations.” (Houston, 2018).

**96-181 Millers Reach Fire declared June 4, 1996 by Governor Knowles, then FEMA-declared (DR-1119) on June 8, 1996:** A fire which began on June 2, 1996, near Houston, Alaska on Millers Reach Road spread rapidly, destroying 344 structures and burning 37,366 acres in the Houston-Big Lake area (see Figure 35). Command and control of this fire was initially controlled from the Houston High School with a Type I Incident Management Team. Later, a Unified Command structure was established at the Creekside Plaza Mall in Wasilla which consisted of Local, State, and Federal representatives. On June 4, 1996, Governor Knowles declared a State Disaster Declaration, and President Clinton signed the Federal Disaster Declaration (AK-1119-DR) on June 8, 1996. This provided the State with Federal Disaster relief funding for the incident. This fire involved 37 fire departments and over 100 different agencies and organizations. In addition, 18,000 fire-fighting and support personnel responded within the first 48 hours. It took almost two weeks for the fire to be contained, and during this time, it burned 37,336 acres and destroyed 344 structures. The fire was contained on June 10 and declared under control on June 15. Individual Assistance totaled \$1.87 million for 425 applicants. Public Assistance totaled \$5.1 million for seven applicants with 50 DSRs. Hazard Mitigation totaled \$1.75 million. The total for this disaster was \$9.35 million. Per DNR, no definitive cause of the fire was determined.

Mitigation measures valued at \$1.3 million were instituted as a result of the Millers Reach Fire. Among the most successful, and models for future measures are:

- Creation of defensible space around critical facilities in the City of Houston;

- 
- Defensible space demonstrations in and around the Big Lake community;
  - Development of dependable year-round water supply for the South Houston area;
  - Fire breaks which can be used as evacuation routes;
  - Widened access to the Prator Lake fire tanker fill site;
  - Installation of metal siding and roofing on several community center buildings;
  - An advertising campaign including television; and
  - Video and printed brochures informing the public about fire hazards.

**AK-15-249, 2015 Sockeye Wildfire declared by Governor Walker on June 15, 2015:** Beginning on June 14, 2015 and continuing, a large urban interface wildfire exacerbated by record high temperatures caused widespread damage to the community of Willow and surrounding areas of the Borough (see Figure 36).

The response to the wildfire was hampered by conditions leading to red flag warnings for record warm temperatures, strong winds, low humidity, and dry thunderstorms that affected the entire central portion of the state, including the Borough. The wildfire damaged or destroyed at least 50 private homes and/or secondary structures and damaged several more, and resulted in 175 residents and hundreds of pets/work animals seeking refuge in temporary shelters. Open debris burning was the cause of the 7.22-acre fire. The following conditions existed as a result of this disaster: a robust emergency response and management operation requiring substantial additional labor, equipment, and support costs to combat the fire; activation of the emergency operations center; severe damage to personal and real property; and disruption of power, natural gas, communications, and other utility infrastructure.

On August 23, 2019, the Governor issued a Disaster Declaration for the Matanuska-Susitna Borough to provide aid to those who have been affected by the McKinley and Dëshka Landing wildfires. As of December 31, 2019, the State DHS&EM's *Disaster Cost Index* had not been updated with information pertaining to these fires. Both the McKinley and Dëshka Landing fires were human-caused.

Figure 37 provides an overview of the 3,288-acre McKinley and 1,318-acre Dëshka Landing wildfire areas. The 367-acre Montana Creek and 85-acre Malaspina Fires occurred in July 2019; fire information for both fires are summarized on Figures 38 and 39. Both the Montana Creek and Malaspina Fires causes are unknown and under investigation.

The McKinley Fire started near Milepost 91 of the Parks Highway on August 17, 2019. This human-caused fire consumed 3,288 acres and was 95% contained on September 26 (see Figure 40). The fire began 18 miles north of Willow, and fuels were timber (grass and understory) and two feet of brush. Fifty-two primary residences, three commercial structures, and 84 outbuildings were destroyed in the fire by the evening of August 18 and morning of August 19. The Alaska Department of Public Safety, State Fire Marshal, and Alaska State Troopers, and the Community Organizations Active in Disasters worked with the DOF and the Borough to assist the communities in dealing with effects of the fire.



Figure 34. Borough Historical Wildfires






Figure 35. 1996 Millers Reach Fire





Figure 36. 2015 Sockeye Fire







**Figure 38. Public Information Map for Montana Creek and Malaspina Fires**




Figure 39. Summary for Montana Creek and Malaspina Fires

## MONTANA CREEK AND MALASPINA FIRES SUMMARY

### INFORMATION STATS:

- ⇒ The Montana Creek-Malaspina Fire Facebook posts with videos were viewed on twice as many screens on average compared to posts without video during NVA/MT 12's time here.
- ⇒ The average number of screens which viewed posts on the page during the fire was 6,988 views. The post announcing the Level 3-"Go" evacuations was viewed on 55,549 screens.

### FINANCE:

- ⇒ Financial operations were in compliance with direction from agency representatives.
- ⇒ Costs were updated daily and kept current.
- ⇒ Local resources such as hotels, restaurants, equipment, crews, overhead, fuel and supplies injected \$533,005.00 into the local economy.
- ⇒ As of July 15, 2019 the total cost of Montana Creek and Malaspina Fire is \$2.9M.

### BAKER RIVER HOTSHOTS

July 4 at 8:37 PM



"A couple shots from the Montana Creek Fire on this 4th of July. Crew working hard to contain the fire with limited resources available. Sadie's mod hauling hose into the line... Al, Jack, and Nick using Alaska

style spruce swatters to knock down the fire in the muskeg... a CL-215 water scooping plane trying to slow the fire on the south flank."



### BAKER RIVER HOTSHOTS

July 9 at 10:24 AM



"Crew nearing the end of our tour in Alaska. A couple pics of our most recent initial attack fire near Talkeetna, the Malaspina Fire."



Photos retrieved from Baker River Hotshots Facebook page on 7/17/2019. Information Stats and Financials provided by Northwest Incident Management Team 12 working for Department of Natural Resources- Division of Forestry.

### MONTANA CREEK FIRE STARTED

July 3, 2019

Final Fire Acreage:  
367 Acres

### MALASPINA FIRE STARTED

July 7, 2019

Final Fire Acreage:  
85 Acres

### PEAK OPERATIONAL

RESOURCE COUNT (ON JULY 12<sup>TH</sup>)

- ⇒ 2 Type 21A Crews
- ⇒ 4 Type 2 Crews
- ⇒ 4 Engines
- ⇒ 4 Water Tenders
- ⇒ 1 Dozer
- ⇒ 15 Line Overhead


### MONTANA CREEK AIR SUMMARY

- ⇒ 174,596 gallons of water dropped
- ⇒ 46,307 gallons of retardant dropped
- ⇒ 67.5 flight hours
- ⇒ 33.5 rotor wing
- ⇒ 34.0 fixed wing
- ⇒ UAS FLIR


### MALASPINA AIR SUMMARY

- ⇒ 58,408 gallons of water dropped
- ⇒ 23,528 gallons of retardant dropped
- ⇒ 35.3 flight hours
- ⇒ 11.6 rotor wing
- ⇒ 23.7 fixed wing
- ⇒ UAS FLIR

Figure 40. Building Map for McKinley Fire







---

#### 5.3.6.5 *Location, Extent, Impact, and Recurrence Probability*

##### **Location**

Nearly every community in the Borough contains an area designated for limited protection from fire. Fire risk includes damage to structures, property, and loss of life in every community. Figure 42 shows the State's wildfire hazard areas.

##### **Extent**

Generally, fire vulnerability dramatically increases in the late summer and early fall as vegetation dries out, decreasing plant moisture content, and increasing the ratio of dead fuel to living fuel. However, various other factors, including humidity, wind speed and direction, fuel load and type, and topography can contribute to the intensity and spread of land fires. The common causes of land fires in Alaska include lightning strikes and human negligence.

Climate and fire data confirm that fire season length and fire severity have increased with the recent ambient temperature increases. Another outcome of the warmer climate trend is the arrival of earlier than normal "snow-free" dates. This translates to an earlier spring fire season. The fire season for the Borough typically occurs from April to September, with the greatest fire activity occurring between May and June, when live fuel moisture is dry from the winter freeze, and high-pressure weather systems bring higher temperatures and lower humidity conditions (DOF, 2008).

Fuel, weather, and topography influence fire behavior. Fuel (e.g., slash, dry undergrowth, flammable vegetation) determines how much energy the fire releases, how quickly the fire spreads, and how much effort is needed to contain the fire. Weather is the most variable factor. High temperatures and low humidity encourage fire activity while low temperatures and high humidity retard fire spread. Wind affects the speed and direction of fire spread. Topography directs the movement of air, which also affects fire behavior.

The fuels in the Borough are mostly in transition from thick, green forests to decaying dead spruce. Spruce forests, whether live or dead, are both flammable and provide radiant heat and ember spot fires that advance fire through air convection.

##### **Impact**

As of November 23, 2019, wildfires burned more than 2.68 million acres in the 2019 wildfire season in Alaska. The cost of fighting 2019's wildfires topped \$300 million, and state and local officials say the final tally may not be known for years (ADN, 2019a). This total does not include the cost to Alaskans who saw their land torched and their homes burned. Through November 21, DOF recorded \$224.9 million in firefighting expenses for 2019. The U.S. Department of Interior reported \$72 million.


##### **Recurrence Probability**

Increased community development, fire fuel accumulation, and weather pattern uncertainties indicate that seasonal fires will continue into the future. Future residents will experience similar experiences at an increased rate than current residents due to changes in the

---

cryosphere and an increase in spruce-bark beetle. The probability of future events is highly likely based on an annual occurrence.

**Figure 42. Borough's Wildland Fire Risk**



---

### 5.3.7 Ground Failure - Permafrost Thaw Landslide

#### 5.3.7.1 Hazard Characteristics

Permafrost thaw landslides are slope failures, often called **retrogressive thaw slumps** (RTS), that occur when warming temperatures cause the thawing of ice-rich permafrost, leading to ground collapse and the downslope flow of liquefied sediment and water.

Causes and Formation:

- **Warming Temperatures:** Rising air temperatures and changes in precipitation patterns are the primary drivers of increased permafrost thaw.
- **Ground Ice Melt:** Permafrost often contains significant amounts of ground ice (sometimes 50-90% of its volume in "ice-rich" areas). When this ice melts, the ground loses its structural integrity and becomes unstable.
- **Slope Instability:** On slopes, the melted ice creates a mud slurry that lubricates the ground above it, allowing the unfrozen mass to detach and slide downslope.
- **Erosional Headscarp:** These landslides typically have a steep, horseshoe-shaped headwall that progressively retreats as the exposed, ice-rich permafrost thaws. A flow of debris accumulates on a low-gradient floor at the base. Another physical property is the freeze-thaw system called cryostatic pressure or ice wedging, which shows increased fractures in the surface and sub-surface, and is an active layer detachment.
- **Triggers:** While gradual warming sets the stage, specific events like heavy rainfall, wildfires that strip away insulating vegetation, or human activity (e.g., clear-cutting, construction) can trigger abrupt thaw events and initial slope failure.

Landslide initiation processes in subarctic Alaska are complicated by the prevalence of ice-rich permafrost. Permafrost and permafrost thaw influence landslide type, frequency, and continued ground surface deformation, resulting in positive feedback between permafrost thaw and landsliding. Thaw-induced landslides in interior Alaska and rain-induced landslides across the state pose persistent hazards to vulnerable communities throughout Alaska. In Denali National Park and Preserve there is an inventory of landslides that have impacted along the park road between mile 33 and 69.

Patton A (2021) Climate change and landslides in subpolar Alaska: Less ice, more water. USGS Landslide Hazards Program Seminar Series, 10 November 2021. <https://www.usgs.gov/media/videos/climate-change-and-landslides-subpolar-alaska-less-ice-more-water>

In addition to the USGS and Alaska's DGGs Landslide programs, the Arctic T-SLIP refers to the **Arctic Tsunamiogenic Slope Instabilities Partnership**, a collaborative network of scientists and experts who study landslides and the potential for them to cause tsunamis in the Arctic. The project was formed due to concerns about increased landslide activity, driven by melting permafrost and glaciers, which pose a threat to coastal communities in the region. The group aims to increase understanding and preparedness

---



---


for these hazards by bringing together people from academia, government, and local communities.

For the Matanuska-Susitna Borough, the Arctic T-Slip group identified a “hot spot” area of Permafrost Thaw landslides in the Glacier View area. There have been other events in this region, including slides and mudflows. One of these was in 2019 at Yellow Jacket Creek near Sheep Mountain mile post 114 Glenn Highway. An additional area of concern is the Index Lake Instability at Victory Bible Camp. Additional slides have been identified in the Talkeetna Mountains, such as Caribou and Billy Creeks near mile 107 of the Glenn Highway, the Homestead Road was washed out in 2023. Many of the other areas with these risk characteristics are in the backcountry, where development is limited and the risk is primarily associated with recreating in mountainous regions. During the public outreach, the South Knik River Community identified some slides had occurred in the mountainous region of the Chugach Mountains as well.

The overview figures and poster below focus on the largest instability, located between mileposts 109 and 110 on the Glenn Highway, and are named the Matanuska Narrows Instability because it is situated in a very narrow portion of the river corridor. If the entire mass were to let loose in its entirety, the amount of debris, rock, mud, sediment, and organic material would cut off the economic corridor of the Glenn Highway and could block the river at the narrow point.


This would dam the water up and create a secondary hazard of flooding when it lets loose. The amount of material is estimated at 100 miles long, 149 feet tall, and 50 feet wide from Glacier view to Anchorage. This is the equivalent of a 14-story-tall building for those 100 miles. (see Lowell Point Road, Seward, AK and Big Sur Pacific Coast Highway photos below.)

Figure 43: Ground Failure – Matanuska Narrows Instability Glenn Highway Milepost 109 to 110 Hillshade



---

Figure 44: Ground Failure – Matanuska Narrows Instability Glenn Highway Milepost 109 to 110 Imagery



#### Recurrence Probability

With the continued changes in our weather patterns is likely the landslide hazard will continue to be an occurrence. The State of Alaska Division of Geological & Geophysical Surveys (DGGs) has developed a Landslide hazards program. This program will lead statewide efforts in landslide research, hazard mapping, and public safety. The Landslides Hazards Program is dedicated to advancing earth science in the public service and is motivated by the need to incorporate geologic data collection and analysis into decision-making, thereby supporting informed land-use decisions by both the government and private sectors. These actions save lives, protect infrastructure, and support development.

The community of Glacier View and the Arctic T-Slip group developed this poster to discuss the Permafrost Thaw Landslide hazard and raise awareness about the situation. Following the Community Council meetings in September and October of 2025, a discussion was held with the Alaska DOT/PF Planner for the region. To ensure they were aware of this hazard, since they were not present in the fall of 2024 when a group of concerned agencies and residents met with the Arctic T-Slip group.

<https://ui.adsabs.harvard.edu/abs/2023AGUFMNH13D0721H/abstract>

---





Figure 46. DGGs Landslides in Alaska

# Landslides in Alaska

Alaska Division of Geological & Geophysical Surveys



**Landslide** is a catch-all term that refers to mass movement of rock and soil

Landslides cause deaths, injuries, and homelessness every year, and damage or destroy buildings, roads, and other infrastructure. Many regions in Alaska are especially prone to landslides.

## Changing climate in Alaska increases the risk of landslides

Increases in tsunami-producing landslides in Southeast Alaska can be attributed to retreating glaciers and thawing permafrost. **Collapse of hanging glaciers and rock-ice faces is most common in areas with glaciers and steep topography—frequently the same areas that attract tourists.** These types of landslides are among the most dangerous to people and infrastructure.

Studies show that changing climatic conditions, like increased rainfall and permafrost degradation, can increase the frequency of fast-moving, catastrophic landslides. **Alaska's warming climate has already caused many areas to become unstable. Future warming will increase landslide risk throughout the state, especially in permafrost and glacial regions.** At the same time, population growth and the expansion of settlements and lifelines over potentially hazardous areas are increasing the impact of landslides.

## Landslide maps help raise awareness and promote public safety

**Very few landslide maps exist for Alaska.** Investing in landslide maps helps raise public awareness of landslides and their consequences, and promotes public safety. By providing up-to-date awareness of areas of instability before problems occur, landslide maps save time, money, and lives.

Learn more online: [dgg.alaska.gov](http://dgg.alaska.gov)  
Landslide Hazards Program Manager: [martin.larsen@alaska.gov](mailto:martin.larsen@alaska.gov) | 907-451-5000



Landslide damage, 1964 Great Alaska Earthquake

Alaska's climate and geology result in landslide trigger mechanisms such as:

- Permafrost degradation
- Glacial retreat
- Earthquakes
- Isostatic rebound

The above trigger mechanisms can cause some unique types of landslides:

- Snow-ice-rock avalanches
- Frozen debris flows



**Sitka Debris Flows.** On August 18, 2015, heavy rains resulted in numerous landslides in and around Sitka, Alaska. More than 45 landslides were initiated during this rainfall event. Four debris flows (very water-rich landslides) impacted homes and infrastructure in Sitka, and this one took the lives of three Sitka residents.

Read about other recent Alaska landslides on the back.

IC 65 | <http://doi.org/10/14509/29849>



Figure 47. DGGS Recent Alaska Landslides



<https://dggs.alaska.gov/pubs/id/29849>

---

In the landslide Hazard in Alaska circular the Lowell Point depiction is similar to the Matanuska Narrows Instability and shows how the road can be cut off. The document can be viewed at <https://dggs.alaska.gov/webpubs/dggs/ic/text/ic096.pdf>.

Figures 48: Landslide at Lowell Point, Seward, AK



Figures 49: Landslide at Big Sur, CA, Pacific Coast Highway May 24, 2017

---

---

5.3.8

**Tsunami & Seiche**

*5.3.8.1 Hazard Characteristics*

A Tsunami is a series of waves in a water body caused by the displacement of a large volume of water, generally in an ocean or a large lake. Tsunami wave is caused by seafloor displacement, while a seiche is a standing wave in an enclosed or partially enclosed body of water like a lake, harbor, or bay. Tsunamis are caused by events like major earthquakes or volcanic eruptions, whereas seiches can be triggered by winds, atmospheric pressure changes, or even tsunamis themselves. A tsunami is a progressive wave that travels across the ocean, but a seiche is an oscillation or "sloshing" of water that occurs in a confined space, like a lake, harbor or bay.

Historically, tsunamis generated by earthquakes in Alaska have caused damage and loss of life along the West Coast and across the Pacific Ocean. Here in Alaska, tsunamis generated by nearby earthquakes or landslides represent "near-field" hazards. This means people may have minutes rather than hours to reach safety.

Coastal Alaska communities live with the most serious tsunami risk in the United States. The Earthquake Center works to make our coastal communities safer by providing state and local officials with the best possible information for addressing the tsunami hazards faced by their communities. The Earthquake Center is a long-standing partner in the [National Tsunami Hazard Mitigation Program](#). We support community safety through a variety of [products](#). These include scientific maps estimating flooding zones, community tsunami hazard brochures, a [story map](#) explaining potential flooding for the City of Anchorage and Upper Cook Inlet areas, and more. This analysis includes the Mat-Su Borough.

A Hidden Wave Emerges: <https://storymaps.arcgis.com/stories/c146aa74a3694059b4c0e5db33559a49>

**1964: The Missing Tsunami**

On March 27, 1964, at 5:36 pm, southern Alaska shook intensely. Sixty years later, the magnitude 9.2 Great Alaska Earthquake remains the second-largest ever recorded. At the time, the immense seismic potential of this part of the country was not fully recognized. The shaking triggered massive underwater landslides, generating deadly tsunamis in many coastal communities. In Anchorage, damage resulted from shaking, ground subsidence, and landslides. Despite its coastal location, no tsunami was observed.

For decades, the absence of significant tsunamis in Cook Inlet supported the idea that its length and shallow slope offered protection from such events. However, recent findings from Alaska tsunami researchers suggest that a tsunami did indeed reach upper Cook Inlet on that night in 1964. Three Alaska tsunami scientists—Elena Suleimani, Barrett Salisbury, and Dmitry Nicolsky—worked together to reassess the tsunami hazard throughout the upper Cook Inlet region ([full report here](#)).

*Our revised understanding of the confluence of conditions in upper Cook Inlet that led to an unnoticed tsunami in 1964 helps us prepare for the rare but real possibility of a destructive tsunami reaching Anchorage. —Elena Suleimani, Tsunami Modeler, Alaska Earthquake Center*

---



---

Ultimately, the 1964 tsunami came in at low tide and at 2:00 a.m., the likelihood that it was recognized was slim to none. In fact, a resident who was born in Palmer (December 1960) and had moved with his parents to Anchorage before the 1964 quake stated that there was no tsunami. However, at 3 years old, in a car on 15<sup>th</sup> Avenue, when the earthquake started it was unlikely that he would have known unless people were talking about it later.

In fact, when the earthquake started and this resident said, “I was in the back seat giggling until my dad, who was driving the car, started cussing because the car was high-centering as he was trying to drive down the road, and then my giggling turned to crying.” He went on to explain that the power poles were bowing down and kissing the ground, and came back up. This is likely why the car was high-centering as the waves moved through the ground with a violent motion.

Here is a thumbnail sketch of a modeled Tsunami at high tide and with the right location and magnitude intensity:

Figures 50: Tsunami Inundation modeled 2023 Upper Cook Inlet





Figures 51: Tsunami Brochure Page 1

### Check Your Community Hazard

Knowing your risk before disaster hits could save your life. Explore the online tool at [tsunami.alaska.edu](https://tsunami.alaska.edu) to determine whether your house, workplace, or school is in the inundation/flood zone.

### Historical Tsunamis

For decades, the absence of significant tsunamis in Cook Inlet supported the idea that the inlet's length and shallow slope offered protection from such events. On March 27, 1964, the M9.2 Great Alaska Earthquake devastated Anchorage and caused land to subside in the Palmer Hay Flats area. No tsunami was observed at the time, but recent findings suggest that a tsunami did indeed reach upper Cook Inlet.

### Keeping Alaska Safe

Tsunami researchers used cutting-edge science to examine historical tsunamis and earthquakes, along with geologic records from prehistoric tsunamis, then generated possible worst-case scenarios. This information is visualized in maps showing potential flood zones to help communities create emergency plans.

### Learn More about Tsunami Hazards in the Matanuska-Susitna Borough

Emergency and disaster preparedness  
Matanuska-Susitna Borough  
<https://ready.matsugov.us/>  
Borough Emergency Manager  
(907) 861-8500  
Borough Floodplain Administrator  
(907) 861-8526  
Full scientific community report and maps  
<https://doi.org/10.14509/31018>

 **A Hidden Wave storymap**  
*The history and science of tsunamis in upper Cook Inlet*

 **Cook Inlet tsunami animation**  
tsunami.alaska.edu

 **Explore the online tool**  
tsunami.alaska.edu

### Learn More about Tsunami Safety in Alaska

**Preparing for tsunamis.**  
Alaska Division of Homeland Security and Emergency Management  
[www.ready.alaska.gov](http://www.ready.alaska.gov)

**Tsunami warning information.**  
National Tsunami Warning Center  
[www.tsunami.gov](http://www.tsunami.gov)

**National Tsunami Hazard Mitigation Program**  
[www.weather.gov/nthmp/](http://www.weather.gov/nthmp/)

To request brochures, contact (907) 474-7320 or [nat-sec@alaska.edu](mailto:nat-sec@alaska.edu)  
UAF is an affirmative action/equal opportunity employer/educational institution  
and does not discriminate against any individual  
[www.alaska.edu/handbook/equality/](http://www.alaska.edu/handbook/equality/)  
Published in 2014

## Know Your Tsunami Hazard in the Matanuska-Susitna Borough








**tsunami.alaska.edu**

### Big Waves in the Biggest State

In Alaska, tsunamis can strike within minutes of an earthquake. Tsunami awareness and safety are crucial to anyone who lives, works, or travels along Alaska's coast.

Earthquakes frequently rumble coastal Alaska. Just offshore, the Pacific Ocean plate scrapes under the continental plate of mainland Alaska, causing much of this activity. Many places along Alaska's rugged coast are poised for landslides above or below the ocean's surface. A major earthquake or landslide near the coast could generate a tsunami.

### High-Risk Areas


If the ground shakes for more than 20 seconds and it is difficult to stand, and/or the tsunami siren is heard, anyone within the inundation/flood zone should move to higher ground or a tsunami shelter (see map).

Pay attention to unusual sounds and sights when on or near the ocean. Tsunami impacts are greatest near ocean beaches, low-lying coastal areas, and waterways such as harbors and estuaries. Always avoid these areas during tsunamis. A tsunami can be a series of waves that may last for hours, so wait for local authorities to announce when these areas are safe. In addition to wave action, tsunamis can stir up currents that threaten harbors, facilities, and boats.



---

The Mat-Su Borough is currently determining, through a FEMA-funded grant, the best locations for tsunami sirens, signage, and evacuation routes, as well as gathering locations. It has been determined that the elevation to retreat to is the 60-foot North American Vertical Datum 1988 (NAVD88). This elevation datum is the same as the one used in our LiDAR data. In the interim, while determining the exact evacuation gathering locations, we will ask people to move away from the coastline. If shelter is needed, the predetermined sites are the Menard Center and the State Fairgrounds.



---

## 6.0 Vulnerability Analysis

This section provides an overview of the vulnerability analysis.

### 6.1 Overview of a Vulnerability Analysis

A vulnerability analysis predicts the exposure extent that may result from a given hazard event and its impact intensity within the Borough. This qualitative analysis provides data to identify and prioritize potential mitigation measures by allowing the community to focus attention on areas with the greatest risk. A vulnerability or risk analysis is divided into the following five focus areas:

1. Asset Inventory;
2. Infrastructure Risk, Vulnerability, and Losses from Identified Hazards;
3. Development Changes and Trends;
4. Data Limitations; and
5. Future Development Considerations.

DMA 2000 requirements for developing risk and vulnerability assessment initiatives are described below.

#### **DMA 2000 Requirements: Risk Assessment, Assessing Vulnerability, Overview**

##### **Assessing Vulnerability: Overview**

**§201.6(c)(2)(ii):** The risk assessment shall include a] description of the jurisdiction's vulnerability to the hazards described. This description shall include an overall summary of each hazard and its impact on the community. The plan should describe vulnerability in terms of:

**§201.6(c)(2)(ii)(A):** The types and numbers of existing and future buildings, infrastructure, and critical facilities located in the identified hazard areas;

**§201.6(c)(2)(ii)(B):** An estimate of the potential dollar losses to vulnerable structures identified in paragraph (c)(2)(ii)(A) of this section and a description of the methodology used to prepare the estimate.

**§201.6(c)(2)(ii)(C):** Providing a general description of land uses and development trends within the community so that mitigation options can be considered in future land use decisions.

##### **Element**

- Does the updated plan include a description of the jurisdiction's vulnerability to each hazard?
- Does the updated plan include an overall summary description of the jurisdiction's vulnerability to each hazard?
- Does the updated plan describe vulnerability in terms of the types and numbers of existing buildings, infrastructure, and critical facilities located in the identified hazard areas?
- Does the updated plan describe vulnerability in terms of the types and numbers of future buildings, infrastructure, and critical facilities located in the identified hazard areas?
- Does the updated plan estimate potential dollar losses to vulnerable structures?
- Does the updated plan describe the methodology used to prepare the estimate?

Source: FEMA, 2015.

---



---

**DMA 2000 Requirements: Risk Assessment, Assessing Vulnerability, Addressing Repetitive Loss**

**Properties Assessing Vulnerability: Addressing Repetitive Loss Properties**

**Requirement §201.6(c)(2)(ii):** [The risk assessment] **must** also address NFIP Insured structures that have been repetitively damaged by floods.

**Element**

- Does the updated plan describe vulnerability in terms of the types and numbers of repetitive loss properties in the identified hazard areas?
- Does the updated plan address each jurisdiction's participation in the NFIP and continued compliance with NFIP requirements as appropriate?

Source: FEMA, 2015.

## 6.2 Current Asset Exposure Analysis

### 6.2.1 Critical Asset Infrastructure

Assets that may be affected by hazard events include population (for community-wide hazards), residential buildings, and critical facilities and infrastructure. Assets are grouped into two structure types: critical infrastructure and residential properties. The assets and associated values throughout the Borough are identified and discussed in detail in the following subsections.

**DMA 2000 Recommendations: Risk Assessment, Assessing Vulnerability, Identifying Structures**

**Assessing Vulnerability: Identifying Structures**

**Requirement §201.6(c)(2)(ii)(A):** The plan should describe vulnerability in terms of the types and numbers of existing and future buildings, infrastructure, and critical facilities located in the identified hazard area.

**Element**

- Does the updated plan describe vulnerability in terms of the types and numbers of existing buildings, infrastructure, and critical facilities located in the identified hazard areas?
- Does the updated plan describe vulnerability in terms of the types and numbers of future buildings, infrastructure, and critical facilities located in the identified hazard areas?

Source: FEMA, 2015.

#### 6.2.1.1 Critical Infrastructure

Critical infrastructure is defined as a facility that provides essential products and services to the general public, such as preserving quality of life while fulfilling important public safety, emergency response, and disaster recovery functions. Critical facilities and infrastructure for the Borough are profiled in this HMP Update and include the following (see also Table 17):

- Government: Borough administrative offices, departments, or agencies;
  - Emergency Response: fire personnel services and fire-fighting equipment;
  - Health Care: hospitals, medical clinics, congregate living, health, residential and continuing care, and retirement facilities; and
  - Community Gathering Places.
-

**Table 17. Alaska's Critical Infrastructure**

• Hospitals, Clinics, & Assisted Living Facilities	• Satellite Facilities	• Power Generation Facilities	• Oil & Gas Pipeline Structures & Facilities	• Schools
• Fire Stations	• Radio Transmission Facilities	• Potable Water Treatment Facilities	• Service Maintenance Facilities	• Community Washeterias
• Police Stations	• Highways and Roads	• Reservoirs & Water Supply Lines	• Community Halls & Civic Centers	• National Guard Facilities
• Emergency Operations Centers	• Critical Bridges	• Waste Water Treatment Facilities	• Community Stores	• Landfills & Incinerators
• Any Designated Emergency Shelter	• Airports	• Fuel Storage Facilities	• Community Freezer Facilities	• Community Cemeteries
• Telecommunications Structures & Facilities		• Harbors / Docks / Ports		

**DMA 2000 Recommendations: Estimating Potential Losses**

**Assessing Vulnerability: Estimating Potential Losses**

**Requirement §201.6(c)(2)(ii)(B):** [The plan should describe vulnerability in terms of an] estimate of the potential dollar losses to vulnerable structures identified in paragraph (c)(2)(ii)(A) of this section and a description of the methodology used to prepare the estimate.

**Element**

- Does the updated plan estimate potential dollar losses to vulnerable structures?
- Does the updated plan describe the methodology used to prepare the estimate?

Source: FEMA, 2015.

**6.2.1.2 Infrastructure Risk, Vulnerability, and Losses from Identified Hazards**

Tables 18 and 19 provide a summary of critical facilities in the Borough and critical facilities located in the floodplain, respectively.

**Table 18. Critical Facilities**

Number of Critical Facilities	Property Acres	Land Appraisal	Building Appraisal	Total Land & Building Appraisal
188	9,615	\$50,845,900	\$1,217,196,766	\$1,268,042,666

**Table 19. Critical Facilities in Flood Zones**

Flood Zone	Type	Name	Land Appraisal	Building Appraisal	Total Land & Building Appraisal
1% chance/yr	Utility	Talkeetna Lift Station at G & Gliska	N/A	N/A	N/A
1% chance/yr	Utility	Talkeetna Pump House Building	N/A	N/A	N/A
1% chance/yr	Utility	Talkeetna Water Treatment Plant	N/A	N/A	N/A
1% chance/yr	Train Depot	Talkeetna Winter Train Depot	N/A	N/A	N/A
0.2% chance/yr	Public Safety	Jones PSB 11-1	\$117,100	\$950,000	\$1,067,100



0.2% chance/yr	Public Safety	NPS Talkeetna Ranger Station	\$104,100	\$999,600	\$1,103,700
0.2% chance/yr	Airport	Talkeetna Airport	N/A	N/A	N/A
0.2% chance/yr	Utility	Talkeetna Lift Station at Airport 3rd & D	N/A	N/A	N/A
0.2% chance/yr	Utility	Talkeetna Lift Station at Latitude 62 Restaurant	N/A	N/A	N/A
0.2% chance/yr	Utility	Talkeetna Sewer & Water Lagoons	\$100,000	\$9,300,000	\$9,400,000
0.2% chance/yr	Train Depot	Talkeetna Summer Train Depot	N/A	N/A	N/A

See Figure 43 for a critical facilities map. Table 20 summarizes the results of the vulnerability analysis. Table 21 shows landownership within the Borough. Tables 22 and 23 identify property values based on community area within the Borough and their vulnerabilities to hazard events. Table 24 breaks out the number of residential structures within the Borough by structure type.

#### 6.2.1.3 Land Use and Development Trends

Requirements for land use and development trends, as stipulated in DMA 2000 and its implementing regulations, are described below.

##### **DMA 2000 Recommendations: Risk Assessment, Assessing Vulnerability, Analyzing Development Trends**

##### **Assessing Vulnerability: Analyzing Development Trends**

**Requirement §201.6(c)(2)(ii)(C):** [The plan should describe vulnerability in terms of] providing a general description of land uses and development trends within the community so that mitigation options can be considered in future land use decisions.

##### **Element**


- Does the updated plan describe land uses and development trends?

Source: FEMA, 2015.

Lands within the Borough are subject to subdivision and zoning ordinances contained in Borough Code Section 17. There is one Aviation Overlay District and 14 Residential Overlay Districts that have elected to form residential land use districts that restrict development. Prime farmland is located around Palmer, Point MacKenzie, and the Fish Creek Area. There are three Single Family Residential Land Use Districts, nine Special Zoning Districts (SpUDs) (three have subdistrict SpUDs in the Borough, each with its own Comprehensive Plan). See Figures 54 - 56.

The Borough is expected to continue to expand as the fastest growing area in Alaska, increasing 58% by 2045, according to state labor practices (ADN, 2019b). The state's population grew by 0.4% on average each year from 2010 to 2018, with the majority of growth in the Anchorage/Borough regions. The Borough's growth rate was the fastest at an average of 2.1% annually during the past eight years — more than five times the statewide average (ADOL, 2019). Housing units continue to be constructed. Table 24 lists the number of structures identified by the Borough Assessor's Office from 2013-2019 by structure type.

Figure 53. Critical Facilities Map



[illegible]

			areas, but the blue highlighted areas have the most fuel.	depending on the wind direction and location of the erupting volcano.		
--	--	--	---	---	--	--

Risk Assessment						
<b>Consequence to People</b>	Injuries or death from structural collapse; fires; secondary diseases due to poor sanitation.	Injuries or death from structural collapse, prolonged exposure to low temperatures. Injury caused by flying debris; hardship due to disruption of vital services, transportation, utilities.	Injuries or death due to fire, heat, smoke and structure collapse.	Illness & death from respiratory distress; injuries & death caused by accidents due to lower visibility.	Respiratory distress due to flying dust, reduced visibility may cause injury & death; sudden water erosion.	Injury & death, hardship due to disruption of essential services, loss of shelter.
<b>Consequence to Property</b>	Structural damage to buildings, fuel supplies, communications, utilities, emergency facilities.	Damage to roofs, utility lines, disruption of fuel and essential supplies, disruption of communications.	Structural damage to buildings, loss of critical facilities, loss of power lines.	Structural damage due to weight of ash, damage to electronic equipment & machinery.	Wind erosion removes top soil; Water erosion under cuts foundations, footings, and stream banks.	Downed utility lines, damage to structures, vehicles & equipment.
<b>Consequence to Environment</b>	Alteration of landforms, water degradation due to fuel spills; fire, landslides.	Possible damage to flora & fauna.	Pollution of streams and lakes, loss of vegetative cover; injury & death of fauna.	Damage to plants caused by lower solar penetration, or suffocating layer of ash.	Pollution of streams and lakes.	Damage to flora & fauna; degradation of water quality.

**Table 21. Borough Land Ownership**

Owner	Acre	Percent of Total Area
State Government & Other	15,170,726	94%
Borough Government	215,040	1%
Private	413,722	3%
Alaska Native	324,265	2%
Total	16,123,753	100%

Due to an increased awareness of hazards on a national level and increased public education by the Borough, the vulnerability of the Borough since the last HMP was approved may have slightly decreased. However, not all flood hazards have been mapped. Best practices are encouraged in floodplain areas that haven't yet been mapped due to unintended consequences elsewhere. The Borough continues to educate its population on hazards with no regulations in the hope of its residents making wise decisions when constructing residential homes. Building inspections are conducted in regard to earthquake hazards if the building is being financed. If private funding is used, the Borough has no enforcement capability to ensure construction occurs to code. Building compliance is of concern when selling properties. Deconstruction inspections, although useful in identifying some deficiencies, is a sampling, and is not representative of a complete inspection.

#### *6.2.1.4 Data Limitations*

The vulnerability estimates provided herein use the best data currently available, and the methodologies applied result in a risk approximation. These estimates may be used to understand relative risk from hazards and potential losses. However, uncertainties are inherent in any loss estimation methodology, arising in part from incomplete scientific knowledge concerning hazards and their effects on the built environment as well as the use of approximations and simplifications that are necessary for a comprehensive analysis.

It is also important to note that the quantitative vulnerability assessment results are limited to the exposure of people, buildings, and critical facilities and infrastructure to the identified hazards. It was beyond the scope of this HMP to develop a more detailed or comprehensive assessment of risk (including annualized losses, people injured or killed, shelter requirements, loss of facility/system function, and economic losses). Such impacts may be addressed with future updates of this HMP.

**Table 22. Property Value by Borough Community Area in 2019**

City & Community Council Names	Parcel Count	Acres	Land Appraisal	Building Appraisal	Total Land & Building Appraisal	Number of Structures
Big Lake	5,999	82,632	\$225,249,200	\$392,717,909	\$617,967,109	3,641
Buffalo Mine/Soapstone	674	17,242	\$27,828,000	\$55,875,550	\$83,703,550	587
Butte	2,252	169,258	\$68,376,700	\$241,853,202	\$310,229,902	1,737
Chase	1,538	227,730	\$11,330,100	\$3,858,234	\$15,188,334	241
Chickaloon	922	94,817	\$22,055,600	\$19,672,996	\$41,728,596	408
Farm Loop	1,174	6,164	\$74,478,500	\$220,113,196	\$294,591,696	1,107
Fishhook	2,381	41,837	\$123,092,400	\$371,622,168	\$494,714,568	2,209
Gateway	2,562	16,228	\$212,579,100	\$716,621,625	\$929,200,725	2,229
Glacier View	2,115	917,215	\$26,462,200	\$37,845,950	\$64,308,150	463
Greater Palmer	1,903	6,104	\$109,328,900	\$400,480,840	\$509,809,740	1,855
Houston	2,094	16,158	\$49,880,900	\$153,654,828	\$203,535,728	1,158
Knik-Fairview	9,177	54,645	\$375,716,700	\$1,441,439,778	\$1,817,156,478	7,612
Lazy Mountain	984	25,819	\$41,842,000	\$108,193,600	\$150,035,600	809
Louise, Susitna, & Tyone Lakes	1,117	183,377	\$23,822,800	\$10,871,850	\$34,694,650	503
Meadow Lakes	5,936	40,857	\$229,288,100	\$671,165,692	\$900,453,792	4,718
North Lakes	3,992	10,286	\$228,067,500	\$804,770,956	\$1,032,838,456	3,895
Palmer	2,555	4,110	\$153,468,100	\$640,842,071	\$794,310,171	2,189
Petersville	906	133,967	\$7,081,100	\$6,826,383	\$13,907,483	261
Point Mackenzie	1,655	103,986	\$65,612,900	\$281,979,850	\$347,592,750	439
Skwentna	4,484	710,048	\$25,398,000	\$16,925,750	\$42,323,750	864
South Knik River	890	58,803	\$14,362,700	\$38,397,300	\$52,760,000	474
South Lakes	2,127	4,638	\$169,167,300	\$539,773,725	\$708,941,025	2,172
Susitna	5,870	389,173	\$111,469,600	\$141,700,450	\$253,170,050	2,090
Sutton	1,127	22,471	\$25,518,100	\$73,997,800	\$99,515,900	632
Talkeetna	2,727	269,694	\$66,924,600	\$116,947,688	\$183,872,288	1,333
Tanaina	3,337	14,810	\$152,924,700	\$593,824,300	\$746,749,000	3,359
Trapper Creek	2,247	181,684	\$40,915,300	\$32,968,408	\$73,883,708	790
Wasilla	4,080	9,081	\$356,405,900	\$1,114,760,089	\$1,471,165,989	3,565
Willow	6,133	299,608	\$197,411,000	\$242,290,900	\$439,701,900	3,094
None	25,189	12,011,306	\$162,010,800	\$102,792,983	\$264,803,783	1,715
<b>Borough Totals</b>	<b>108,147</b>	<b>16,123,747</b>	<b>\$3,398,068,800</b>	<b>\$9,594,786,071</b>	<b>\$12,992,854,871</b>	<b>56,149</b>



**Table 23. Property Value by General Ownership within the Borough in 2019**

General Ownership	Parcel Count	Acres	Land Appraisal	Building Appraisal	Total Land & Building Appraisal	Number of Structures
Borough	1,905	215,042	\$160,431,100	\$1,019,634,500	\$1,180,282,547	236
City	218	2,173	\$27,127,300	\$74,531,100	\$101,660,791	114
Cooperative	84	265	\$5,418,700	\$20,572,000	\$25,991,049	20
Federal	80	4,420	\$7,750,000	\$9,902,400	\$17,656,900	14
Mental Health	230	39,123	\$31,122,500	\$292,700	\$31,454,553	5
Native Corporation	1,128	324,265	\$124,714,700	\$63,700	\$125,103,793	8
Private	72,560	413,722	\$2,891,110,900	\$8,408,656,676	\$11,300,253,858	55,516
Public University	141	24,767	\$34,298,800	\$15,030,132	\$49,353,840	8
State	2,068	161,522	\$115,981,300	\$46,102,863	\$162,247,753	228
Other	29,732	14,938,454	\$113,500	\$0	\$15,081,686	0
Totals	108,146	16,123,753	\$3,398,068,800	\$9,594,786,071	\$13,009,086,770	56,149

**Table 24. Number of Structures within the Borough by Type, 2013-2019**

Year	Single Family	Residential with Garage	Mobile Home	Duplex	Triplex	Four-Plex	Detached Four-Plex	Group Quarters	Residential Under Construction	Commercial/Other
2013	40,834	5,876	1,438	745	505	401	170	9	198	4,004
2014	41,004	5,899	1,444	749	522	458	170	9	199	4,071
2015	41,463	5,947	1,458	771	543	596	170	9	207	4,135
2016	41,880	5,988	1,461	806	568	794	171	9	214	4,184
2017	42,063	6,016	1,473	815	573	830	174	9	216	4,283
2018	42,409	6,057	1,481	816	578	850	174	9	225	4,348
2019	42,574	6,086	1,484	834	579	863	178	9	233	4,388



Figure 55. Inset for Figure 54





Figure 56. Conditional Use Permit Locations



---

## 7.0 Mitigation Strategy

A mitigation strategy provides the blueprint for implementing desired activities that will enable the Borough to continue to save lives and preserve infrastructure by systematically reducing hazard impacts, damages, and community disruptions. This section outlines the process for preparing a mitigation strategy including:

1. Develop Mitigation Goals to mitigate the hazards and risks identified (see Sections 5 and 6).
2. Identify Mitigation Actions to meet the Mitigation Goals.
3. Evaluate Mitigation Actions.
  - a. Describe and analyze Local mitigation policies, programs, and funding sources.
  - b. Evaluate Federal and State hazard management policies, programs, capabilities, and funding sources.
4. Implement the MAP.

The goal of all mitigation is the reduction of risk. Accordingly, the primary purpose of this HMP Update is to identify strategies for increasing the level of protection from vulnerability to natural hazards experienced by residents and visitors within the Borough. All other goals and objectives are in support of this purpose.

It is challenging to address a comprehensive HMP for the entire Borough considering that it encompasses a land mass larger than the state of West Virginia but lacking some of the infrastructure normally expected in a jurisdiction of that size. A “do-it-yourself” frontier attitude, typical of most Alaskan communities prevails. Residents tend to consider the Borough to be made up of small rural communities without much need for government intervention. This is beginning to change. Increasing pressures caused by growing population, especially the increased number of commuters who, rather than seeing much of the Borough as rural, have turned the southern, more densely populated areas into a suburban bedroom community. This has shaped their expectations regarding services and amenities.

Portions of the Borough have experienced the negative repercussions of not having a mitigation strategy. Repetitive losses, such as the continual erosion of the banks of the Matanuska River require long range planning. The challenge of securing funding for these projects is as constant as the river. In 1970, the first Borough-wide Comprehensive Plan was developed and adopted by the Assembly. Alaska statute requires that a local community’s comprehensive plan address, at a minimum, three issues: land use, transportation, and public facilities. The 2005 update to the Comprehensive Plan addressed those issues and added six others, including natural and man-made hazards. Comprehensive plans have been developed for distinct regions of the Borough with regard to land use development, infrastructure, and the economy. SpUDs have been established to identify and meet specific, local needs. The Borough’s planners and land use managers are working closely with each community, maintaining an open dialogue to identify shared goals.

Hazard mitigation considerations are integrated into future planning activities in accordance with the goals and policies set forth in Policy PM-1 as set forth in the Planning Method section

---

of the Borough's Comprehensive Plan which states: "Continue the use of four general planning categories to address the various planning needs of residents and communities; the general planning categories being: state and federal, Borough-wide and regional, community, and specialty or functional plans." Long- and short-range strategies were identified in the 2013 HMP to reflect the 2005 Comprehensive Plan's goal to address the issue of mitigation from Borough-wide and specialty/functional perspectives and updated in this 2020 HMP Update.

Planners, public works managers, and emergency coordinators from each of the Borough's jurisdictions collaborated in all aspects of this HMP Update. Corresponding Borough personnel assisted in development of plans for each jurisdiction as well. Because hazards do not stop at the city limits, these entities will continue to work collaboratively to implement common plans to mitigate common hazards. Funding will be applied accordingly to support mitigation projects that benefit all Borough residents.

Because the following goals, objectives, and actions were formulated by a multi-jurisdictional team, they are meant to apply to all jurisdictions within the Borough unless otherwise designated. They also apply to all hazards identified. Objectives are identified as short-range: achievable within three to five years; long range: requiring from five to ten years to accomplish; and ongoing.

Currently, selection of Capital Improvement Projects relies on a nomination process. Borough departments, Community Councils, and other entities are afforded the opportunity to nominate projects utilizing a standard format. The projects are reviewed annually by the Planning Department and prioritized by the Borough Assembly. Funding is predicated on a project's position on the annual Capital Improvement Projects priority list.

## 7.1 Developing Mitigation Goals

Requirements of hazard mitigation goals, as stipulated in DMA 2000 and its implementing regulations, are described below.

DMA 2000 Requirements: Mitigation Strategy – Hazard Mitigation Goals	
<b>Local Hazard Mitigation Goals</b>	
<b>Requirement §201.6(c)(3)(i):</b> [The hazard mitigation strategy shall include a] description of mitigation goals to reduce or avoid long-term vulnerabilities to the identified hazards.	
<b>Element</b>	
<ul style="list-style-type: none"> <li>Does the plan include a description of mitigation goals to reduce or avoid long-term vulnerabilities to the identified hazards?</li> </ul>	
Source: FEMA, 2015.	

The exposure analysis results were used as a basis for developing the mitigation goals and actions. Mitigation goals are defined as general guidelines that describe what a community wants to achieve in terms of hazard and loss prevention. Goal statements are typically long-range, policy-oriented statements representing community-wide visions. As such, goals were developed to reduce or avoid long-term vulnerabilities to identified hazards (Table 25).



**Table 25. Mitigation Goals**

No.	Goal Description
Multi-Hazards (MH)	
MH 1	Ensure residents of and visitors to the Borough are aware of their vulnerability to natural hazards and know how to mitigate the effects and prepare for emergency response.
MH 2	Strengthen partnerships between the Borough, other jurisdictions, and agencies serving Borough residents.
MH 3	Utilize Borough governmental powers to integrate hazard mitigation into all development planning.
MH 4	Reduce vulnerability to repetitive power outages.
Natural Hazards	
FL 1	Eliminate vulnerability to flooding (FL) within the Borough.
FL 2	Decrease the financial losses caused by floods.
FL 3	Improve habitat preservation and stream enhancement.
ER 1	Reduce property damage caused by wind or water erosion (ER).
SW 1	Mitigate vulnerability to severe weather (SW) within the Borough.
SW 2	Strengthen the ability of public facilities to withstand SW.
WF 1	Reduce the fire (F) danger in the WUI.
WF 2	Improve the fire suppression capability of Borough firefighters.
WF 3	Use the Borough Assembly's legislative power to institutionalize fire mitigation measures in Borough code.
EQ 1	Increase public awareness of how to survive an earthquake (EQ).
EQ 2	Promote adoption of building codes to require earthquake-resistant construction practices and materials.
CC 1	Eliminate the loss of life and assets due to changes in the cryosphere.
V 1	Reduce health problems caused by volcanic ash (V).
V 2	Reduce property damage caused by volcanic ash.
GF/PFL 1	Eliminate the loss life and assets. Monitoring system
TS 1	Eliminate the loss life and assets. Warning system

## 7.2 Identifying Mitigation Actions

Requirements for identification and analysis of mitigation actions, as stipulated in DMA 2000 and its implementing regulations, are described below.

### DMA 2000 Requirements: Mitigation Strategy - Identification and Analysis of Mitigation Actions

#### Identification and Analysis of Mitigation Actions

**Requirement §201.6(c)(3)(ii):** [The mitigation strategy shall include a] section that identifies and analyzes a comprehensive range of specific mitigation actions and projects being considered to reduce the effects of each hazard, with particular emphasis on new and existing buildings and infrastructure.

#### Element

- Does the updated plan identify and analyze a comprehensive range of specific mitigation actions and projects for each hazard?
- Do the identified actions and projects address reducing the effects of hazards on new buildings and infrastructure?
- Do the identified actions and projects address reducing the effects of hazards on existing buildings and infrastructure?

Source: FEMA, 2015.

After mitigation goals and actions were developed, the Project Team assessed the potential mitigation actions to carry forward into the mitigation strategy. Mitigation actions are activities, measures, or projects that help achieve the goals of an HMP. Mitigation actions are usually grouped into three broad categories: property protection, public education and awareness, and structural projects. The Project Team placed particular emphasis on projects and programs that reduce the effects of hazards on both new and existing buildings and infrastructure. These potential projects are listed in Table 27.

The Project Team reviewed the simplified social, technical, administrative, political, legal, economic, and environmental (STAPLEE) evaluation criteria (Table 26) and the Benefit-Cost Analysis Fact Sheet (Appendix E) to consider the opportunities and constraints of implementing each particular mitigation action. For each action considered for implementation, a qualitative statement is provided regarding the benefits and costs and, where available, the technical feasibility. A detailed cost-benefit analysis is anticipated as part of the application process for those projects the Borough chooses to implement.

**Table 26. Evaluation Criteria for Mitigation Actions**

Social, Technical, Administrative, Political, Legal, Economic, and Environmental (STAPLEE)

Evaluation Category	Discussion "It is important to consider..."	Considerations
<b>Social</b>	The public support for the overall mitigation strategy and specific mitigation actions.	Community acceptance Adversely affects population
<b>Technical</b>	If the mitigation action is technically feasible and if it is the whole or partial solution.	Technical feasibility Long-term solutions Secondary impacts
<b>Administrative</b>	If the community has the personnel and administrative capabilities necessary to implement the action or whether outside help will be necessary.	Staffing Funding allocation Maintenance/operations
<b>Political</b>	What the community and its members feel about issues related to the environment, economic development, safety, and emergency management.	Political support Local champion Public support
<b>Legal</b>	Whether the community has the legal authority to implement the action, or whether the community must pass new regulations.	Local, Tribal, State, and Federal authority Potential legal challenge
<b>Economic</b>	If the action can be funded with current or future internal and external sources, if the costs seem reasonable for the size of the project, and if enough information is available to complete a FEMA Benefit-Cost Analysis.	Benefit/cost of action Contributes to other economic goals Outside funding required FEMA Benefit-Cost Analysis
<b>Environmental</b>	The impact on the environment because of public desire for a sustainable and environmentally healthy community.	Effect on local flora and fauna Consistent with community environmental goals Consistent with Local, Tribal, State, and Federal laws

On October 15, 2025, the Project Team discussed the potential action's for the new hazards added to the plan.

A rating system based on high, medium, or low was used. High priorities are associated with actions for hazards that impact the community on an annual or near annual basis and generate impacts to critical facilities and/or people.

Prioritizing the mitigation actions in the MAP Matrix was completed after the online open house to provide the Borough with an approach to implementing the MAP. Table 28 defines the mitigation action priorities.

**Table 27. Mitigation Goals and Potential Actions**

Goals		Actions	
No.	Description	ID	Description
MH 1	Ensure residents of and visitors to the Borough are aware of their vulnerability to natural hazards and know how to mitigate the effects and prepare for emergency response.	1.1. Provide educational materials directly to the public. Implementation of these projects is achievable within the short-term and is ongoing.	Develop portable, durable, and professional quality displays for use at fairs and special events.
			Partner with community service agencies to identify and learn how to best reach populations with special needs.
			Target the business community through the Think AHEAD program in partnership with the Small Business Development Council and the Red Cross. 2020 Update: This program has ended. This action will be deleted in the 2025 HMP Update.
			Use the Citizen Corps programs, Community Emergency Response Team, and Neighborhood Watch, as a means of disseminating information and training.
			Continue to use the Alaska State Fair as a major educational opportunity.
			Re-design the exhibits in the Project Impact trailer and ask a pro-active group to bring it to fairs and schools, expanding the hazard education outreach program. 2020 Update: This program has ended. This action will be deleted in the 2025 HMP Update.
			Distribute materials at special events such as Iditarod Days, Fourth of July, Emergency Preparedness Expo annually in September, Colony Days, Founders' Days, Earth Day, Willow Winter Carnival, and Health Fairs.
			Commemorate Arbor Day, the anniversary of the Good Friday Earthquake, or Millers Reach Fire or Sockeye Fire with appropriate public education messages in local media.
			Place literature in venues visited by tourists and residents.
			Review all development applications for flood zone designations.
			Disseminate flood preparedness information through fire stations, public libraries, and other Borough offices.
			Attend community meetings to discuss hazards, mitigation, and recovery.
		1.2. Utilize the internet as a tool for reaching target audiences (short-term and on-going actions).	Strengthen the presence of disaster mitigation and emergency preparedness information on the Borough's website.
			Maintain sampling of residents' opinions on mitigation issues utilizing an interactive version of the mitigation survey.
			Update Borough information on social media outlets such as Facebook and Twitter to keep the public advised on pending storms and current disaster events.

Goals		Actions	
No.	Description	ID	Description
			Provide emergency information to include issues of seasonal urgency such as flood watch, weather, fire danger, etc.
			Provide links to other organizations and educational resources such as the LEPC, Red Cross, NOAA (weather), AVO (volcano), earthquake, etc.
MH 2	Strengthen partnerships between the Borough, other jurisdictions, and agencies serving Borough residents.	2.1. Work with the School District, private schools, and home school networks to introduce mitigation education into school curricula (long-range).	Identify needs for improvement of subject matter and delivery (short-range).
			Assist with development and provision of resources and materials (short-range).
			Encourage local community resident participation through Community Councils (short range).
		2.2. Work with the Red Cross and the Salvation Army to evaluate emergency shelters to ensure they are appropriately secured and supplied (short-range and ongoing).	Ensure emergency shelters have emergency power.
			Add functional needs shelters and pet-friendly shelters.
			Educate the public about shelters and evacuation protocols.
		2.3. Establish lines of communication with incorporated cities.	Work with cities to help ensure responsible development within flood-prone areas.
		2.4. Work with agencies to design, construct, and inspect flood protection infrastructure.	Develop mitigation actions.
		2.5. Work with FEMA to ensure accurate and complete mapping of flood-prone areas.	2020 Update: FIRMS were updated in 2019.
MH 3	Utilize Borough governmental powers to integrate hazard mitigation into all development planning.	3.1. Keep the HMP updated.	Make mitigation planning a regular part of the Planning Commission, Historic Preservation Commission, and Community Council activities.
			Incorporate mitigation measures into comprehensive development plans.
			Work with the Borough's GIS department to improve hazard mapping.
			Continue to involve Community Councils to solicit input for future mitigation projects, and anticipate future needs.
			Maintain a list of mitigation projects to enable taking advantage of funding opportunities on short notice.
MH 4	Reduce vulnerability to repetitive power outages.	4.1. Explore the feasibility of alternate power systems.	Implement a system of distributed power systems to provide individual incentives through the process of "net metering."
			Encourage localized power generation through alternative means such as wind turbines.
FL 1	Eliminate vulnerability to floods within the Borough.	1.1. Increase accuracy of flood zone maps (long range).	Apply for FEMA support to update FIRMS. 2020 Update: FIRMS were updated in 2019. Now complete. This action will be deleted in the 2025 HMP Update.

Goals		Actions	
No.	Description	ID	Description
FL 2			Determine new base flood elevation in "approximate A" zones. 2020 Update: FIRMS were updated in 2019. Now complete. This action will be deleted in the 2025 HMP Update.
			Re-map areas where erosion has changed floodplain characteristics. 2020 Update: FIRMS were updated in 2019. Now complete. This action will be deleted in the 2025 HMP Update.
			Track damage reports in unmapped areas during high water events.
			Identify and map areas outside of FIRMs that are subject to flooding.
		1.2. Maintain flood watch protocols for rivers and streams (ongoing).	Request that the State of Alaska include the Matanuska and Susitna Rivers. 2020 Update: There is now a Borough Flood Watch Program.
			Coordinate the chain of flood information including local observers, DOT, Public Works, and the media.
			Develop signs for installation at strategic river and creek road crossings whenever conditions threaten flooding.
			Monitor snowpack for advance awareness of possible flood conditions.
		1.3. Reduce the vulnerability of structures within flood zones (short- to long-range).	Survey existing structures at risk to identify ownership and feasibility of mitigation measures.
			Regulate all construction in known flood hazard areas.
			Ensure critical facilities are built above the 500-year (0.2% annual chance of flooding) floodplain.
			Encourage all structures to be elevated 2 feet above the Base Flood Elevation.
			Seek 100% compliance with Borough 17.29 Flood Damage Prevention.
		1.4. Identify mitigation measures to prevent flooding (short-range).	Survey culverts and perform needed upgrades and replacements.
			Clear debris from culverts and narrow stream passages.
			Increase level of storm drain management.
			Maintain revetments and dikes.
			Encourage owners of homes and businesses at risk to purchase flood insurance.

Goals		Actions	
No.	Description	ID	Description
	Decrease the financial losses caused by floods.	2.1. Participate in federal and state programs designed to aid communities such as the NFIP and the Community Rating System which adjusts insurance rates based on mitigation measures undertaken by the community (short-range).	Coordinate flood mitigation measures in compliance with DCEED's standards for participation in the programs.
FL 3	Improve habitat preservation and stream enhancement.	3.1. Support bank stabilization and debris clearance (short-range).	Encourage maintenance of a vegetative buffer adjacent to streams or rivers to help absorb flood waters and prevent erosion. Participate in state or federal programs which support this objective. Install adequately-sized culverts.
ER 1	Reduce property damage caused by wind or water erosion.	1.1 Limit construction in areas vulnerable to riverine erosion (long-range).	Adopt in Borough code restrictions on new building construction in areas vulnerable to erosion.
		1.2. Educate the public about actions they can take to reduce erosion on private property.	Provide information about public and government structural and nonstructural erosion control options.
		1.3 Establish state-appointed advisory boards for the Matanuska and Susitna Rivers similar to the advisory board for the Kenai River Special Management Area (long-term).	Charge the advisory boards with determining how to reduce erosion and flooding property damage.
SW 1	Mitigate vulnerability to severe weather within the Borough.	1.1. Adopt standards for residential construction for snow load and wind resistance for new construction on a regionally-appropriate basis throughout the Borough (long-range).	Enlist participation of building professionals and Borough resources to formulate standards appropriate to local conditions. Create a regional hazard map to show builders the varying wind, snow load, temperature, flood threats, and erosion hazards. Conduct an education campaign to develop a constituency in favor of adopting building codes for new construction. Empower a means for enforcing compliance with the codes.
		1.2. Encourage opportunities for builders and home remodelers to learn to build to snow load and wind-resistant standards (short-range).	Utilize methodologies identified in the all-hazards education portion of this HMP to disseminate information to target audiences. Provide classes in partnership with existing builders' groups.
		1.3. Educate the public about how to survive winter weather (short-range).	Support the initiatives described in the education component of this HMP.
SW 2		2.1. Initiate mitigation measures against wind damage (short- and long-range).	Conduct an engineering review of existing structures built with public funds including storage sheds, pavilions, and greenhouses.



Goals		Actions	
No.	Description	ID	Description
	Strengthen the ability of public facilities to withstand severe water.		Design new structures to higher wind speed standards for securing roofing materials and accessories beyond the International Building Code prescribed minimums. Consider alternatives to loose-laid roof membrane.
			Install wind deflection structures like tree screens or earth berms.
			Install stronger than code minimum light standards and flag poles in high wind areas.
			Convert hydronic heat media from water to glycol.
			Install auxiliary generators to power heating plants without loss of primary electric service.
			Install reinforced continuous hinges on all exterior doors. Add strapping or anchor systems to structures where needed.
		2.2. Initiate mitigation measures against snow and ice damage (short and long range).	Provide structural capacity in excess of UBC minimums over large clear-span areas such as school gyms with low-slope roofs.
			Provide structural roofs over meters and equipment exposed to falling ice and snow at exterior doors.
WF 1	Reduce the wildfire danger in the WUI.	1.1. Support the Spruce-Bark Beetle Wildland Fire Mitigation Program (short range).	In high snowfall areas of the Borough, design structures to mitigate damage of roof-mounted equipment. Similarly, decisions to hold snow on a roof or to allow it to shed must consider vulnerability of the area beneath the eaves.
			Identify areas of fuel loading in the wildland/urban interface.
		1.2. Qualify the Matanuska-Susitna Borough as a FireWise community (short range).	Clear the hazard trees in proximity to homes and right of way to provide line of defense in partnership with the State DOF and private sector businesses and land owners. Establish a means for homeowners to dispose of cleared brush in cooperation with the Borough landfill and transfer sites.
			Bring the concept of defensible space to every subdivision in the Borough.
			Assist homeowners in clearing fire hazards from around their homes.
			Create demonstrations of FireWise landscaping at public buildings.
			Ensure FireWise communities are no larger than the number of homes that can collaboratively clear fire hazards from the areas around their homes.
		1.3. Sensitize children to wildland fire issues (short range).	Develop a partnership with the School District.
			Reinforce concepts of FireWise through summer library programs and non-traditional learning opportunities.

Goals		Actions	
No.	Description	ID	Description
WF 2	Improve the fire suppression capability of Borough firefighters.	2.1. Ensure sufficient resources are available (ongoing).	Continue Borough Assembly appropriations to support necessary fire suppression capabilities throughout the Borough, including areas beyond the borders of current fire service districts.
			Support engineering study of dry hydrant system.
			Identify and improve alternate road access for fire suppression equipment.
			Require that subdivisions have more than one entry road.
WF 3	Use the Borough Assembly's legislative power to institutionalize fire mitigation measures in Borough code.	3.1. Encourage development of a Borough building code (long range).	Adopt fire safety building standards for materials and construction.
		3.2. Eliminate the sale and use of fireworks in the Borough (short and long range).	Enforce Borough code banning fireworks.
			Increase signage and advertising to alert the public to the illegality and danger of fireworks.
		3.3. Reduce fuel wood on Borough lands with salvage sales of beetle infested/killed spruce.	New in 2020.
EQ 1	Increase public awareness of how to survive an EQ.	1.1. Implement education strategies (short-range).	Distribute brochures to public venues, tourist centers, and health care facilities.
			Engage the school district as a partner to educate children.
EQ 2	Promote adoption of building codes to require earthquake-resistant construction practices and materials.	2.1. Work with government and private sector to draft realistic and enforceable building codes which address the ability of a structure to withstand a serious quake (short- and long-range).	Garner public support through public demonstrations of survivability and economic benefits of safe building practices.
			Promote dissemination of seismic retrofit information to owners of homes and commercial properties.
		2.2. Strengthen all public structures in the Borough against earthquake damage (short- and long-range).	Conduct a survey of all structures owned and utilized by Borough government to determine seismic survivability and retrofit as necessary.
			Pay special attention to seismic safety of coal bed methane distribution infrastructures.
CC 1	Eliminate the loss of life and assets due to changes in the cryosphere.	1.1. Support an aggressive avalanche education program (ongoing).	Utilize the local media to alert residents and visitors of danger and provide instruction for personal protection.
		1.2. Prohibit future development in known avalanche zones (short- and long-range).	Include this prohibition in Borough code.
V 1	Reduce health problems caused by volcanic ash.	1.1. Deliver public information about the dangers of volcanic ash fall and ways to remain safe (short range).	Distribute brochures to public venues, tourist centers, and health care facilities.
			Engage the school district as a partner to educate children about ash fall.
			Continue support of Air Quality Alert phone number (352-DUST).
			Utilize the local media to alert residents and visitors of danger and provide instruction for personal and property protection.

---

Goals		Actions	
No.	Description	ID	Description
V 2	Reduce property damage caused by volcanic ash.	1.2. Deliver public information about the dangers of volcanic ash fall to structures and electrical and mechanical equipment (short range).	Utilize local media and brochures to alert residents and tourists alike to enable protective measures to mitigate damage to vehicles, computers, and other equipment.
			Provide ash clean-up and disposal instructions.

---

### 7.2.1 Evaluating and Prioritizing Mitigation Actions

Requirements for the evaluation and implementation of mitigation actions, as stipulated in DMA 2000 and its implementing regulations, are described below.

The Project Team reprioritized the planning actions with fire being the first priority, earthquake being the second priority, flooding/erosion being the third priority, and severe weather being the fourth priority.

#### **DMA 2000 Requirements: Mitigation Strategy - Implementation of Mitigation Actions**

##### **Implementation of Mitigation Actions**

**Requirement: §201.6(c)(3)(iii):** [The mitigation strategy section shall include] an action plan describing how the actions identified in Section (c)(3)(ii) will be prioritized, implemented, and administered by the Local Government. Prioritization shall include a special emphasis on the extent to which benefits are maximized according to a cost benefit review of the proposed projects and their associated costs.

##### **Element**

- Does the updated mitigation strategy include how the actions are prioritized?
- Does the updated mitigation strategy address how the actions will be implemented and administered?
- Does the updated prioritization process include an emphasis on the use of a cost-benefit review to maximize benefits?

Source: FEMA, 2015.

### 7.3 Implementing a Mitigation Action Plan

Requirements for Local Government policies in mitigation strategies, as stipulated in DMA 2000 and its implementing regulations, are described below.

#### **DMA 2000 Requirements: Mitigation Strategy**

##### **Implementation of Mitigation Actions**

**Requirement: §201.6(c)(3)(iii):** [The mitigation strategy section shall include]: an action plan describing how the actions will be prioritized, implemented, and administered by the Local jurisdiction. Prioritization shall include a special emphasis on the extent to which benefits are maximized according to a cost benefit review of the proposed projects and their associated costs.

##### **Element**

- Does the plan contain a mitigation action plan?

Source: FEMA, 2015.

Table 28 shows the Borough's MAP Matrix that shows how the mitigation actions were prioritized, how the overall benefit/costs were taken into consideration, and how each mitigation action will be implemented and administered by the Project Team.

If no mitigation actions from Table 28 are implemented, the Borough will continue to be vulnerable to all hazards identified in Section 5 and the risks associated with those hazards in Section 6. If mitigation actions from Table 28 are implemented, the Borough will become a resilient community that is prepared for potential hazards identified and profiled in Section 5 and the risks associated with those hazards in Section 6.

Many mitigation projects within the Borough will depend on cooperative efforts between the Borough, individual cities, and State and Federal agencies. Additionally, in the current updating

---

process of the Borough's 2005 Comprehensive Plan, the impacts of natural hazards are considered in the siting of new facilities and infrastructure.

Table 28 contains statuses, priorities, responsible agencies, potential funding sources, and timelines for mitigation actions selected to be implemented.

---

**Table 28. Borough Mitigation Action Plan**

(See acronym and abbreviations list for complete titles on pages viii to x)

Action ID	Description	Priority	Responsible Department	Potential Funding	Timeframe	Benefit-Costs / Technical Feasibility	2020 Update
MH 1	Utilize the internet and social media as a tool for reaching target audiences to communicate hazard specific information throughout the cycle of an event.	High	Borough PIO and DES	Borough	Ongoing; the Borough has increased its use of the internet and social media as a means to gain and communicate information before, during, and after a disaster.	Provides current information to all with internet access. The public must be kept up to date on issues. A firm policy for the PIO needs to be in place so that it cannot be discretionary as to the who, how, when, etc.	The Borough conducted a public survey online in June/July 2019. 721 residents responded, and the Borough is incorporating their feedback into its emergency procedures.
MH 2	Work with the Red Cross and the Salvation Army to evaluate emergency shelters to ensure they are appropriately secured, supplied, and identified.	High	Borough DES Emergency Manager	Borough DES and Red Cross	Ongoing	Provides secure sheltering and feeding for disaster survivors and responder families.	Emergency shelters have been identified. The Red Cross and Salvation Army continue to monitor supply levels.
MH 3	Utilize Borough governmental powers to integrate hazard mitigation into all development planning.	High	Borough Lead Planner	Borough	Ongoing	Integrating plans into a Borough approach is a top goal of the Borough.	Will incorporate 2020 HMP Update into 2020 Comprehensive Plan updating process.
MH 4	Update the Core Areas Comprehensive Plan with a natural hazard section.	High	Borough Lead Planner	Borough	2025	Integrating natural hazard sections into Community Council plan updates is a top goal of the Borough.	Will incorporate 2020 HMP Update into the Core Areas Comprehensive Plan updating process.
F 1	Identify areas of fuel loading in the WUI.	High	DOF	Borough Planning, Emergency Services, participating Borough communities, DOF	2020-2025	Identification of hazard areas facilitates design and prioritization of mitigation actions.	Ongoing as new information becomes available. Figure 32 identifies observed spruce-bark beetle damage in the Borough from 2015 to 2018.



Action ID	Description	Priority	Responsible Department	Potential Funding	Timeframe	Benefit-Costs / Technical Feasibility	2020 Update
F 2	Clear the hazard trees in proximity to homes in partnership with the DOF, private sector businesses, and land owners.	High	DOF	DHS Preparedness Technical Assistance Program, HMGP	2020-2025	National statistics state that there is a \$10 benefit for every \$1 spent on wildfire mitigation.	Obtaining funding is a priority for DES.
F 3	Encourage subdivisions and neighborhoods to qualify as nationally recognized FireWise Communities.	High	Borough DES Manager	HMGP, FEMA, Homeowners Associations, Community Councils	2020-2025	Residents in a FireWise Community commit to maintaining FireWise standards. This is the most sustainable form of wildfire mitigation.	Horseshoe Lake became the first FireWise community within the Borough to have a Community Wildlife Protection Plan in 2019. Other communities are encouraged to evaluate their needs.
F 4	Ensure sufficient firefighting resources are available.	High	Borough Fire Chief	DES, PDM, HMGP	Ongoing	Sufficient fire suppression resources enable the saving of lives and property. Firefighting capability is a factor in a community's fire rating.	The Borough regularly evaluates, maintains, and improves firefighting resources, including hiring and training new personnel. The Borough spent roughly 17% of its budget on emergency services in 2019.
F 5	Develop and maintain Community Wildfire Protection Plans for Community Council areas in the Borough.	Medium	Community Councils	Borough, Homeowners Associations, Community Councils	Ongoing	Community Wildfire planning identifies and prioritizes areas of risk and engages landowners in actively protecting their property.	Horseshoe Lake became the first FireWise community within the Borough with a Community Wildlife Protection Plan in 2019.
EQ 1	Seismic Hazard Risk Mapping.	Medium	Borough Permit Center	FEMA, DGGS	Done.	Hazard mapping will help reduce risk to public infrastructure and housing developments.	FEMA RiskMap data was provided to the Borough in 2019. Shake maps were prepared.
EQ 2	Increase public awareness of how to survive an earthquake.	High	Borough Planner	Borough School District, DES, DHS&EM	Ongoing	A comprehensive earthquake safety program, delivered as appropriate to all ages and audiences will save lives.	The Borough has a preparedness page on its website with information on preparing for a natural disaster. Borough schools have periodic earthquake drills and discuss earthquake safety. Additionally, the Borough participates in the

Action ID	Description	Priority	Responsible Department	Potential Funding	Timeframe	Benefit-Costs / Technical Feasibility	2020 Update
							Alaska Shield earthquake exercises, which promote earthquake preparedness throughout the State.
EQ 3	Promote adoption of building codes to require earthquake-resistant construction practices and materials.	High	Senior Planner in Borough Planning and Land Use	Borough	Ongoing	Seismic standard construction will increase survivability of occupants.	The Borough Fire Marshal enforces code compliance with International Building Codes, which includes standards for construction materials based on seismic loads.
FL 1	Increase accuracy of flood zone maps (long-range).	High	Senior Planner in Borough Planning and Land Use	FEMA	Ongoing	Increases ability to accurately manage zones of high flood hazards.	The FIRM maps were updated in 2019.
FL 2	Maintain flood watch protocols and use of hydrological gauges on rivers and streams.	High	Senior Planner in Borough Planning and Land Use	Borough, USGS	Ongoing	Provides early warning resulting in reduced losses and quicker response.	The USGS maintains hydrological gauges on rivers and streams throughout the Borough, including the Matanuska, Susitna, Little Susitna, Talkeetna, and Knik rivers and Montana and Willow creeks. The Borough has been increasing its funding of local stream gages for the last 5 years.
FL 3	Reduce vulnerability of structures within flood zones via demonstration projects of dredging, dike or levy systems, stream bank management.	Medium	Senior Planner in Borough Planning & Land Use, Public Works	Borough, DHS&EM, FEMA, NRCS	Ongoing	Reduces amount of vulnerable structures within Borough. Stream bank management has been determined to be the best option to implement.	As of Summer 2020, the FEMA and State Hazard Mitigation Grant Program for voluntary acquisitions included eight properties from the Butte and Sutton areas along the Matanuska River. Land will be deeded open space in perpetuity.  Additionally, the State has a partnership to implement a

Action ID	Description	Priority	Responsible Department	Potential Funding	Timeframe	Benefit-Costs / Technical Feasibility	2020 Update
							Streambank Revitalization Program.
FL 4	Establish state appointed advisory boards for the Matanuska and Susitna Rivers similar to the advisory board for the Kenai River Special Management Area.	High	Senior Planner in Borough Planning & Land Use	State of Alaska	2025	Advisory board will help implement mitigation projects as well as river use guidelines in a special management area.	No advisory board was created. The Borough will try again in the next plan period.
FL 5	Wasilla Creek Bridge on Nelson Project (one-mile west/one-mile south of the Glenn Interchange).	High	Director of Public Works	Borough, PDM and HMGP projects	2025	Project engineers will develop BC/TF.	New in 2020
FL 6	Lucille Street Culvert Project at Locharren (Wasilla)	High	Director of Public Works	Borough, PDM and HMGP projects	2025	Project engineers will develop BC/TF.	New in 2020
FL 7	Sushana Drive over Little Susitna River (approximately 5 miles north of Wasilla)	High	Director of Public Works	Borough, PDM and HMGP projects	2025	Project engineers will develop BC/TF.	New in 2020
FL 8	Big Lake Jolly Creek Drainage Improvements Project	High	Director of Public Works	Borough, PDM and HMGP projects	2025	Project engineers will develop BC/TF.	New in 2020
FL 9	Have the Cities of Wasilla, Houston, and Palmer update their Memorandums of Understanding with the Borough.	High	Borough Floodplain Administrator	Borough	2025	This is an easy paperwork exercise to maintain Borough and City continuity.	New in 2020
FL 10	Capital projects needs funds to complete the work from the 2012 flood. Reevaluate 2012 damage that may not have been robustly mitigated. Evaluate whether water capacity increased.	High	Director of Public Works	Borough, PDM and HMGP projects	2025	Project engineers will develop BC/TF.	New in 2020
FL 11	Use flood depth grids for discussion before development.	High	Borough Floodplain Administrator	Borough	2025	This is an educational exercise between the Borough and its residents.	New in 2020. Data was developed as part of RiskMap program.
FL 12	Using RiskMap products that were developed in 2019, develop Values at Risk for Flooding by Hydro Unit to add to the HMP Update in 2025.	Medium	Borough Floodplain Administrator	Borough	2025	The data is available. Borough planners and GIS have technology.	New in 2020. Data was developed as part of RiskMap program.
FL 13	Develop and put forward an ordinance to restrict residential and non-residential building construction in the floodplain.	High	Borough Floodplain Administrator	Borough	2025	The Borough Permit Center has the resources to develop and the capability to work with the Assembly.	New in 2020

Action ID	Description	Priority	Responsible Department	Potential Funding	Timeframe	Benefit-Costs / Technical Feasibility	2020 Update
FL 14	Conduct a study to map the Cedars Subdivision as a potential future flood area. Depending on the size of the watershed, and length of stream, the various programs may be used.	High	Borough Floodplain Administrator	Borough	2025	The Borough Permit Center has the resources to develop and the capability to work with the Assembly.	New in 2020
FL 15	Educate Cedars Subdivision residents regarding the history of Hunter Creek flooding and potential hazard area concerns that they may face if the river moves.	High	Borough Floodplain Administrator	Borough	2025	The Borough Permit Center has the resources to develop and the capability to work with the Assembly.	New in 2020
FL 16	Add language to the platting code to identify natural hazards before subdivisions are platted.	High	Borough Floodplain Administrator	Borough	2025	The Borough Permit Center has the resources to develop and the capability to work with the Assembly.	New in 2020
FL 17	Add language in the subdivision construction manual to identify natural hazards.	High	Borough Floodplain Administrator	Borough	2025	The Borough Permit Center has the resources to develop and the capability to work with the Assembly.	New in 2020
FL 18	Continue to monitor repetitive loss properties for any substantial damage, and reach out to the property owners for any mitigation opportunities should they be interested. Additionally, the Borough will monitor for if the three properties come under tax foreclosure, and if so, will recommend retention by the Borough Assembly to mitigate the issues.	High	Borough Floodplain Administrator	Borough	2025	The Borough Permit Center has the resources to develop and the capability to work with the Assembly.	New in 2020
SW 1	Adopt standards for residential construction for snow load and wind resistance for new construction on a regionally appropriate basis throughout the Borough (long-range).	Medium	Director of Public Works	Borough, DHS&EM	2025	Increase structure and citizen survival rates during severe weather events utilizing new Risk Map data.	No standards were added.
CC 1	Support an aggressive avalanche education program.	High	Director of State Parks and Recreation and Borough Liaison	Borough, State Parks and Recreation	2022	Education about the risk of avalanches, avalanche safety, and conservative backcountry decision making has consistently proven to be effective at reducing the	Through Assembly resolution 2016-18, the Borough backed the Alaska Avalanche Information Center's efforts to install educational signs around


Action ID	Description	Priority	Responsible Department	Potential Funding	Timeframe	Benefit-Costs / Technical Feasibility	2020 Update
						number of fatalities from avalanches.	trailheads near high-avalanche-risk areas.
V 1	Deliver public information about the dangers of volcanic ash fall and ways to remain safe.	Medium	DES	Borough, DHS&EM, AVO	2021	Ensuring the public has knowledge of the risk and necessary preparation for a volcanic ashfall event will help residents protect themselves and reduce the necessary response after such an event.	Information about volcanic ash fall danger is undertaken by interagency cooperation between the NWS, DHS&EM, FAA, and the AVO through local communication networks and media outlets. The Borough may assist in reaching those who are not reachable by normal media and provide educational materials on preparation.
GF- PTL-1	Provide the public with information about the dangers of Permafrost Thaw Landslides and ways to stay safe.	High	DES	Borough, AK DOT/PF, DGGs (Landslide Program)	2026	Education about the risk of avalanches, avalanche safety, and conservative backcountry decision making has consistently proven to be effective at reducing the	<b>2026 Update</b> In collaboration with AK DOT/PF, if possible, make an effort to install monitoring equipment to track the movement of the mass.
TS-1	Provide the public with information about the dangers of tsunamis and offer guidance on how to stay safe.	High	DES	Borough, UAF, AK Earthquake Center, NOAA Tsunami Warning Center, National Tsunami Hazard Mitigation Program (NTHMP)	2026	Education about the risk of tsunamis and the actions to take in decision-making has consistently proven effective in reducing the risk.	<b>2026 Update</b> In collaboration with the other agencies to accurate and adequate information for action in the event of a tsunami.
TS-2	Develop siren warning locations, evacuation routes, and safe gathering locations.	High	DES	Borough, UAF, AK Earthquake Center, NTHMP, DHS&EM	2026	Acquire the grant to determine siren locations, gathering locations, and signage for evacuation routes.	<b>2026 Update</b> In collaboration with AK DHSEM make an effort to install warning equipment to track the movement of the mass.

## 8.0 Plan Maintenance

This section describes a formal plan maintenance process to ensure that this HMP Update remains an active and applicable document. It includes an explanation of how the Borough's Project Team intends to organize their efforts to ensure that improvements and revisions to the HMP occur in a well-managed, efficient, and coordinated manner.

The following three process steps are addressed in detail here:

1. Monitoring, evaluating, and updating the HMP;
2. Implementation through existing planning mechanisms; and
3. Continued public involvement.



HMP Update Cycle



---

## 8.1 Monitoring, Evaluating, and Updating the HMP

Requirements for monitoring, evaluating, and updating the HMP, as stipulated in the DMA 2000 and its implementing regulations, are described below.

### **DMA 2000 Requirements: Plan Maintenance Process - Monitoring, Evaluating, and Updating the Plan**

#### **Monitoring, Evaluating, and Updating the Plan**

**Requirement §201.6(c)(4)(i, ii, and iii):** [The plan maintenance process shall include a] section describing the method and schedule of monitoring, evaluating, and updating the mitigation plan within a five-year cycle; b] a process by which local government incorporates the requirements of the mitigation plan into other planning mechanisms such as comprehensive or capital improvement plans, when appropriate; and c] discussion on how the community will continue public participation in the plan maintenance process.

#### **Element**

- Does the updated plan describe the method and schedule of monitoring the plan, including the responsible department?
- Does the updated plan describe a system for monitoring implementation of mitigation measures and project closeouts?
- Does the updated plan describe the method and schedule for updating the plan within the five-year cycle?

Source: FEMA, 2015.

This HMP Update was prepared by the Borough with the Project Team Lead (Borough Floodplain Management Coordinator) to monitor, evaluate, and update the HMP. Each authority identified in Table 28 will be responsible for implementing the MAP. The Borough Floodplain Management Coordinator will serve as the primary point of contact and will coordinate local efforts to monitor, evaluate, and revise the HMP.

Each member of the Project Team will conduct an annual review during the anniversary week of the HMP's official FEMA approval date to monitor the progress in implementing the HMP, particularly the MAP. As shown in Appendix F, the Annual Review Worksheet will provide the basis for possible changes in the MAP by refocusing on new or more threatening hazards, adjusting to changes to or increases in resource allocations, and engaging additional support for the HMP implementation. The Borough Floodplain Management Coordinator will initiate the annual review two months prior to the scheduled planning meeting date to ensure that all data is assembled for discussion with the Project Team. The findings from these reviews will be presented at the annual Project Team Meeting. Each review, as shown on the Annual Review Worksheet, will include an evaluation of the following:

- Participation of authorities and others in the HMP implementation;
- Notable changes in the risk of natural hazards;
- Impacts of land development activities and related programs on hazard mitigation;
- Progress made with the MAP (identify problems and suggest improvements as necessary and provide progress reports on implemented mitigation actions); and
- The adequacy of local resources for implementation of the HMP.

A system of reviewing the progress on achieving the mitigation goals and implementing the MAP activities and projects will also be accomplished during the annual review process. During each annual review, each authority administering a mitigation project will submit a Progress Report to the Project Team. As shown in Appendix F, the report will include the current status of the mitigation project, including any changes made to the project, the identification of implementation problems and appropriate strategies to overcome them, and whether or not

---

the project has helped achieve the appropriate goals identified in the HMP.

In addition to the annual review, the Project Team will update the HMP every five years. To ensure that this update occurs, in the fourth year following adoption of the HMP, the Project Team will undertake the following activities:

- Request grant assistance from DHS&EM and FEMA to update the HMP (this can take up to one year to obtain and one year to update the HMP);
- Thoroughly analyze and update the risk of natural hazards;
- Provide a new annual review (as noted above), plus a review of the three previous annual reviews;
- Provide a detailed review and revision of the mitigation strategy;
- Prepare an updated MAP for the Borough;
- Prepare an updated Draft HMP;
- Submit an updated Draft HMP to DHS&EM and FEMA for approval;
- Submit the DHS&EM- and FEMA-approved plan for adoption by the Borough Assembly; and
- Return the adoption resolution to FEMA to receive formal approval.

## 8.2 Implementation Through Existing Planning Mechanisms

Requirements for implementation through existing planning mechanisms, as stipulated in DMA 2000 and its implementing regulations, are described below.

DMA 2000 Requirements: Plan Maintenance Process - Incorporation into Existing Planning Mechanisms	
<b>Incorporation into Existing Planning Mechanisms</b>	
<b>Requirements §201.6(c)(4)(ii):</b> [The plan shall include a] process by which the Local Government integrates the HMP into other ongoing Borough planning efforts as well as other planning mechanisms such as comprehensive or capital improvement plans when appropriate.	
<b>Element</b>	
■ Does the updated plan identify other planning mechanisms available for incorporating the mitigation requirements of the mitigation plan?	
■ Does the updated plan include a process by which the Borough government will incorporate the mitigation strategy and other information contained in the plan (e.g., risk assessment) into other planning mechanisms, when appropriate?	
<i>Source: FEMA, 2015.</i>	

After adoption of the HMP, each Project Team member will ensure that the HMP, in particular each Mitigation Action Project, is incorporated into existing planning mechanisms. Each member of the Project Team will achieve this incorporation by undertaking the following activities.

- Conduct a review of the community-specific regulatory tools to assess the integration of the mitigation strategy. These regulatory tools are identified in the capability assessment section (see Tables 29-31).
- Work with pertinent community departments to increase awareness of the HMP and provide assistance in integrating the mitigation strategy (including the MAP) into

relevant planning mechanisms. Implementation of these requirements may require updating or amending specific planning mechanisms. For example, the 2005 Borough Comprehensive Plan is being updated at the present time. The Borough Floodplain Coordinator will ensure that the Lead Planner for the Comprehensive Plan has a copy of this HMP for integrating the MAP into the Comprehensive Plan.

- The Borough Planning Department will be responsible for providing a copy of this HMP to contractors focused on developing new or updating existing Local Plans and ensuring that this HMP is incorporated into plans as applicable.

Since this HMP is an update, the Borough integrated the previous HMP into the following planning mechanism: All of the Community Council plans prior to the previous HMP did not have a natural hazard section. Some Community Council plans have since been updated and now include a natural hazard section. Moving forward, the plan is to update the Core Areas Comprehensive Plan with a natural hazard section.

The Borough will involve the public through Facebook posts and continued surveys (Appendix F) to continually reshape and update this HMP. A paper copy of this HMP will be available at the Borough Permit Center. This HMP will also be stored on the State DCCED/DCRA's plans library online as well as the Borough's website for public reference. Planners are encouraged to integrate components of this HMP into their own plans.

The following tables outline the resources available to the Borough for mitigation related funding and training. The tables delineate the Borough's regulatory tools, technical specialists, and financial resource available for project management.

**Table 29. Regulatory Tools**

Regulatory Tools (ordinances, codes, plans)	Existing?	Comments (Year of most recent update; problems administering it, etc.)
Comprehensive Plan	Yes	Matanuska-Susitna Borough Comprehensive Plan Update in process.
Land Use Plan	Yes	Included in the Matanuska-Susitna Borough Comprehensive Plan Update, 2005.
Economic Plan	Yes	Economic Development Strategic Plan 2010- 2015. Comprehensive Economic Development Plan, 2013.
Emergency Utility Plan	No	
Emergency Response Plan, 2008	Yes	Updated 2010, limited resources and staff committed to administration.
Wildland Fire Protection Plan	Yes	Updated 2008.
Building codes	No	
Fire Insurance Rating	Yes	Fire insurance ratings based on level of service provided in individual fire service areas
Zoning ordinances	Yes	Updated annually, no land use requirements related to natural hazards
Subdivision ordinances or regulations	Yes	Does not address seismic hazard
Special purpose ordinances	No	
Transportation Plan	Yes	Matanuska-Susitna Borough Long-Range Transportation Plan, Updated 2007 addresses land and transportation management.

## Local Resources

The Borough has a number of planning and land management tools that will allow it to implement hazard mitigation activities. The resources available in these areas have been assessed by the Project Team and are summarized below.

**Table 30. Technical Specialists for Hazard Mitigation**

Staff/Personnel Resources	Y/N	Department/Agency and Position
Planner or engineer with knowledge of land development and land management practices	Yes	Departments of Public Works and Planning and Land Use
Engineer or professional trained in construction practices related to buildings	Yes	Department of Public Works
Planner or engineer with an understanding of natural human-caused hazards	Yes	Department of Planning and Land Use
Floodplain Manager	Yes	Department of Planning and Land Use
Surveyors	Yes	Capital Projects Department
Staff with education or expertise to assess the jurisdiction's vulnerability to hazards	Yes	Multiple Departments
Personnel skilled in Geospatial Information System (GIS) and/or Hazards Us-Multi Hazard (Hazus-MH) software	Yes	Department of Information Technology
Scientists familiar with the hazards of the jurisdiction	Yes	Department of Planning and Land Use
Emergency Manager	Yes	Emergency Services Department
Grant Writers	Yes	Departments of Planning and Land Use, Emergency Services
Public Information Officer	Yes	Administration

The following table includes additional information on existing Borough authority, policies, and programs.

**Table 31. Financial Resources**

Funding Resources	Y/N	Has the source been used in the past? Could it be used in the future?
Capital Improvement Project Funding	Yes	The CIP could be used to list capital improvements to protect public structures such as bridges and roads from future flooding and erosion events.
Authority to levy taxes for special purposes	Yes	The Borough has created special service areas along the Matanuska River to raise tax revenues for erosion mitigation projects.
Fees for water, sewer, gas, or electric services	Yes	The Borough collects service fees.
Impact fees for new development	Yes	The Borough is eligible to collect impact fees for new development.
Storm water utility fee	Yes	The Borough is eligible to collect storm water utility fees.
Incur debt through general obligation bonds and or special tax bonds	Yes	The Borough has sold voter approved general obligation bonds for roads and schools.
Community Development Block Grant	Yes	The Borough has received a CDBG to construct a warm storage building for Lake Louise Emergency Response Equipment.
Other federal funding programs	Yes	The Borough has received grants for FireWise Program Implementation.

State funding programs	Yes	The Borough received pre-disaster mitigation grant to draft the first mitigation plan and updates. The Borough is eligible for flood mitigation assistance and is a NFIP participant.
------------------------	-----	---

### 8.3 Continued Public Involvement

Requirements for continued public involvement, as stipulated in DMA 2000 and its implementing regulations, are described below.

DMA 2000 Requirements: Plan Maintenance Process - Continued Public Involvement	
<b>Continued Public Involvement</b>	
<b>Requirement §201.6(c)(4)(iii):</b> [The plan maintenance process shall include a] discussion on how the Government will continue public participation in the plan maintenance process.	
<b>Element</b>	
■ Does the updated plan explain how continued public participation will be obtained?	
<i>Source: FEMA, 2015.</i>	

The Borough is dedicated to involving the public directly in the continual reshaping and updating of the HMP. A paper copy of the HMP and any proposed changes will be available at the Borough Permit Center. An address and phone number of the Borough Floodplain Manager to whom people can direct their comments or concerns will also be available at the Borough Permit Center.

The Borough gives handouts containing safety and emergency prevention information as well as Fire Wise pamphlets to the public. Community surveys will be provided intermittently on the Borough's Facebook and website to remind the community about the potential hazards that could affect Borough residents as well as to provide an opportunity for the community to comment on their concerns. See Appendix F for a sample public opinion survey. Any public comments received regarding the HMP will be collected by the Borough Floodplain Manager, included in the annual report, and considered during future HMP updates.

The Project Team will continue to raise community awareness about the HMP and the hazards that affect the Borough.

#### Federal Resources

The Federal government requires Local Governments to have an HMP in place to be eligible for mitigation funding opportunities through FEMA such as the UHMA Programs and the HMGP. The Mitigation Technical Assistance Programs available to Local governments are also a valuable resource. FEMA may also provide temporary housing assistance through rental assistance, mobile homes, furniture rental, mortgage assistance, and emergency home repairs. The Disaster Preparedness Improvement Grant also promotes educational opportunities with respect to hazard awareness and mitigation.

- FEMA, through its Emergency Management Institute, offers training in many aspects of emergency management, including hazard mitigation. FEMA has also developed a large number of documents that address implementing hazard mitigation at the local level. Key resource documents are available from the FEMA Publication Warehouse (1-800-480-2520) and are briefly described here:
  - How-to Guides. FEMA has developed a series of how-to guides to assist States, communities, and Tribes in enhancing their hazard mitigation planning capabilities. The first four guides describe the four major phases of hazard mitigation planning.

---

The last five how-to guides address special topics that arise in hazard mitigation planning such as conducting cost-benefit analysis and preparing multi-jurisdictional plans. The use of worksheets, checklists, and tables make these guides a practical source of guidance to address all stages of the hazard mitigation planning process. They also include special tips on meeting DMA 2000 requirements.

- Post-Disaster Hazard Mitigation Planning Guidance for State and Local Governments. FEMA DAP-12, September 1990. This handbook explains the basic concepts of hazard mitigation and shows State, Tribal, and Local governments how they can develop and achieve mitigation goals within the context of FEMA's post-disaster hazard mitigation planning requirements. The handbook focuses on approaches to mitigation, with an emphasis on multi-objective planning.
  - Mitigation Resources for Success compact disc (CD). FEMA 372, September 2001. This CD contains a wealth of information about mitigation and is useful for State, Tribal, and Local government planners and other stakeholders in the mitigation process. It provides mitigation case studies, success stories, information about Federal mitigation programs, suggestions for mitigation measures to homes and businesses, appropriate relevant mitigation publications, and contact information.
  - A Guide to Federal Aid in Disasters. FEMA 262, April 1995. When disasters exceed the capabilities of State, Tribal, and Local governments, the President's disaster assistance programs (administered by FEMA) is the primary source of Federal assistance. This handbook discusses the procedures and process for obtaining this assistance, and provides a brief overview of each program.
  - The Emergency Management Guide for Business and Industry. FEMA 141, October 1993. This guide provides a step-by-step approach to emergency management planning, response, and recovery. It also details a planning process that businesses can follow to better prepare for a wide range of hazards and emergency events. This effort can enhance a business's ability to recover from financial losses, loss of market share, damages to equipment, and product or business interruptions. This guide could be of great assistance to a community's industries and businesses located in hazard prone areas.
  - The FEMA Hazard Mitigation Assistance Guidance and Addendum, February 5, 2015. The guidance introduces the five HMA grant programs, funding opportunities, award information, eligibility, application and submission information, application review process, administering the grant, contracts, additional program guidance, additional project guidance, and contains information and resource appendices (FEMA, 2015).
  - Department of Agriculture (USDA). Assistance provided includes: Emergency Conservation Program, Non-Insured Assistance, Emergency Watershed Protection, Rural Housing Service, Rural Utilities Service, and Rural Business and Cooperative Service.
  - Department of Energy (DOE), Office of Energy Efficiency and Renewable Energy, Weatherization Assistance Program. This program minimizes the adverse effects of high energy costs on low-income, elderly, and handicapped citizens through client education activities and weatherization services such as an all-around safety check of major energy systems, including heating system modifications and insulation checks.
  - Department of Health and Human Services, Administration of Children & Families,
-



---

Administration for Native Americans (ANA). The ANA awards funds through grants to American Indians, Native Americans, Native Alaskans, Native Hawaiians, and Pacific Islanders. These grants are awarded to individual organizations that successfully apply for discretionary funds. ANA publishes in the Federal Register an announcement of funds available, the primary areas of focus, review criteria, and the method of application.

- Department of Housing and Urban Development (HUD), Office of Homes and Communities, Section 108 Loan Guarantee Programs. This program provides loan guarantees as security for Federal loans for acquisition, rehabilitation, relocation, clearance, site preparation, special economic development activities, and construction of certain public facilities and housing.
  - Department of Housing and Urban Development, Community Development Block Grants (HUD/CDBG). Provides grant assistance and technical assistance to aid communities in planning activities that address issues detrimental to the health and safety of local residents, such as housing rehabilitation, public services, community facilities, and infrastructure improvements that would primarily benefit low-and moderate-income persons.
  - Department of Housing and Urban Development, Community Development Block Grant-Disaster Recovery (CDBG-DR) for the 2018 Cook Inlet Earthquake. Provides assistance to CDBG-DR eligible jurisdictions, specifically, the Matanuska-Susitna Borough, for disaster relief, long-term recovery, and the restoration of housing, public infrastructure, and economic revitalization.
  - Department of Labor (DOL), Employment and Training Administration, Disaster Unemployment Assistance. Provides weekly unemployment subsistence grants for those who become unemployed because of a major disaster or emergency. Applicants must have exhausted all benefits for which they would normally be eligible.
  - Federal Financial Institutions. Member banks of Federal Deposit Insurance Corporation, Financial Reporting Standards or Federal Home Loan Bank Board may be permitted to waive early withdrawal penalties for Certificates of Deposit and Individual Retirement Accounts.
  - Internal Revenue Service (IRS), Tax Relief. Provides extensions to current year's tax return, allows deductions for disaster losses, and allows amendment of previous tax returns to reflect loss back to three years.
  - U.S. Small Business Administration (SBA). May provide low-interest disaster loans to individuals and businesses that have suffered a loss due to a disaster. Requests for SBA loan assistance should be submitted to DHS&EM.
  - USACE Alaska District's Civil Works Branch studies potential water resource projects in Alaska. These studies analyze and solve water resource issues of concern to the local communities. These issues may involve navigational improvements, flood control or ecosystem restoration. The agency also tracks flood hazard data for over 300 Alaskan communities on floodplains or the sea coast. These data help local communities assess the risk of floods to their communities and prepare for potential future floods. The USACE is a member and co-chair of the Alaska Climate Change Sub-Cabinet.
-

---

## State Resources

- DHS&EM is responsible for improving hazard mitigation technical assistance for Tribal and Local governments for the State of Alaska. Providing hazard mitigation training, current hazard information, and communication facilitation with other agencies will enhance local hazard mitigation efforts. DHS&EM administers FEMA mitigation grants to mitigate future disaster damages such as those that may affect infrastructure including the elevation, relocation, or acquisition of hazard-prone properties. DHS&EM also provides mitigation funding resources for mitigation planning.
  - Division of Senior Services (DSS): Provides special outreach services for seniors, including food, shelter, and clothing.
  - Division of Insurance (DOI): Provides assistance in obtaining copies of policies and provides information regarding filing claims.
  - Department of Military and Veterans Affairs (DMVA): Provides damage appraisals and settlements for VA-insured homes, and assists with filing of survivor benefits.
  - The Community Health and Emergency Medical Services (CHEMS) is a section within the Division of Public Health within the Department of Health and Social Services (DHSS). DHSS is charged with promoting and protecting the public health and one of CHEMS' responsibilities is developing, implementing, and maintaining a statewide comprehensive emergency medical services system. The department's statutory mandate (Alaska Statute 18.08.010) requires it to:
    - Coordinate public and private agencies engaged in the planning and delivery of emergency medical services, including trauma care, to plan an emergency medical services system;
    - Assist public and private agencies to deliver emergency medical services, including trauma care, through the award of grants in aid;
    - Conduct, encourage, and approve programs of education and training designed to upgrade the knowledge and skills of health personnel involved in emergency medical services, including trauma care; and
    - Establish and maintain a process under which hospitals and clinics can represent themselves to be trauma centers because they voluntarily meet criteria adopted by the department which are based on an applicable national evaluation system.
  - DCRA within the DCCED. DCRA administers the HUD/CDBG, FMA Program, and the Climate Change Sub-Cabinet's Interagency Working Group's program funds and administers various flood and erosion mitigation projects, including the elevation, relocation, or acquisition of flood-prone homes and businesses throughout the State. This department also administers programs for State "distressed" and "targeted" communities.
  - Division of Environmental Conservation (DEC). The DEC's primary roles and responsibilities concerning hazards mitigation are ensuring safe food and safe water, and pollution prevention and pollution response. DEC ensures water treatment plants, landfills, and bulk fuel storage tank farms are safely constructed and operated in communities. Agency and facility response plans include hazards identification and pollution prevention and response strategies.
-

- 
- Department of Transportation and Public Facilities (DOT/PF) personnel provide technical assistance to the various emergency management programs, to include mitigation. This assistance is addressed in the DHS&EM-DOT/PF Memorandum of Agreement and includes, but, is not limited to: environmental reviews, archaeological surveys, and historic preservation reviews.

In addition, DOT/PF and DHS&EM coordinate buy-out projects to ensure that there are no potential right-of-way conflicts with future use of land for bridge and highway projects, and collaborate on earthquake mitigation.

Additionally, DOT/PF provides safe, efficient, economical, and effective operation of the State's highways, harbors, and airports. DOT/PF uses its Planning, Design and Engineering, Maintenance and Operations, and Intelligent Transportation Systems resources to identify the hazard, plan and initiate mitigation activities to meet the transportation needs of Alaskans and make Alaska a better place to live and work. DOT/PF budgets for the temporary replacement bridges and materials necessary to make the multi-modal transportation system operational following a natural disaster.

- The Department of Natural Resources (DNR) administers various projects designed to reduce stream bank erosion, reduce localized flooding, improve drainage, and improve discharge water quality through the stormwater grant program funds. Within DNR, the Division of Geological and Geophysical Survey (DGGS) is responsible for the use and development of Alaska's mineral, land, and water resources, and collaboration on earthquake mitigation.
  - DNR's DGGS collects and distributes information about the State's geologic resources and hazards. Their geologists and support staff are leaders in researching Alaska's geology and implementing technological tools to most efficiently collect, interpret, publish, archive, and disseminate that information to the public
  - The DNR's Division of Forestry (DOF) participates in a statewide wildfire control program in cooperation with the forest industry, rural fire departments, and other agencies. Prescribed burning may increase the risks of fire hazards; however, prescribed burning reduces the availability of fire fuels, and therefore, the potential for future, more serious fires.
  - DOF also manages various wildland fire programs, activities, and grant programs such as the FireWise Program, the Community Forestry Program (CFP) and the Volunteer Fire Assistance and Rural Fire Assistance Grant (VFA-RFAG) programs.

#### **Other Funding Sources and Resources**

The following provide focused access to valuable planning resources for communities interested in sustainable development activities.

- FEMA, <http://www.fema.gov> - includes links to information, resources, and grants that communities can use in planning and implementation of sustainable measures.
  - American Planning Association (APA), <http://www.planning.org> - a non-profit professional association that serves as a resource for planners, elected officials, and citizens concerned with planning and growth initiatives.
  - Institute for Business and Home Safety (IBHS), <http://ibhs.org> - an initiative of the insurance industry to reduce deaths, injuries, property damage, economic losses, and
-

---

human suffering caused by natural disasters.

- American Red Cross (ARC). Provides for the critical needs of individuals such as food, clothing, shelter, and supplemental medical needs. Provides recovery needs such as furniture, home repair, home purchasing, essential tools, and some bill payment may be provided.
- Crisis Counseling Program. Provides grants to State and Borough Mental Health Departments, which in turn provide training for screening, diagnosing, and counseling techniques. Also provides funds for counseling, outreach, and consultation for those affected by disaster.

---

## 9.0 References

- ACRC (Alaska Climate Research Center). 2018: *Temperature Change in Alaska*. Available: <http://climate.gi.alaska.edu/ClimTrends/Change/TempChange.html>.
- ACS (American Community Survey). 2016. <https://www.census.gov/programs-surveys/acs/>.
- AICC (Alaska Interagency Coordination Center). 2019. Available: <http://fire.ak.blm.gov/aicc.php>.
- ADF&G (Alaska Department of Fish & Game). 2014. Culvert Inventory and Assessment for Fish Passage in the State of Alaska: A Guide to the Procedures and Techniques used to Inventory and Assess Stream Crossings for 2009-2014. Available: <https://www.adfg.alaska.gov/index.cfm?adfg=fishpassage.main>.
- Alaska Wildland Fire Information. 2019. <https://akfireinfo.com/page/2/>.
- ADN (Anchorage Daily News). 2019a. *Cost of Fighting Alaska's Wildfires Tops \$300 Million This Year*. James Brooks. December 8, 2019.
- ADN (Anchorage Daily News). 2019b. *Looking for Alaska's Rural State Police Force? Check the Fast-Growing Mat-Su Borough*. December 8, 2019.
- ADN (Anchorage Daily News). 1995. *Residents Watch Bridge Crumble in Hunter Creek*. September 22, 1995.
- ADOL (Alaska Department of Labor and Workforce Development, Research, and Analysis Section). 2019. Alaska Population Overview. ISSN: 1063-37790.
- Big Lake Community Council. *Big Lake Comprehensive Plan Update*, 2009.
- Chase Community Council. *Chase Comprehensive Plan Update*, 2017.
- Chickaloon Community Council. *Chickaloon Comprehensive Plan Update*, 2008.
- CCSP (U.S. Climate Change Science Program). 2008. *Weather and Climate Extremes in a Changing Climate – Regions of Focus – North America, Hawaii, Caribbean, and U.S. Pacific Islands. A Report by the U.S. Climate Change Science Program and the Subcommittee on Global Change Research*. Vol. 3.3T.R. Karl, G.A. Meehl, C.D. Miller, S.J. Hassol, A.M. Waple, and W.L. Murray, Eds. Department of Commerce, NOAA's National Climatic Data Center, 164 pp.
- Chapin, F.S., III, S.F. Trainor, P. Cochran, H. Huntington, C. Markon, M. McCammon, A.D. McGuire, and M. Serreze. 2014. Ch. 22: *Alaska. Climate Change Impacts in the U.S.: The Third National Climate Assessment*, J. M. Melillo, Terese.
- DCCED/DCRA (Department of Community and Commerce and Economic Development [DCCED]/Division of Community and Regional Affairs [DCRA]). 2020. *Community Profile*: <https://www.commerce.alaska.gov/dcra/DCRAExternal/community>.
- DGGS (Division of Geological and Geophysical Survey [DGGS]). 2009. Available: [http://www.dggs.dnr.state.ak.us/index.php?menu\\_link=publications&link=neotectonic\\_map&sub2\\_link=statewide](http://www.dggs.dnr.state.ak.us/index.php?menu_link=publications&link=neotectonic_map&sub2_link=statewide)
- DHS&EM (Division of Homeland Security and Emergency Management), 2018a, *Alaska State Hazard Mitigation Plan*, 2018.
- DHS&EM. 2018b. *Disaster Cost Index, June 2018*.
- DOF. 2008. Borough Community Wildfire Protection Plan. Updated – September 2008.
-

- 
- FEMA-a, (Federal Emergency Management Agency), “Local Mitigation Plan Review Guide – September 30, 2011.” Available: [https://www.fema.gov/media-library-data/20130726-1809-25045-7498/plan\\_review\\_guide\\_final\\_9\\_30\\_11.pdf](https://www.fema.gov/media-library-data/20130726-1809-25045-7498/plan_review_guide_final_9_30_11.pdf).
- FEMA-b, “Mitigation Planning How-To Guides, 2013.” Available: <https://www.fema.gov/media-library/resources-documents/collections/6>
- FEMA-c, “Local Mitigation Planning Handbook.” Updated January 1, 2015. Available: <https://www.fema.gov/media-library/assets/documents/31598>.
- FEMA-d, “Local Mitigation Assistance Guidance and Addendum, February 27, 2015. Available: <https://www.fema.gov/media-library/assets/documents/103279>.
- FEMA-e, “Mitigation Planning Fact Sheet, February 27, 2015. Available: <https://www.fema.gov/media-library/assets/documents/5756>.
- FEMA-f, “Hazard Mitigation Assistance Cost Share Guide, May 2016. Available: <https://www.fema.gov/media-library-data/1463766664964-4e6dd22652cb7c8a6162904f3b1b2022/FinalHMACostShareGuide508.pdf>.
- FEMA-g, “Flood Frequently Asked Questions.” Available: <https://www.floodsmart.gov/faqs>.
- FEMA-h, “Flood Facts.” Available: <https://www.floodsmart.gov/why/why-buy-flood-insurance>.
- FEMA-i, “Community Status Book Report.” Available: <http://www.fema.gov/cis/AK.html>.
- FEMA-j, “Flood Map Service Center Portal.” Available: msc-theme-template-v1.
- FEMA-l, “RiskMap Data.” FEMA, DCCED, and the State of Alaska DGGs, *Risk Report, FEMA Region X-Matanuska-Susitna Borough, Alaska*, 2019.
- Fishhook Community Council. *Fishhook Comprehensive Plan*, 2017.
- Frontiersman, 2020. *One Dead in Hatcher Pass Avalanche*. Tim Rockey. March 9, 2020.
- Frontiersman, 2019. *Sunday Landslide on Pioneer Peak – Pioneer Peak Mountain Message*. Barbara Hunt, Palmer Buzz. October 7, 2019.
- Glacier View Community Council. *Glacier View Comprehensive Plan Update*, 2008.
- Horseshoe Lake Community Council. *Horseshoe Lake Community Assessment and Wildfire Protection Plan*, 2019.
- City of Houston. *Houston Hazard Mitigation Plan*, 2018.
- Koons, P.O., B.P. Hooks, T. Pavlis, P. Upton, A.D. Barker, 2010. *Three-Dimensional Mechanics of Yakutat Convergence in the Southern Alaska Plate Corner*. Tectonics, vol. 29.
- Knik-Fairview Community Council. *Knik-Fairview Comprehensive Plan*, 1997.
- Lazy Mountain Community Council. *Lazy Mountain Comprehensive Plan*, 2008.
- Louise, Susitna, Tyone Community Council. *Louise Susitna and Tyone Lakes Comprehensive Plan Update*, 2016.
- Matanuska-Susitna Borough. *All-Hazards Mitigation Plan, Natural Hazards, Final Update*. 2013.
- Matanuska-Susitna Borough. *Long-Range Transportation Plan*, 2017.
- Matanuska-Susitna Borough. *Matanuska River Management Plan*, 2010.
- Matanuska-Susitna Borough Department of Emergency Services. *Quick-Look After-Action Report*. January 29, 2019.
- Matanuska-Susitna Borough. *Stormwater Management Plan*, 2017.
-



- 
- Matanuska-Susitna Borough. *Wetlands Management Plan*, 2012.
- Meadow Lakes Community Council. *Meadow Lakes Comprehensive Plan*, 2005.
- MMI. 2006. *Modified Mercalli Intensity Scale*. Michigan Technical University. Available:  
<http://www.geo.mtu.edu/UPSeis/Mercalli.html>.
- Point MacKenzie Community Council. *Point MacKenzie Community Comprehensive Plan*, 2011.
- Shulski, M., and G. Wendler. 2007. *The Climate of Alaska*. University of Alaska Press. 208 pp.
- South Knik River Community Council. *South Knik River Comprehensive Plan*, 2014.
- Stewart, B. C., K. E. Kunkel, L.E. Stevens, L. Sun, and J. E. Walsh. 2013. *Regional Climate Trends and Scenarios for the U.S. National Climate Assessment: Part 7. Climate of Alaska*. NOAA Technical Report NESDIS 142-7. 60 pp.
- Susitna Community Council. *Susitna (Formerly Y) Community Comprehensive Plan*, 2007.
- Sutton Community Council. *Sutton Comprehensive Plan*, 2009.
- Talkeetna Community Council. *Talkeetna Comprehensive Plan*, Amended 1999.
- Thoman, R. & J.E. Walsh. 2019. *Alaska's Changing Environment: Documenting Alaska's physical and biological changes through observations*. H.R. McFarland, Ed. International Arctic Research Center, University of Alaska Fairbanks.
- UAF Alaska Earthquake Center. 2019. <http://earthquake.alaska.edu/earthquakes/shakemaps>.
- U.S. Drought Monitor. 2019. Partnership between the National Drought Mitigation Center at the University of Nebraska-Lincoln, the U.S. Department of Agriculture, and the National Oceanic and Atmospheric Administration. <https://droughtmonitor.unl.edu>
- U.S. Global Change Research Program. "Global Climate Change Impacts in the United States" report.  
<http://www.globalchange.gov/usimpacts>
- Wasilla. *City of Wasilla Hazard Mitigation Plan*, 2018.
- Willow Community Council. *Willow Area Community Comprehensive Plan*, 2013.
-

## **APPENDIX A. Definitions**

**Aufeis:** When new ice continues to form on top of older ice. Ice-forming situations occur wherever there are continuous sources of water and freezing temperatures.

**Alluvial Fan:** Area of deposition where steep mountain drainages empty into valley floors. Flooding in these areas often includes characteristics that differ from those in riverine or coastal areas.

**Alluvial Fan Flooding:** Flooding that occurs on the surface of an alluvial fan (or similar landform) that originates at the apex of the fan and is characterized by high velocity flows; active processes of erosion, sediment transport, and deposition; and unpredictable flow paths.

**Anabatic Wind:** Any wind blowing up an incline; the opposite to katabatic wind.

**Avalanche:** Mass of snow and ice falling suddenly down a mountain slope and often taking with it earth, rocks and rubble of every description.

**Base Flood Elevation:** The computed elevation to which floodwater is anticipated to rise during the base flood. Base Flood Elevations are shown on FIRMs and on flood profiles. The Base Flood Elevation is the regulatory requirement for the elevation or floodproofing of structures. The relationship between the Base Flood Elevation and a structure's elevation determines the flood insurance premium.

**Borough:** The basic unit of local government in Alaska, analogous to counties in other states.

**Caldera:** A caldera is a large, usually circular depression at the summit of a volcano formed when magma is withdrawn or erupted from a shallow underground magma reservoir.

**Chinook:** A warm down-slope wind.

**Community Rating System:** An NFIP program that provides incentives for NIFP Communities to complete activities that reduce flood hazard risk. When the community completes specified activities, the insurance premiums of policyholders in these communities are reduced.

**Community:** Any state, area, or political subdivision thereof, or any tribe or tribal entity that has the authority to adopt and enforce statutes for areas within its jurisdiction.

**Community Council:** A nonprofit, voluntary, self-governing association of residents of an area. It is recognized by assembly resolution but is not an arm of the Borough. There are 26 Community Councils in the Borough.

**Critical Facility:** Facilities critical to the health and welfare of the population and that are especially important during and after a hazard event. Critical facilities include, but are not limited to, shelters, hospitals, and fire stations.

**Dam:** A structure built across a waterway to impound water.

**Development:** Any manmade change to improved or unimproved real estate including, but not limited to, buildings or other structures, mining, dredging, filling, grading, paving, excavation or drilling operations, or storage of equipment or materials.

**Earthquake:** A sudden motion or trembling that is caused by a release of strain accumulated within or along the edge of the earth's tectonic plates.

**Earthquake Swarm:** A collection of earthquakes that are frequent in time. There is no identifiable main shock.

**Economic Disaster:** When the annual income to workers in the designated area dropped below the average annual income for the base period for workers in the designated area and the drop in income is of such magnitude that the average family income of all residents of the designated area as determined by the department is below the poverty guidelines issued by the federal Department of Health and Human Services, adjusted by the department to reflect subsistence economic patterns and appropriate cost-of-living differentials; the availability of alternate employment shall be considered in determining whether an economic disaster has occurred under this paragraph.

**Elevation:** The raising of a structure to place it above flood waters, generally above the base flood elevation, on an extended support structure.

**Emergency Operations Plan:** A document that: describes how people and property will be protected in disaster and disaster threat situations; details who is responsible for carrying out specific actions; identifies the personnel, equipment, facilities, supplies, and other resources available for use in the disaster; and outlines how all actions will be coordinated.

**Erosion:** The wearing away of the land surface by running water, wind, ice, or other geological agents.

**Federal Disaster Declaration:** See Presidential Disaster Declaration.

**Federal Emergency Management Agency (FEMA):** A federal agency created in 1979 to provide a single point of accountability for all federal activities related to hazard mitigation, preparedness, response, and recovery.

**Flash Flood:** A flood event occurring with little or no warning where water levels rise at an extremely fast rate.

**Flood:** A general and temporary condition of partial or complete inundation of normally dry land areas from (1) the overflow of inland or tidal waters, (2) the unusual and rapid accumulation or runoff of surface waters from any source, or (3) mudflows or the sudden collapse of shoreline land.

**Floodplain:** A "floodplain" is the lowland adjacent to a river, lake, or ocean. Floodplains are designated by the frequency of the flood that is large enough to cover them. For example, the 10-year floodplain will be covered by the 10-year flood; the 100-year floodplain by the 100-year flood.

**"Flood Frequencies:"** Frequencies are determined by plotting a graph of the size of all known floods for an area and determining how often floods of a particular size occur. The frequency is the chance of a flood occurring during a given timeframe. It is the percentage of the probability of flooding each year. For example, the 100-year flood has a 1% chance and the 10-year flood has a 10% chance of occurring in any given year.

**Fumarole:** Fumaroles are vents from which volcanic gas escapes into the atmosphere. Fumaroles may occur along tiny cracks or long fissures, in chaotic clusters or fields, and on the surfaces of lava flows and thick deposits of pyroclastic flows. They may persist for decades or centuries if they are above a persistent heat source or disappear within weeks to months if they occur atop a fresh volcanic deposit that quickly cools.

**Geographic Information System:** A computer software application that relates physical features of the earth to a database that can be used for mapping and analysis.

**Governing Body:** The legislative body of a jurisdiction such as a municipal or Borough assembly or a city council.

**Hazard:** A source of potential danger or adverse condition. Any situation that has the potential for causing personal injury or death, or damage to property and the environment.

**Hazard Mitigation:** Any action taken to reduce or eliminate the long-term risk to human life and property from natural hazards (44 CFR Subpart M 206.401).

**Hazard Mitigation Grant Program:** The program authorized under §322 of the Disaster Mitigation Act 2000, which may provide funding for mitigation measures identified through the evaluation of natural hazards.

**Hazard and Vulnerability Analysis:** The identification and evaluation of all the hazards that potentially threaten a jurisdiction and analyzing them in the context of the jurisdiction to determine the degree of threat that is posed by each.

**Hydro Unit:** Short for Hydrologic Unit. A drainage area delineated to nest in a multi-level, hierarchical drainage system. Its boundaries are defined by hydrographic and topographic criteria that delineate an area of land upstream from a specific point on a river, stream, or similar surface water. A hydrologic unit can accept surface water directly from upstream drainage areas, and indirectly from associated surface areas such as remnant, non-contributing, and diversions to form a drainage area with single or multiple outlet points.

**Infrastructure:** The public services of a community that have a direct impact to the quality of life. Infrastructure refers to communication technology such as phone lines or Internet access, vital services such as public water supply and sewer treatment facilities, and includes an area's transportation system, regional dams or bridges, etc.

**Interferometry:** A method employing the interference of electromagnetic radiation to make highly precise measurements of the angle between the two rays of light.

**Inundation:** The maximum horizontal distance inland reached by a tsunami.

**Jökulhlaup:** A sudden flood-like release of water from a glacier (glacier outburst flooding).

**Jurisdiction:** The authority to apply the law; the territory under a given authority or control.

**Katabatic wind:** Any wind blowing down an incline; the opposite to anabatic wind.

**Lahar:** Lahar is an Indonesian word for a rapidly flowing mixture of rock debris and water that originates on the slopes of a volcano. Lahars are also referred to as volcanic mudflows or debris flows. They form in a variety of ways, chiefly by the rapid melting of snow and ice by pyroclastic flows, intense rainfall on loose volcanic rock deposits, breakout of a lake dammed by volcanic deposits, and as a consequence of debris avalanches.

**Landslide:** Downward movement of a slope and materials under the force of gravity.

**Lava dome:** Lava domes are rounded, steep-sided mounds built by very viscous magma. Such magmas are typically too viscous (resistant to flow) to move far from the vent before cooling and crystallizing. Domes may consist of one or more individual lava flows.

**LiDAR:** Light Detection and Ranging technology which uses pulsed light from lasers or other sources to accurately measure distances. It is used to create maps and 3-D imagery.

**Local Government:** Any Borough, municipality, city, township, public authority, school district, intrastate district, council of governments (regardless of whether the council of governments is incorporated as a nonprofit corporation under State law), regional or interstate government entity, or agency, or instrumentality of a local government; any Indian tribe or authorized tribal organization, or Alaska Native village or organization; and any rural community, unincorporated town or village, or other public entity, for which an application for assistance is made by a State or political subdivision of a state.

**Magma:** Molten rock originating from the Earth's interior.

**Municipality:** A political subdivision incorporated under the laws of the state that is a home rule or general law city, a home rule or general law borough, or a unified municipality.

**Natural Disaster:** Any natural catastrophe, including any hurricane, tornado, storm, high water, wind, driven water, tsunami, earthquake, volcanic eruption, landslide, snowstorm, fire, or drought. (44 CFR Subpart M206.401)

**Orthophoto:** An aerial photo that has been corrected to eliminate the effects of camera tilt and relief displacement. The ground geometry is recreated as it would appear from directly above each and every point.

**Overlay Zone:** Overlay zones (overlay districts) create a framework for conservation or development of special geographical areas. In a special resource overlay district, overlay provisions typically impose greater restrictions on the development of land, but only regarding those parcels whose development, as permitted under the zoning, may threaten the viability of the natural resource. In a development area overlay district, the provisions may impose restrictions as well, but also may provide zoning incentives and waivers to encourage certain types and styles of development. Overlay zone provisions are often complemented by the adoption of other innovative zoning techniques, such as floating zones, special permits, incentive zoning, cluster development and special site plan or subdivision regulations, to name a few.

**Period:** A length of time. For waves, it is the length of time between two successive peaks or troughs, which may vary due to interference of waves. Tsunami periods generally range from 5 to 60 minutes.

**Planning:** The act or process of making or carrying out plans; the establishment of goals, policies and procedures for a social or economic unit.

**Preparedness:** The steps taken to decide what to do if essential services break down, developing a plan for contingencies, and practicing the plan. Preparedness ensures that people are ready for a disaster and will respond to it effectively.

**Presidential Disaster Declaration:** The formal action by the President of the United States to make a state eligible for major disaster or emergency assistance under the Robert T. Stafford Relief and Emergency Assistance Act, Public Law 93- 288, as amended.

**Pyroclastic:** Pertaining to fragmented rock material formed by a volcanic explosion or ejection from a volcanic vent.

**Pyroclastic Flow:** Lateral flow of a turbulent mixture of hot gases and unsorted pyroclastic material (volcanic fragments, ash, etc.) that can move at high speeds.

**Recovery:** The long-term activities beyond the initial crisis period and emergency response phase of disaster operations that focus on returning all systems in the community to a normal status or to reconstitute these systems to a new, less vulnerable condition.

**Response:** Those activities and programs designed to address the immediate and short-term effects of the onset of an emergency or disaster.

**Retrofit:** The strengthening of existing structures to mitigate disaster risks.

**Rift Zone:** A rift zone is an elongate system of crustal fractures associated with an area that has undergone extension (the ground has spread apart).

**Risk:** The estimated impact that a hazard would have on people, services, facilities, and structures in a community; the likelihood of a hazard event resulting in an adverse condition that causes injury or damage. Risk is often expressed in relative terms such as a high, moderate or low likelihood of sustaining damage above a particular threshold due to a specific type of hazard event. It can also be expressed in terms of potential monetary losses associated with the intensity of the hazard.

**Riverine:** Relating to, formed by, or resembling rivers (including tributaries), streams, creeks, brooks, etc.

**Riverine Flooding:** Flooding related to or caused by a river, stream, or tributary overflowing its banks due to excessive rainfall, snowmelt or ice.

**Run-up:** The maximum vertical height of a tsunami in relation to sea level.

**Seiche:** An oscillating wave (also referred to as a seismic sea wave) in a partially or fully enclosed body of water. May be initiated by long period seismic waves, wind and water waves, or a tsunami.

**Stafford Act:** 1) The Robert T. Stafford Disaster Relief and Emergency Assistance Act, Public Law 93-288, as amended. 2) The Stafford Act provides an orderly and continuing means of assistance by the Federal Government to State, local and tribal governments in carrying out their responsibilities to alleviate the suffering and damage which result from disaster.

**State Disaster Declaration:** A disaster emergency shall be declared by executive order or proclamation of the Governor upon finding that a disaster has occurred or that the occurrence or the threat of a disaster is imminent. The state of disaster emergency shall continue until the governor finds that the threat or danger has passed or that the disaster has been dealt with to the extent that emergency conditions no longer exist and terminates the state of disaster emergency by executive order or proclamation. Along with other provisions, this declaration allows the governor to utilize all available resources of the State as reasonably necessary, direct and compel the evacuation of all or part of the population from any stricken or threatened area if necessary, prescribe routes, modes of transportation and destinations in connection with evacuation and control ingress and egress to and from disaster area. It is required before a Presidential Disaster Declaration can be requested.

**State Hazard Mitigation Officer (SHMO):** The SHMO is the representative of state government who is the primary point of contact with FEMA, other state and Federal



agencies, and local units of government in the planning and implementation of pre- and post-disaster mitigation activities.

**Storm Surge:** Rise in the water surface above normal water level on open coast due to the action of wind stress and atmospheric pressure on the water surface.

**Tectonic Plate:** Torsionally rigid, thin segments of the earth's lithosphere that may be assumed to move horizontally and adjoin other plates. It is the friction between plate boundaries that causes seismic activity.

**Tephra:** Tephra is a general term for fragments of volcanic rock and lava regardless of size that are blasted into the air by explosions or carried upward by hot gases in eruption columns or lava fountains. Tephra includes large dense blocks and bombs, and small light rock debris.

**Topography:** The contour of the land surface. The technique of graphically representing the exact physical features of a place or region on a map.

**Tribal Government:** A Federally recognized governing body of an Indian or Alaska Native Tribe, band, nation, pueblo, village or community that the Secretary of the Interior acknowledges to exist as an Indian tribe under the Federally Recognized Tribe List Act of 1994, 25 U.S.C. 479a. This does not include Alaska Native corporations, the ownership of which is vested in private individuals.

**Tsunami:** A sea wave produced by submarine earth movement or volcanic eruption with a sudden rise or fall of a section of the earth's crust under or near the ocean. A seismic disturbance or land slide can displace the water column, creating a rise or fall in the level of the ocean above. This rise or fall in sea level is the initial formation of a tsunami wave.

**Volcano Vent:** Vents are openings in the Earth's crust from which molten rock and volcanic gases escape onto the ground or into the atmosphere. Vents may consist of a single circular-shaped structure, a large elongated fissure and fracture, or a tiny ground crack.

**Vulnerability:** Describes how exposed or susceptible to damage an asset is. Vulnerability depends on an asset's construction, contents, and the economic value of its functions. The vulnerability of one element of the community is often related to the vulnerability of another. For example, many businesses depend on uninterrupted electrical power – if an electrical substation is flooded, it will affect not only the substation itself, but a number of businesses as well. Other, indirect effects can be much more widespread and damaging than direct ones.


**Wildfire:** An uncontrolled fire that spreads through vegetative fuels, exposing and possibly consuming structures.

**Worst Case Scenario:** The term "worst case scenario" is somewhat self-explanatory. It includes the potential for a "cascade effect", which was assumed in analyzing the risk from each hazard. The term "cascade effect" is used to describe the triggering of several hazard occurrences from an initial event. An earthquake for instance, might also trigger avalanches, collapsed buildings, transportation and utility disruptions, and hazardous material releases, each of which might trigger additional events, all part of the same incident.

**Zoning Ordinance:** An ordinance under the state or local government's police powers that divides an area into districts and, within each district, regulates the use of land and buildings, height, and bulk of buildings or other structures, and the density of population.

## **Appendix B: Public Involvement**

This page was intentionally left blank



# Matanuska-Susitna Borough

[www.matsugov.us](http://www.matsugov.us)

## -ABANDONED VEHICLES SUBJECT TO DISPOSAL-

The following abandoned vehicles are subject to disposal by the Matanuska-Susitna Borough's Solid Waste Division. The vehicles were tagged as abandoned in the Matanuska-Susitna Borough right-of-way at the listed locations. You have the right to appeal pursuant to MSB 10.12.090.

**Impound:** 4650

**Vehicle Description:** Red Ford Expedition **LIC:** Not Available

**VIN:** 1FMFU18L8VLA84976

**MSB ROW Location:** W. Milky Way Ln, Wasilla, Alaska

**Place of Impoundment:** 1201 N 40th State St, Palmer, AK 99645

The vehicles will be disposed of by auction or auto wrecker on or after October 5, 2025.



FOR MORE INFORMATION, call the MSB Solid Waste Division at (907) 861-7600.

Publish Date: September 5, 2025

0925-08

## Public Comment Open for the Hazard Mitigation Plan Update



The Matanuska-Susitna Borough is in the process of updating its Hazard Mitigation Plan (HMP), and we invite your participation in the public comment period. HMP helps guide the Borough in identifying risks and developing strategies to reduce the impacts of natural hazards on our communities.

This update includes the identification of two new hazards: tsunamis and permafrost-thaw landslides. We encourage you and your community members to review the plan, share your feedback, and provide input on mitigation priorities.

<https://des.matsugov.us/pages/hazard-mitigation-plan>

Publish Date: September 5, 2025

0925-08

\*\*\*\*\*  
★  
★ **ELECTION OFFICIALS NEEDED!** ★  
★  
★ **For the Mat-Su Borough Regular Election on** ★  
★ **Tuesday, November 4, 2025** ★  
★ **Don't delay, submit your application today!** ★  
★  
★ The Borough Clerk's Office is recruiting for precinct officials and hand count officials. If you are ★  
★ interested in applying, you must complete and submit an application. Additional information and ★  
★ applications are available online at [www.matsugov.us/elections](http://www.matsugov.us/elections) or contact the Borough Clerk's ★  
★ Office at 907-861-8883. In order to serve, you must be a registered voter of the Borough and attend ★  
★ training. Training and compensation are provided. ★  
★ Publish Date: September 5, 2025 0525-11 ★  
★  
★ \*\*\*\*\*

## NOTICE OF SEASONAL WEIGHT RESTRICTIONS

Within the Matanuska-Susitna Borough roads have the following weight restrictions:

**MONDAY, March 17th at 12:01 AM**  
**Until further notice 50% legal axle load**

(Core area restrictions may also be enforced on city maintained roads in the City of Houston, Palmer and Wasilla. Contact their Public Works Dept. for more information.)

For weight restrictions that apply to state maintained roads, please go to  
<https://dot.alaska.gov/mscve/pages/weightrestrictions.html>  
Updated: March 11, 2025



Edna DeVries, Mayor  
(907) 861-8682 - Work  
(907) 795-8133 - Cell  
[Edna.DeVries@matsugov.us](mailto:Edna.DeVries@matsugov.us)

Tim Hala, #1  
(907) 590-8243  
[TimHalaDistrict@gmail.com](mailto:TimHalaDistrict@gmail.com)

Stephanie Nowors, #2  
(907) 831-6299  
[StephanieNoworsDistrict@gmail.com](mailto:StephanieNoworsDistrict@gmail.com)

Dee McKee, #3  
(907) 315-2902  
[Dee.McKee@matsugov.us](mailto:Dee.McKee@matsugov.us)

Maxwell Sumner, #4  
(907) 232-6797  
[Maxwell.Sumner@matsugov.us](mailto:Maxwell.Sumner@matsugov.us)

Bill Gambino, #5  
(907) 232-0103  
[Bill.Gambino@matsugov.us](mailto:Bill.Gambino@matsugov.us)

Dmitri Fonov, #6  
(907) 861-8546  
[fonov@matsugov.us](mailto:fonov@matsugov.us)

Ron Barrior, #7  
(907) 354-7877  
[Ron.Barrior@matsugov.us](mailto:Ron.Barrior@matsugov.us)

To see a complete listing of all boards and commissions, please go to <http://www.matsugov.us/boards> and scroll to the bottom of the page, and click on membership.

[←](#) [→](#) [↺](#) [https://des.matsugov.us/pages/hazard-mitigation-plan](#) [🔍](#) [★](#)

[📦](#) [📁 Planning Experience](#) [📁 The Matanuska-Susi...](#) [📁 Code Compliance Vi...](#) [📁 Mat-Su Problem Re...](#) [📁 Common Operating...](#) [📁 E-commerce Other...](#) [📁 Time & Attendance](#) [📁 MSB Planning and L...](#) [📁 Alaska-Pacific RFC](#) [📁 Message | Baker eFTP](#) [📁 Learn Business Skills...](#)



## Department of Emergency Services

[MSB](#) [Home](#) [Fire](#) [EMS](#) [Emergency Management](#) [Rescue](#) [Contacts](#) [Responder Links](#)

# Hazard Mitigation Plan Update

2026 All-Hazard Mitigation Plan

## Purpose of the update:

The purpose of hazard mitigation planning is to reduce or eliminate long-term risk to people and property from natural hazards. The Matanuska-Su Borough (MSB) is in the planning process to complete an abbreviated update to its 2021 Hazard Mitigation Plan(HMP). Our current plan expires in February 26, 2026.

The MSB has been working on obtaining two grants to enhance the earthquake and soil susceptibility section and a detailed inventory of the flood and erosion-prone areas. Those grants are anticipated in the early part of the Federal Fiscal Year. Therefore, this update is focused on including the two new hazards identified within the past 5 years:

1. Tsunami risk and
2. Permafrost-thaw landslide instabilities, added to the ground failure section.

This plan is prepared following the requirements of the Disaster Mitigation Act of 2000 and the Local Mitigation Planning Policy Guide dated April 11, 2025, so the MSB will remain eligible for the Federal Emergency Management Agency's (FEMA) Hazard Mitigation Assistance (HMA) grant programs and other federal programs for mitigation actions.

## Hazard Mitigation Plan Related Documents

[Hazard Mitigation Plan Update Presentation \(PDF | 966.4 KB\) 🔗](#)

[Mat-Su Tsunami Brochure \(PDF | 2.5 MB\) 🔗](#)

[Permafrost Thaw Instability \(UPG | 3.6 MB\) ⬇](#)

## Proposed Hazard Mitigation Plan

[Hazard Mitigation Plan Draft 2025 \(PDF | 24 MB\) 🔗](#)



[Online Open House: Hazard Mitigation Plan Update](#)

2026 All-Hazard Mitigation Plan

[Explore](#)

## Current Hazard Mitigation Plan

[MSB Hazard Mitigation Plan \(PDF | 65.8 MB\) 🔗](#)

# Matanuska-Susitna Borough 2026 Hazard Mitigation Plan Update



Taunnie Boothby, CFM, Current Planner  
(907) 861-8526

[taunnie.Boothby@matsugov.us](mailto:taunnie.Boothby@matsugov.us)



## What is Hazard Mitigation and Hazard Mitigation Planning?

- ▶ Hazard mitigation is the effort to reduce loss of life and property by lessening the impact of disasters.
- ▶ Mitigation planning is the process used by state, tribal, and local leaders to understand risks from natural hazards and develop long-term strategies that will reduce the impacts of future events on people, property, and the environment.

## What is New in Hazard Mitigation Planning?

- ▶ New Local Mitigation Planning Policy Guide was released on April 11, 2025.
- ▶ Right-sizing is an effort to update the plan that reflects the needs of the community.

## Components of Mitigation Planning

- ▶ *Risks Assessment*
- ▶ *Public involvement*
- ▶ *Mitigation Strategy*
- ▶ *Monitor, evaluate, and update the HMP*

## Mat-Su Borough's Hazard Mitigation Plan

- ▶ Approved through the end of February 2026.
- ▶ Every 5 years, the plan is updated.
- ▶ This cycle will focus on the two new hazards.
- ▶ In the early Federal Fiscal year, we anticipate grant funding to enhance earthquake soils analysis, along with flooding and erosion analysis.

## What are the two New Hazards in Mat-Su?

- ▶ *Tsunami*
  - *Move to 60-foot elevation for safety - gathering locations are Menard Center or AK State Fairgrounds*
  - *We are in the first phase of being awarded a grant to install Tsunami Sirens & signage*
- ▶ *Permafrost-thaw Landslide Instabilities*
  - *Notified AKDOT and working with them to consider monitoring or other actions*

## What is Next after October 15, 2025?

- ▶ The plan will be sent through the Local Emergency Planning Committee (LEPC),
- ▶ the Planning Commission,
- ▶ to the Assembly, and
- ▶ finally, to the State and FEMA.

## How can you help?

- Review the Story Map and answer the questions at the end!


Hazard Mitigation Plan website <https://des.matsugov.us/pages/hazard-mitigation-plan>, or you can use the QR code to go directly to the story map.



The public comment period will open on September 1, 2025, and close on October 15, 2025

You may contact:

- Taunnie Boothby - 907-861-8526  
Taunnie.Boothby@matsugov.us
- Rebecca Skjothaug - 907-861-7862  
Rebecca.Skjothaug@matsugov.us



## Appendix C: Adoption Resolution and FEMA Approval Letter

To be added after adoption.

## Appendix D: FEMA - Local Mitigation Plan Review Tool with State Requirements



# Local Mitigation Plan Review Tool

## Cover Page

The Local Mitigation Plan Review Tool (PRT) demonstrates how the local mitigation plan meets the regulation in 44 CFR § 201.6 and offers states and FEMA Mitigation Planners an opportunity to provide feedback to the local governments, including special districts.

1. The Multi-Jurisdictional Summary Sheet is a worksheet that is used to document how each jurisdiction met the requirements of the plan elements (Planning Process; Risk Assessment; Mitigation Strategy; Plan Maintenance; Plan Update; and Plan Adoption).
2. The Plan Review Checklist summarizes FEMA's evaluation of whether the plan has addressed all requirements.

*For greater clarification of the elements in the Plan Review Checklist, please see Section 4 of this guide. Definitions of the terms and phrases used in the PRT can be found in Appendix E of this guide.*

Plan Information	
<b>Jurisdiction(s)</b>	Matanuska-Susitna Borough (MSB)
<b>Title of Plan</b>	MSB 2026 Hazard Mitigation Plan Update
<b>New Plan or Update</b>	Update
<b>Single- or Multi-Jurisdiction</b>	Single-jurisdiction
<b>Date of Plan</b>	Click or tap to enter a date.
Local Point of Contact	
<b>Title</b>	Taunnie Boothby, CFM, Current Planner and Floodplain Administrator
<b>Agency</b>	Matanuska-Susitna Borough (MSB)
<b>Address</b>	350 E. Dahlia Ave Palmer, AK 99645
<b>Phone Number</b>	907-861-8526
<b>Email</b>	taunnie.boothby@matsugov.us

---

Local Mitigation Planning Policy Guide

Additional Point of Contact	
<b>Title</b>	Casey Cook, MSB Emergency Manager
<b>Agency</b>	Matanuska-Susitna Borough (MSB)
<b>Address</b>	630 N Seward Meridian Pkwy, Wasilla, AK 99654
<b>Phone Number</b>	907-861-8004
<b>Email</b>	casey.cook@matsugov.us

Review Information	
State Review	
<b>State Reviewer(s) and Title</b>	John Andrews
<b>State Review Date</b>	Click or tap to enter a date.
FEMA Review	
<b>FEMA Reviewer(s) and Title</b>	TBD
<b>Date Received in FEMA Region</b>	Click or tap to enter a date.
<b>Plan Not Approved</b>	Click or tap to enter a date.
<b>Plan Approvable Pending Adoption</b>	Click or tap to enter a date.
<b>Plan Approved</b>	Click or tap to enter a date.

---

Local Mitigation Planning Policy Guide

## Multi-Jurisdictional Summary Sheet

In the boxes for each element, mark if the element is met (Y) or not met (N).

#	Jurisdiction Name	A. Planning Process	B. Risk Assessment	C. Mitigation Strategy	D. Plan Maintenance	E. Plan Update	F. Plan Adoption	G. HHPD Requirements	H. State Requirements
1	N/A								
2									
3									
4									
5									
6									
7									
8									
9									
10									

## Plan Review Checklist

The Plan Review Checklist is completed by FEMA. States and local governments are encouraged, but not required, to use the PRT as a checklist to ensure all requirements have been met prior to submitting the plan for review and approval. The purpose of the checklist is to identify the location of relevant or applicable content in the plan by element/sub-element and to determine if each requirement has been “met” or “not met.” FEMA completes the “required revisions” summary at the bottom of each element to clearly explain the revisions that are required for plan approval. Required revisions must be explained for each plan sub-element that is “not met.” Sub-elements in each summary should be referenced using the appropriate numbers (A1, B3, etc.), where applicable. Requirements for each element and sub-element are described in detail in Section 4: Local Plan Requirements of this guide.

Plan updates must include information from the current planning process.

If some elements of the plan do not require an update, due to minimal or no changes between updates, the plan must document the reasons for that.

Multi-jurisdictional elements must cover information unique to all participating jurisdictions.

### Element A: Planning Process

Element A Requirements	Location in Plan (section and/or page number)	Met / Not Met
<b>A1. Does the plan document the planning process, including how it was prepared and who was involved in the process for each jurisdiction? (Requirement 44 CFR § 201.6(c)(1))</b>	<b>PDF pg 30-32,</b>	<b>met</b>
A1-a. Does the plan document how the plan was prepared, including the schedule or time frame and activities that made up the plan’s development, as well as who was involved?	PDF pg 30	Met
A1-b. Does the plan list the jurisdiction(s) participating in the plan that seek approval, and describe how they participated in the planning process?	Single jurisdiction PDF pg 11	Met

Local Mitigation Planning Policy Guide

Element A Requirements	Location in Plan (section and/or page number)	Met / Not Met
<b>A2. Does the plan document an opportunity for neighboring communities, local and regional agencies involved in hazard mitigation activities, and agencies that have the authority to regulate development as well as businesses, academia, and other private and non-profit interests to be involved in the planning process? (Requirement 44 CFR § 201.6(b)(2))</b>		
A2-a. Does the plan identify all stakeholders involved or given an opportunity to be involved in the planning process, and how each stakeholder was presented with this opportunity?	LEPC Planning team PDF pg 30 – 36	Met
<b>A3. Does the plan document how the public was involved in the planning process during the drafting stage and prior to plan approval? (Requirement 44 CFR § 201.6(b)(1))</b>		
A3-a. Does the plan document how the public was given the opportunity to be involved in the planning process and how their feedback was included in the plan?	PDF pg 30 – 36	Met
<b>A4. Does the plan describe the review and incorporation of existing plans, studies, reports, and technical information? (Requirement 44 CFR § 201.6(b)(3))</b>		
A4-a. Does the plan document what existing plans, studies, reports and technical information were reviewed for the development of the plan, as well as how they were incorporated into the document?	PDF pg 37, 173	Met
<b>ELEMENT A REQUIRED REVISIONS</b>		
Required Revision: Click or tap here to enter text.		

## Element B: Risk Assessment

Element B Requirements	Location in Plan (section and/or page number)	Met / Not Met
<b>B1. Does the plan include a description of the type, location, and extent of all natural hazards that can affect the jurisdiction? Does the plan also include information on previous occurrences of hazard events and on the probability of future hazard events? (Requirement 44 CFR § 201.6(c)(2)(i))</b>		
<b>B1-a. Does the plan describe all natural hazards that can affect the jurisdiction(s) in the planning area, and does it provide the rationale if omitting any natural hazards that are commonly recognized to affect the jurisdiction(s) in the planning area?</b>	Yes, none are omitted that are known. The update focused on adding 2 new hazards identified within the last 5 years.	Met



Local Mitigation Planning Policy Guide

Element B Requirements	Location in Plan (section and/or page number)	Met / Not Met
B1-b. Does the plan include information on the location of each identified hazard?	<p>Yes, Each hazard section has the location identified.</p> <p>5.3.1 Cryosphere pg 31</p> <p>5.3.2 Earthquake pg 43</p> <p>5.3.3 Flood and Erosion pg 62</p> <p>5.3.4 Volcanoes and Ashfalls pg 84</p> <p>5.3.5 Severe Weather pg 87</p> <p>5.3.6 Wildfire and Conflagration Fire pg 100</p> <p>5.3.7 Ground Failure – Permafrost Thaw Landslides pg 117</p> <p>5.3.8 Tsunami &amp; Seiche pg 124</p>	Met
B1-c. Does the plan describe the extent for each identified hazard?	Yes, see the applicable hazard section	Met
B1-d. Does the plan include the history of previous hazard events for each identified hazard?	Yes, see the applicable hazard section	Met

Local Mitigation Planning Policy Guide

Element B Requirements	Location in Plan (section and/or page number)	Met / Not Met
B1-e. Does the plan include the probability of future events for each identified hazard? Does the plan describe the effects of future conditions, including climate change (e.g., long-term weather patterns, average temperature and sea levels), on the type, location and range of anticipated intensities of identified hazards?	Yes, see the applicable hazard section	Met
B1-f. For participating jurisdictions in a multi-jurisdictional plan, does the plan describe any hazards that are unique to and/or vary from those affecting the overall planning area?	N/A	Choose an item.
<b>B2. Does the plan include a summary of the jurisdiction's vulnerability and the impacts on the community from the identified hazards? Does this summary also address NFIP-insured structures that have been repetitively damaged by floods? (Requirement 44 CFR § 201.6(c)(2)(ii))</b>		
B2-a. Does the plan provide an overall summary of each jurisdiction's vulnerability to the identified hazards?	Yes, see the applicable hazard section	Met
B2-b. For each participating jurisdiction, does the plan describe the potential impacts of each of the identified hazards on each participating jurisdiction?	Yes, see the applicable hazard section	Met
B2-c. Does the plan address NFIP-insured structures within each jurisdiction that have been repetitively damaged by floods?	Yes, see the flood hazard section pg 62	Met
<b>ELEMENT B REQUIRED REVISIONS</b>		
Required Revision: Click or tap here to enter text.		

## Element C: Mitigation Strategy

Element C Requirements	Location in Plan (section and/or page number)	Met / Not Met
<b>C1. Does the plan document each participant's existing authorities, policies, programs and resources and its ability to expand on and improve these existing policies and programs? (Requirement 44 CFR § 201.6(c)(3))</b>		
C1-a. Does the plan describe how the existing capabilities of each participant are available to support the mitigation strategy? Does this include a discussion of the existing building codes and land use and development ordinances or regulations?	Yes, pg 19 -20, 142, 146,	Choose an item.
C1-b. Does the plan describe each participant's ability to expand and improve the identified capabilities to achieve mitigation?	PDF pg 87, 92-94	Met
<b>C2. Does the plan address each jurisdiction's participation in the NFIP and continued compliance with NFIP requirements, as appropriate? (Requirement 44 CFR § 201.6(c)(3)(ii))</b>		
C2-a. Does the plan contain a narrative description or a table/list of their participation activities?	NFIP is the entire MSB single entity.	Met
<b>C3. Does the plan include goals to reduce/avoid long-term vulnerabilities to the identified hazards? (Requirement 44 CFR § 201.6(c)(3)(i))</b>		
C3-a. Does the plan include goals to reduce the risk from the hazards identified in the plan?	Yes, per hazard	Met
<b>C4. Does the plan identify and analyze a comprehensive range of specific mitigation actions and projects for each jurisdiction being considered to reduce the effects of hazards, with emphasis on new and existing buildings and infrastructure? (Requirement 44 CFR § 201.6(c)(3)(ii))</b>		
C4-a. Does the plan include an analysis of a comprehensive range of actions/projects that each jurisdiction considered to reduce the impacts of hazards identified in the risk assessment?	Yes, PDF pg 147 - 153	Met
C4-b. Does the plan include one or more action(s) per jurisdiction for each of the hazards as identified within the plan's risk assessment?	PDF pg 156 – 163, 177	Met

Local Mitigation Planning Policy Guide

Element C Requirements	Location in Plan (section and/or page number)	Met / Not Met
<b>C5. Does the plan contain an action plan that describes how the actions identified will be prioritized (including a cost-benefit review), implemented, and administered by each jurisdiction? (Requirement 44 CFR § 201.6(c)(3)(iv)); (Requirement §201.6(c)(3)(iii))</b>		
C5-a. Does the plan describe the criteria used for prioritizing actions?	PDF pg 147 - 153	Met
C5-b. Does the plan provide the position, office, department or agency responsible for implementing/administrating the identified mitigation actions, as well as potential funding sources and expected time frame?	PDF pg 156 - 163	Met
<b>ELEMENT C REQUIRED REVISIONS</b>		
Required Revision: Click or tap here to enter text.		

## Element D: Plan Maintenance

Element D Requirements	Location in Plan (section and/or page number)	Met / Not Met
<b>D1. Is there discussion of how each community will continue public participation in the plan maintenance process? (Requirement 44 CFR § 201.6(c)(4)(iii))</b>		
D1-a. Does the plan describe how communities will continue to seek future public participation after the plan has been approved?	PDF pg 176	Met
<b>D2. Is there a description of the method and schedule for keeping the plan current (monitoring, evaluating and updating the mitigation plan within a five-year cycle)? (Requirement 44 CFR § 201.6(c)(4)(i))</b>		
D2-a. Does the plan describe the process that will be followed to track the progress/status of the mitigation actions identified within the Mitigation Strategy, along with when this process will occur and who will be responsible for the process?	Yes, PDF pg 171 - 175	Met

Local Mitigation Planning Policy Guide

Element D Requirements	Location in Plan (section and/or page number)	Met / Not Met
D2-b. Does the plan describe the process that will be followed to evaluate the plan for effectiveness? This process must identify the criteria that will be used to evaluate the information in the plan, along with when this process will occur and who will be responsible.	Yes, PDF pg 171 - 175	Met
D2-c. Does the plan describe the process that will be followed to update the plan, along with when this process will occur and who will be responsible for the process?	Yes, PDF pg 171 - 175	Met
<b>D3. Does the plan describe a process by which each community will integrate the requirements of the mitigation plan into other planning mechanisms, such as comprehensive or capital improvement plans, when appropriate? (Requirement 44 CFR § 201.6(c)(4)(ii))</b>		
D3-a. Does the plan describe the process the community will follow to integrate the ideas, information and strategy of the mitigation plan into other planning mechanisms?	PDF pg 31,165 - 180	Met
D3-b. Does the plan identify the planning mechanisms for each plan participant into which the ideas, information and strategy from the mitigation plan may be integrated?	PDF pg 31,165 - 180	Met
D3-c. For multi-jurisdictional plans, does the plan describe each participant's individual process for integrating information from the mitigation strategy into their identified planning mechanisms?	N/A	Choose an item.
<b>ELEMENT D REQUIRED REVISIONS</b>		
Required Revision: Click or tap here to enter text.		

Local Mitigation Planning Policy Guide

## Element E: Plan Update

Element E Requirements	Location in Plan (section and/or page number)	Met / Not Met
<b>E1. Was the plan revised to reflect changes in development? (Requirement 44 CFR § 201.6(d)(3))</b>		
E1-a. Does the plan describe the changes in development that have occurred in hazard-prone areas that have increased or decreased each community's vulnerability since the previous plan was approved?	PDF pg 142 - 146	Met
<b>E2. Was the plan revised to reflect changes in priorities and progress in local mitigation efforts? (Requirement 44 CFR § 201.6(d)(3))</b>		
E2-a. Does the plan describe how it was revised due to changes in community priorities?	PDF pg 31,165 - 180	Met
E2-b. Does the plan include a status update for all mitigation actions identified in the previous mitigation plan?	PDF pg 31, 163, 165 - 180	Met
E2-c. Does the plan describe how jurisdictions integrated the mitigation plan, when appropriate, into other planning mechanisms?	PDF pg 147 - 153	Met
<b>ELEMENT E REQUIRED REVISIONS</b>		
Required Revision: Click or tap here to enter text.		



## Element F: Plan Adoption

Element F Requirements	Location in Plan (section and/or page number)	Met / Not Met
<b>F1. For single-jurisdictional plans, has the governing body of the jurisdiction formally adopted the plan to be eligible for certain FEMA assistance? (Requirement 44 CFR § 201.6(c)(5))</b>		
F1-a. Does the participant include documentation of adoption?	Will be added following the Planning Commission and Assembly meetings. Est date: 1/20/2026	Choose an item.
<b>F2. For multi-jurisdictional plans, has the governing body of each jurisdiction officially adopted the plan to be eligible for certain FEMA assistance? (Requirement 44 CFR § 201.6(c)(5))</b>		
F2-a. Did each participant adopt the plan and provide documentation of that adoption?	Single jurisdiction	Choose an item.
<b>ELEMENT F REQUIRED REVISIONS</b>		
Required Revision: Click or tap here to enter text.		

## Element G: High Hazard Potential Dams (Optional)

HHPD Requirements	Location in Plan (section and/or page number)	Met / Not Met
<b>HHPD1. Did the plan describe the incorporation of existing plans, studies, reports and technical information for HHPDs?</b>		
HHPD1-a. Does the plan describe how the local government worked with local dam owners and/or the state dam safety agency?	N/A	Choose an item.
HHPD1-b. Does the plan incorporate information shared by the state and/or local dam owners?	N/A	Choose an item.

Local Mitigation Planning Policy Guide

HHPD Requirements	Location in Plan (section and/or page number)	Met / Not Met
<b>HHPD2. Did the plan address HHPDs in the risk assessment?</b>		
HHPD2-a. Does the plan describe the risks and vulnerabilities to and from HHPDs?	N/A	Choose an item.
HHPD2-b. Does the plan document the limitations and describe how to address deficiencies?	N/A	Choose an item.
<b>HHPD3. Did the plan include mitigation goals to reduce long-term vulnerabilities from HHPDs?</b>		
HHPD3-a. Does the plan address how to reduce vulnerabilities to and from HHPDs as part of its own goals or with other long-term strategies?	N/A	Choose an item.
HHPD3-b. Does the plan link proposed actions to reducing long-term vulnerabilities that are consistent with its goals?	N/A	Choose an item.
<b>HHPD4-a. Did the plan include actions that address HHPDs and prioritize mitigation actions to reduce vulnerabilities from HHPDs?</b>		
HHPD4-a. Does the plan describe specific actions to address HHPDs?	N/A	Choose an item.
HHPD4-b. Does the plan describe the criteria used to prioritize actions related to HHPDs?	N/A	Choose an item.
HHPD4-c. Does the plan identify the position, office, department or agency responsible for implementing and administering the action to mitigate hazards to or from HHPDs?	N/A	Choose an item.
<b>HHPD Required Revisions</b>		
Required Revision: Click or tap here to enter text.		

## Element H: Additional State Requirements (Optional)

Executive Summary Additional Requirements	Location in Plan (section and/or page number)	Met / Not Met
<b>H1. Did the plan include the additional state required Executive Summary, using the template provided?</b>		
H1-a. Does the plan include the additional requirement as outlined in the document titled “SOA HMP Executive Summary Additional Requirement” that is located at <a href="https://ready.alaska.gov/Mitigation/LHMP?">https://ready.alaska.gov/Mitigation/LHMP?</a>	PDF pg 11 - 12	Met

## Plan Assessment

These comments can be used to help guide your annual/regularly scheduled updates and the next plan update.

### Element A. Planning Process

#### Strengths

- [insert comments]

#### Opportunities for Improvement

- [insert comments]

### Element B. Risk Assessment

#### Strengths

- [insert comments]

#### Opportunities for Improvement

- [insert comments]

### Element C. Mitigation Strategy

#### Strengths

- [insert comments]

#### Opportunities for Improvement

- [insert comments]

### Element D. Plan Maintenance

#### Strengths

- [insert comments]

#### Opportunities for Improvement

- [insert comments]

### Element E. Plan Update

#### Strengths

- [insert comments]

#### Opportunities for Improvement

- [insert comments]

## **Element G. HHPD Requirements (Optional)**

### **Strengths**

- [insert comments]

### **Opportunities for Improvement**

- [insert comments]

## **Element H. Additional State Requirements (Optional)**

### **Strengths**

- [insert comments]

### **Opportunities for Improvement**

- [insert comments]

## Appendix E: Benefit Cost Analysis Fact Sheet



# Fiscal Year 2025 FEMA Standard Terms and Conditions

---

**Release Date: Aug 4, 2025**

FEMA Standard Terms and Conditions are updated each Fiscal Year (FY). This fact sheet displays the FEMA Standard Terms and Conditions for FY 2025. These standard terms and conditions apply to all non-disaster financial assistance awards funded in FY 2025.

## Environmental Planning and Historic Preservation (EHP) Review

DHS/FEMA funded activities that could impact the environment are subject to the FEMA EHP review process. This review does not address all federal, state, and local requirements. Acceptance of federal funding requires the recipient to comply with all federal, state, and local laws.

DHS/FEMA is required to consider the potential impacts to natural and cultural resources of all projects funded by DHS/FEMA grant funds, through its EHP review process, as mandated by: the National Environmental Policy Act; Endangered Species Act; National Historic Preservation Act of 1966, as amended; Clean Water Act; Clean Air Act; National Flood Insurance Program regulations; and any other applicable laws, regulations and executive orders. General guidance for FEMA's EHP process is available on the [FEMA Website](#). Specific applicant guidance on how to submit information for EHP review depends on the individual grant program. Applicants should contact their grant program officer to be put into contact with EHP staff responsible for assisting their specific grant program. The FEMA EHP review process must be completed before funds are released to carry out the proposed project. Otherwise, DHS/FEMA may not be able to fund the project due to noncompliance with EHP laws, executive orders, regulations, and policies. DHS/FEMA may also need to perform a project closeout review to ensure the applicant complied with all required EHP conditions identified in the initial review.



**FEMA**

Page 1 of 4

If ground disturbing activities occur during construction, the applicant will monitor the ground disturbance, and if any potential archaeological resources are discovered, the applicant will immediately cease work in that area and notify the pass-through entity, if applicable, and DHS/FEMA.

EO 11988, Floodplain Management, and EO 11990, Protection of Wetlands, require that all federal actions in or affecting the floodplain or wetlands be reviewed for opportunities to relocate, and be evaluated for social, economic, historical, environmental, legal, and safety considerations. FEMA's regulations at 44 C.F.R. Part 9 implement the EOs and require an eight-step review process if a proposed action is in a floodplain or wetland or has the potential to affect or be affected by a floodplain or wetland.

The regulation also requires that the federal agency provide public notice of the proposed action at the earliest possible time to provide the opportunity for public involvement in the decision-making process (44 C.F.R. § 9.8). Where there is no opportunity to relocate the federal action, FEMA is required to undertake a detailed review to determine what measures can be taken to minimize future damages to the floodplain or wetland.

## **Applicability of DHS Standard Terms and Conditions to Tribal Nations**

The [DHS Standard Terms and Conditions](#) are a restatement of general requirements imposed upon recipients and flow down to sub-recipients as a matter of law, regulation, or executive order. If the requirement does not apply to Tribal Nations, or there is a federal law or regulation exempting its application to Tribal Nations, then the acceptance by Tribal Nations, or acquiescence to DHS Standard Terms and Conditions does not change or alter its inapplicability to a Tribal Nation. The execution of grant documents is not intended to change, alter, amend, or impose additional liability or responsibility upon the Tribal Nations where it does not already exist.

## **Acceptance of Post Award Changes**



Should FEMA determine that an error in the award package has been made, or if an administrative change must be made to the award package, recipients will be notified of the change in writing. Once the notification has been made, any subsequent requests for funds will indicate recipient acceptance of the changes to the award. Please email FEMA Grant Management Operations at: [ASK-GMD@fema.dhs.gov](mailto:ASK-GMD@fema.dhs.gov) for any questions.

## **Disposition of Equipment Acquired Under the Federal Award**

When original or replacement equipment acquired under this award is no longer needed for the original project or program or for other activities currently or previously supported by a federal awarding agency, the non-state recipient or subrecipient (including subrecipients of a state or Tribal Nation), must request instructions from FEMA to make proper disposition of the equipment pursuant to [2 C.F.R. section 200.313\(e\)](#). State recipients must follow the disposition requirements in accordance with state laws and procedures. [2 C.F.R. section 200.313\(b\)](#). Tribal Nations must follow the disposition requirements in accordance with tribal laws and procedures noted in [2 C.F.R. section 200.313\(b\)](#); and if such laws and procedures do not exist, then Tribal Nations must follow the disposition instructions in [2 C.F.R. section 200.313\(e\)](#).

## **Prior Approval for Modification of Approved Budget**

Before making any change to the FEMA approved budget for this award, a written request must be submitted and approved by FEMA as required by [2 C.F.R. section 200.308](#).

For purposes of non-construction projects, FEMA is using its discretion to impose an additional restriction under [2 C.F.R. section 200.308\(i\)](#) regarding the transfer of funds among direct cost categories, programs, functions, or activities. For awards with an approved budget where the federal share is greater than the simplified acquisition threshold (currently \$250,000) and where the cumulative amount of such transfers exceeds or is expected to exceed 10% of the total budget FEMA last approved, transferring funds among direct cost categories, programs, functions, or activities is unallowable without prior written approval from FEMA.



**FEMA**

For purposes of awards that support both construction and non-construction work, [2 C.F.R. section 200.308\(\(f\)\(9\)\)](#) requires the recipient to obtain prior written approval from FEMA before making any fund or budget transfers between the two types of work.

Any deviations from a FEMA approved budget must be reported in the first [Federal Financial Report \(SF-425\)](#) that is submitted following any budget deviation, regardless of whether the budget deviation requires prior written approval.

## Indirect Cost Rate

[2 C.F.R. section 200.211\(b\)\(16\)](#) requires the terms of the award to include the indirect cost rate for the federal award. If applicable, the indirect cost rate for the award is stated in the budget documents or other materials approved by FEMA and included in the award file.

## Build America, Buy America Act (BABAA) Required Contract Provision & Self-Certification

In addition to the DHS Standard Terms & Conditions regarding Required Use of American Iron, Steel, Manufactured Products, and Construction Materials, recipients and subrecipients of FEMA financial assistance for programs that are subject to BABAA must include a Buy America preference contract provision as noted in [2 C.F.R. section 184.4](#) and a self-certification as required by the [FEMA Buy America Preference in FEMA Financial Assistance Programs for Infrastructure \(FEMA Interim Policy #207-22-0001\)](#). This requirement applies to all subawards, contracts, and purchase orders for work performed, or products supplied under the FEMA award subject to BABAA.



## Appendix F: Plan Maintenance Documents

~~A~~ppendix G: Horseshoe Lake Road Community Assessment and Wildfire Protection Plan 2024

Appendix H: City of Houston Hazard Mitigation Plan 2017

Appendix I: City of Wasilla Hazard Mitigation Plan 2018

Appendix J: Chickaloon Hazard Mitigation Plan 2024

For appendix G through J please visit:

<https://des.matsugov.us/pages/hazard-mitigation-plan>

MSB is migrating to a new website program. The documents and public process all were held on the above website but will migrate to the following website address:

<https://matsu.gov/plans/msb-hazard-mitigation-plan>



By: Taunnie Boothby  
Introduced: December 01, 2025  
Public Hearing: December 15, 2025  
Action:

**MATANUSKA-SUSITNA BOROUGH**  
**PLANNING COMMISSION RESOLUTION NO. 25-23**

A RESOLUTION OF THE MATANUSKA-SUSITNA BOROUGH PLANNING COMMISSION  
RECOMMENDING ASSEMBLY ADOPTION OF THE MATANUSKA-SUSITNA BOROUGH  
HAZARD MITIGATION PLAN 2026 UPDATE.

---

WHEREAS, the Matanuska-Susitna Borough recognizes the threat  
that natural hazards pose to people and property; and

WHEREAS, undertaking hazard mitigation actions before  
disasters occur will reduce the potential for harm to people and  
property and save taxpayer dollars; and

WHEREAS, assembly adoption of the Matanuska-Susitna Borough  
Hazard Mitigation Plan 2026 Update is required as a condition of  
future grant funding for mitigation projects; and

WHEREAS, the Matanuska-Susitna Borough Hazard Mitigation Plan  
2026 Update was developed in coordination with the planning team  
included the Local Emergency Planning Committee representing; and

WHEREAS, the Matanuska-Susitna Borough Hazard Mitigation Plan  
2026 Update was published on Matanuska-Susitna Borough website  
with a story map and survey; and

WHEREAS, the public process included notification to all  
community councils, and

WHEREAS, notice was published in the Frontiersman on  
September 5, 2025.

WHEREAS, in-person meetings were held with 13 community and City council meetings, participation at the MSB Preparedness Expo, and an online campaign was conducted to solicit public comment; and

WHEREAS, the Matanuska-Susitna Borough Hazard Mitigation Plan 2026 Update will be reviewed and approved by the State of Alaska, Division of Homeland Security and Emergency Management and the Federal Emergency Management Agency to meet the required elements of 44 Code of Federal Regulations Part 201.6.

WHEREAS, the accessibility and status of the Federal Government, specifically FEMA, may require revisions to meet the plan approval requirements, changes occurring after adoption will not require Matanuska-Susitna Borough to re-adopt any further iterations of the plan. Subsequent plan updates following the approval period for the plan will require separate adoption resolutions.

NOW, THEREFORE, BE IT RESOLVED, that the Matanuska-Susitna Borough Planning Commission does hereby recommend Assembly adoption of the Matanuska-Susitna Borough Hazard Mitigation Plan 2026 Update.

/

/

/

/

/

/

/

ADOPTED by the Matanuska-Susitna Borough Planning Commission  
this 15th day of December, 2025.

---

RICHARD ALLEN, Chair

ATTEST

---

Lacie Olivieri, Planning Clerk

(SEAL)

YES:

NO:

# **COMMISSION BUSINESS**

(Page 299)



## MATANUSKA-SUSITNA BOROUGH

### Planning and Land Use Department

350 East Dahlia Avenue • Palmer, AK 99645

Phone (907) 861-7822

[Matsu.gov](http://Matsu.gov)

#### MEMORANDUM

DATE: November 21, 2025

TO: Planning Commission

FROM: Alex Strawn, Planning and Land Use Director



SUBJECT: Tentative Future PC Items

---

#### Upcoming PC Actions

##### Quasi-Judicial

- Houdini's Herbs – Marijuana Retail Facility; 8164B01L001A (Staff: Rick Benedict)
- Ficklin Gravel Products LLC – Earth Materials Extraction; 16N04W03A009 (Staff: Rick Benedict)
- Butte Land Co. – Earth Materials Extraction; 17N02E35A024 (Staff: Natasha Heindel)
- Harman Northeast – Earth Materials Extraction; 18N01W15B015 (Staff: Rick Benedict)
- Stenger – Variance; 6194000L002-B (Staff: Rebecca Skjothaug)
- Three Bears Alaska Inc. – Core Area Conditional Use Permit; 58211000L001 (Staff: Rick Benedict)
- Alaska Gravel Company – Earth Materials Extraction; 21N04W18C004 (Staff: Rebecca Skjothaug)
- Paul and Elizabeth Knetch – Variance; 6070000L1051 (Staff: Rebecca Skjothaug)
- Hart Variance - 10066, Tax ID# 8578B05L015A (Staff: Rebecca Skjothaug)
- Kouadia Variance - 10067, Tax ID# 1598000L002 (Staff: Rebecca Skjothaug)
- Bad Gramm3r LLC – Marijuana Retail Facility; 51068000L020 (Staff: Rick Benedict)
- McIntyre Farms LLC – Marijuana Cultivation Facility; 6025B02L007 (Staff: Rick Benedict)

##### Legislative

- Historic Preservation Plan (HPP) (Staff: Paul Clark)
- MSB Borough-Wide Comprehensive Plan (Staff: Jason Ortiz/Alex Strawn)
- Transit Development Plan (Staff: Jason Ortiz)